

Package ‘datasets.load’

January 7, 2020

Title Interfaces for Loading Datasets

Version 1.2.0

Description Visual interface for loading datasets in RStudio from all installed (unloaded) packages, also includes command line interfaces.

Depends R (>= 3.0.0)

Imports shiny, miniUI, DT

License GPL-3

Encoding UTF-8

LazyData true

RoxygenNote 7.0.2

NeedsCompilation no

Author Bastiaan quast [aut, cre]

Maintainer Bastiaan quast <bquast@gmail.com>

Repository CRAN

Date/Publication 2020-01-07 12:10:02 UTC

R topics documented:

datasets.load-package	2
alldata	2
browseDatasets	2
datasets	3
datasets.load	3
getDatasetInfo	4
print.browseDatasets	4
print.datasets	5
printDatasets	5
promptDatasets	6

Index	7
--------------	----------

datasets.load-package *Interface for loading Datasets*

Description

Interface for loading Datasets

alldata *List all datasets*

Description

List all datasets

Usage

```
alldata(package = NULL, lib.loc = NULL, all = TRUE, drop.defaults = FALSE)
```

Arguments

package	a character vector with the names of packages to search through, or NULL in which "all" packages (as defined by argument all) are searched.
lib.loc	a character vector of directory names of R libraries, or NULL. The default value of NULL corresponds to all libraries currently known.
all	logical; if TRUE search all available packages in the library trees specified by lib.loc, and if FALSE, search only attached packages.
drop.defaults	logical; if TRUE, do not include the datasets from the datasets package.

browseDatasets *List datasets in an HTML Browser*

Description

List datasets in an HTML Browser

Usage

```
browseDatasets(  
  package = NULL,  
  lib.loc = NULL,  
  all = TRUE,  
  drop.defaults = FALSE  
)
```

Arguments

package	a character vector with the names of packages to search through, or NULL in which "all" packages (as defined by argument all) are searched.
lib.loc	a character vector of directory names of R libraries, or NULL. The default value of NULL corresponds to all libraries currently known.
all	logical; if TRUE search all available packages in the library trees specified by lib.loc, and if FALSE, search only attached packages.
drop.defaults	logical; if TRUE, do not include the datasets from the datasets package.

datasets *View datasets from all installed package*

Description

View datasets from all installed package

Usage

```
datasets(package = NULL, lib.loc = NULL, all = TRUE, drop.defaults = FALSE)
```

Arguments

package	a character vector with the names of packages to search through, or NULL in which "all" packages (as defined by argument all) are searched.
lib.loc	a character vector of directory names of R libraries, or NULL. The default value of NULL corresponds to all libraries currently known.
all	logical; if TRUE search all available packages in the library trees specified by lib.loc, and if FALSE, search only attached packages.
drop.defaults	logical; if TRUE, do not include the datasets from the datasets package.

Examples

```
# write data.frame of datasets to object
dtsts <- datasets()
```

datasets.load *Load Datasets from a Menu*

Description

Load Datasets from a Menu

Usage

```
datasets.load()
```

getDatasetInfo *Get information on installed datasets.*

Description

Get information on installed datasets.

Usage

```
getDatasetInfo(
  package = NULL,
  lib.loc = NULL,
  all = TRUE,
  drop.defaults = FALSE
)
```

Arguments

package	a character vector with the names of packages to search through, or NULL in which "all" packages (as defined by argument all) are searched.
lib.loc	a character vector of directory names of R libraries, or NULL. The default value of NULL corresponds to all libraries currently known.
all	logical; if TRUE search all available packages in the library trees specified by lib.loc, and if FALSE, search only attached packages.
drop.defaults	logical; if TRUE, do not include the datasets from the datasets package.

print.browseDatasets *Print function for browseDatasets objects*

Description

Print function for browseDatasets objects

Usage

```
## S3 method for class 'browseDatasets'
print(x, ...)
```

Arguments

x	Object of class datasets
...	Further arguments, ignored by the print method.

print.datasets	<i>Print function for datasets class objects</i>
----------------	--

Description

Print function for datasets class objects

Usage

```
## S3 method for class 'datasets'  
print(x, ...)
```

Arguments

x	an object used to select a method.
...	further arguments passed to or from other methods.

printDatasets	<i>Print datasets in the console</i>
---------------	--------------------------------------

Description

Print datasets in the console

Usage

```
printDatasets(  
  package = NULL,  
  lib.loc = NULL,  
  all = TRUE,  
  drop.defaults = FALSE  
)
```

Arguments

package	a character vector with the names of packages to search through, or NULL in which "all" packages (as defined by argument all) are searched.
lib.loc	a character vector of directory names of R libraries, or NULL. The default value of NULL corresponds to all libraries currently known.
all	logical; if TRUE search all available packages in the library trees specified by lib.loc, and if FALSE, search only attached packages.
drop.defaults	logical; if TRUE, do not include the datasets from the datasets package.

promptDatasets *Prompt for dataset in the console*

Description

Prompt for dataset in the console

Usage

```
promptDatasets(  
  package = NULL,  
  lib.loc = NULL,  
  all = TRUE,  
  drop.defaults = FALSE  
)
```

Arguments

package	a character vector with the names of packages to search through, or NULL in which "all" packages (as defined by argument all) are searched.
lib.loc	a character vector of directory names of R libraries, or NULL. The default value of NULL corresponds to all libraries currently known.
all	logical; if TRUE search all available packages in the library trees specified by lib.loc, and if FALSE, search only attached packages.
drop.defaults	logical; if TRUE, do not include the datasets from the datasets package.

Index

`alldata`, [2](#)

`browseDatasets`, [2](#)

`datasets`, [3](#)

`datasets.load`, [3](#)

`datasets.load-package`, [2](#)

`getDatasetInfo`, [4](#)

`print.browseDatasets`, [4](#)

`print.datasets`, [5](#)

`printDatasets`, [5](#)

`promptDatasets`, [6](#)