

Package ‘riskRegression’

November 4, 2019

Type Package

Title Risk Regression Models and Prediction Scores for Survival
Analysis with Competing Risks

Version 2019.11.03

Depends R (>= 3.5.0),

Imports data.table (>= 1.12.2), ggplot2 (>= 3.1.0), prodlim (>= 2018.4.18), doParallel, stats, graphics, survival (>= 2.44.1), lava (>= 1.6.5), cmprsk, plotrix, timereg (>= 1.9.3), foreach, ranger, parallel, Rcpp, lattice, rms (>= 5.1.3)

LinkingTo Rcpp, RcppArmadillo

Suggests boot, Publish, smcfcs, CoxBoost, ipw, SuperLearner, gbm, glmnetUtils, flexsurv, mets, mstate, party, pec, penalized, pROC, randomForest, randomForestSRC, rbenchmark, rpart, testthat, R.rsp

Maintainer Thomas Alexander Gerds <tag@biostat.ku.dk>

Description Implementation of the following methods for event history analysis. Risk regression models for survival endpoints also in the presence of competing risks are fitted using binomial regression based on a time sequence of binary event status variables. A formula interface for the Fine-Gray regression model and an interface for the combination of cause-specific Cox regression models. A toolbox for assessing and comparing performance of risk predictions (risk markers and risk prediction models). Prediction performance is measured by the Brier score and the area under the ROC curve for binary possibly time-dependent outcome. Inverse probability of censoring weighting and pseudo values are used to deal with right censored data. Lists of risk markers and lists of risk models are assessed simultaneously. Cross-validation repeatedly splits the data, trains the risk prediction models on one part of each split and then summarizes and compares the performance across splits.

License GPL (>= 2)

RoxygenNote 6.1.1

VignetteBuilder R.rsp

NeedsCompilation yes

Author Thomas Alexander Gerds [aut, cre],
 Paul Blanche [ctb],
 Rikke Mortensen [ctb],
 Nikolaj Tollenaar [ctb],
 Ulla Brasch Mogensen [ctb],
 Brice Ozenne [aut] (<<https://orcid.org/0000-0001-9694-2956>>)

Repository CRAN

Date/Publication 2019-11-04 17:20:02 UTC

R topics documented:

as.data.table.ate	4
as.data.table.influenceTest	5
as.data.table.predictCox	5
as.data.table.predictCSC	6
ate	6
autoplot.ate	11
autoplot.predictCox	13
autoplot.predictCSC	14
autoplot.Score	15
boot2pvalue	16
boxplot.Score	18
calcSeCox	20
calcSeCSC	21
Cforest	23
coef.CauseSpecificCox	24
coef.riskRegression	24
colCenter_cpp	25
colCumProd	25
colCumSum	26
colMultiply_cpp	27
colScale_cpp	27
colSumsCrossprod	28
confBandCox	29
confint.ate	29
confint.influenceTest	31
confint.predictCox	32
confint.predictCSC	34
coxBaseEstimator	35
coxCenter	36
coxFormula	36
coxLP	37
coxModelFrame	38
coxN	39
coxSpecial	39
coxStrata	40
coxStrataLevel	41

coxVarCov	42
coxVariableName	42
CSC	43
Ctree	46
discreteRoot	47
FGR	47
getSplitMethod	49
iidCox	50
influenceTest	52
IPA	55
ipcw	57
Melanoma	60
model.matrix.cph	61
model.matrix.phreg	61
Paquid	62
penalizedS3	63
plot.riskRegression	64
plotAUC	65
plotBrier	67
plotCalibration	68
plotEffects	70
plotPredictRisk	72
plotRisk	74
plotROC	76
predict.CauseSpecificCox	77
predict.FGR	80
predict.riskRegression	81
predictCox	82
predictCoxPL	85
predictRisk	87
print.ate	91
print.CauseSpecificCox	92
print.FGR	93
print.influenceTest	93
print.IPA	94
print.predictCox	94
print.predictCSC	95
print.riskRegression	95
print.Score	96
print.subjectWeights	96
reconstructData	97
riskLevelPlot	97
riskRegression	99
riskRegression.options	102
rowCenter_cpp	103
rowCumProd	103
rowCumSum	104
rowMultiply_cpp	105

rowPaste	105
rowScale_cpp	106
rowSumsCrossprod	107
sampleData	107
Score.list	109
selectCox	116
selectJump	117
simActiveSurveillance	118
simMelanoma	118
sliceMultiply_cpp	119
sliceScale_cpp	120
SmcFcs	120
splitStrataVar	121
subjectWeights	121
subsetIndex	123
summary.ate	124
summary.FGR	125
summary.riskRegression	125
SuperPredictor	126
SurvResponseVar	127
terms.phreg	127
transformCI	128
transformCIBP	128
transformIID	129
transformP	130
transformSE	130

Index **132**

as.data.table.ate *Turn ate Object Into a data.table*

Description

Turn ate object into a data.table.

Usage

```
## S3 method for class 'ate'
as.data.table(x, keep.rownames = FALSE, se = TRUE,
  estimator = x$estimator, ...)
```

Arguments

x	object obtained with function <code>ate</code>
keep.rownames	Not used.
se	[logical] Should standard errors/quantile for confidence bands be displayed?
estimator	[character] The type of estimator relative to which the estimates should be output.
...	Not used.

```
as.data.table.influenceTest
  Turn influenceTest Object Into a data.table
```

Description

Turn `influenceTest` object into a `data.table`.

Usage

```
## S3 method for class 'influenceTest'
as.data.table(x, keep.rownames = FALSE,
  se = TRUE, ...)
```

Arguments

x	object obtained with function <code>influenceTest</code>
keep.rownames	Not used.
se	[logical] Should standard errors/quantile for confidence bands be displayed?
...	Not used.

```
as.data.table.predictCox
  Turn predictCox Object Into a data.table
```

Description

Turn `predictCox` object into a `data.table`.

Usage

```
## S3 method for class 'predictCox'
as.data.table(x, keep.rownames = FALSE, se = TRUE,
  ...)
```

Arguments

x	object obtained with function predictCox
keep.rownames	Not used.
se	[logical] Should standard errors/quantile for confidence bands be displayed?
...	Not used.

```
as.data.table.predictCSC
```

Turn predictCSC Object Into a data.table

Description

Turn predictCSC object into a data.table.

Usage

```
## S3 method for class 'predictCSC'
as.data.table(x, keep.rownames = FALSE, se = TRUE,
  ...)
```

Arguments

x	object obtained with function predictCSC
keep.rownames	not used
se	should standard errors/quantile for confidence bands be displayed?
...	not used

```
ate
```

Compute the Average Treatment Effects Via

Description

Use the g-formula/IPTW/double robust estimator to estimate the average treatment effect based on Cox regression with or without competing risks.

Usage

```
ate(event, treatment, censor = NULL, data, formula, estimator = NULL,
  strata = NULL, contrasts = NULL, times, cause = NA, landmark,
  se = TRUE, iid = FALSE, known.nuisance = FALSE, band = FALSE,
  B = 0, seed, handler = "foreach", mc.cores = 1, cl = NULL,
  verbose = TRUE, ...)
```

Arguments

event	Outcome model which describes how event risk depends on treatment and covariates. The object carry its own call and have a predictRisk method. See examples.
treatment	Treatment model which describes how treatment depends on covariates. The object must be a glm object (logistic regression) or the name of the treatment variable. See examples.
censor	Censoring model which describes how censoring depends on treatment and covariates. The object must be a coxph or cph object. See examples.
data	[data.frame or data.table] Data set in which to evaluate risk predictions based on the outcome model
formula	For analyses with time-dependent covariates, the response formula. See examples.
estimator	[character] The type of estimator used to compute the average treatment effect. Can be "G-formula", "IPTW", or "AIPTW". When using estimator="G-formula", a model for the outcome should be provided (argument event). When using estimator="IPTW", a model for the treatment should be provided (argument treatment), as well as for the censoring (if any, argument censor). When using estimator="AIPTW" (double robust estimator), a model for the outcome and the treatment should be provided (argument event and treatment), as well as for the censoring (if any, argument censor).
strata	[character] Strata variable on which to compute the average risk. Incompatible with treatment. Experimental.
contrasts	[character] The levels of the treatment variable to be compared.
times	[numeric vector] Time points at which to evaluate average treatment effects.
cause	[integer/character] the cause of interest.
landmark	for models with time-dependent covariates the landmark time(s) of evaluation. In this case, argument time may only be one value and for the prediction of risks it is assumed that that the covariates do not change between landmark and landmark+time.
se	[logical] If TRUE compute and add the standard errors to the output.
iid	[logical] If TRUE compute and add the influence function to the output.
known.nuisance	[logical] If FALSE the uncertainty related to the estimation of the nuisance parameters is ignored. This greatly simplifies computations but requires to use a double robust estimator and to assumes that all event, treatment, and censoring models are valid to obtain consistent standard errors.
band	[logical] If TRUE compute and add the quantiles for the confidence bands to the output.
B	[integer, >0] the number of bootstrap replications used to compute the confidence intervals. If it equals 0, then the influence function is used to compute Wald-type confidence intervals/bands.
seed	[integer, >0] sed number used to generate seeds for bootstrap and to achieve reproducible results.

handler	[character] Parallel handler for bootstrap. either "foreach", "mclapply", "snow" or "multicore". if "foreach" use doparallel to create a cluster.
mc.cores	[integer, >0] The number of cores to use, i.e., the upper limit for the number of child processes that run simultaneously. Passed to parallel::mclapply or doparallel::registerdoparallel. The option is initialized from environment variable mc_cores if set.
cl	A parallel socket cluster used to perform cluster calculation in parallel. Output by parallel::makeCluster. The packages necessary to run the computations (e.g. riskRegression) must already be loaded on each worker.
verbose	[logical] If TRUE inform about estimated run time. "minimal" requires less memory but can only estimate the standard for the difference between treatment effects (and not for the ratio).
...	passed to predictRisk

Author(s)

Brice Ozenne <broz@sund.ku.dk> and Thomas Alexander Gerds <tag@biostat.ku.dk>

See Also

[confint.ate](#) to compute confidence intervals/bands. [autoplot.ate](#) to display the average risk.

Examples

```
library(survival)
library(rms)
library(prodlim)
set.seed(10)

#### Survival settings ####
#### ATE with Cox model ####

## generate data
n <- 100
dtS <- sampleData(n, outcome="survival")
dtS$time <- round(dtS$time,1)
dtS$X1 <- factor(rbinom(n, prob = c(0.3,0.4) , size = 2), labels = paste0("T",0:2))

## estimate the Cox model
fit <- cph(formula = Surv(time,event)~ X1+X2,data=dtS,y=TRUE,x=TRUE)

## compute the ATE at times 5, 6, 7, and 8 using X1 as the treatment variable
## Not run:
## only point estimate (argument se = FALSE)
ateFit1a <- ate(fit, data = dtS, treatment = "X1", times = 5:8,
               se = FALSE)

## standard error / confidence intervals computed using the influence function
## (argument se = TRUE and B = 0)
ateFit1b <- ate(fit, data = dtS, treatment = "X1", times = 5:8,
```



```

        se = TRUE, B = 0)

## same as before with in addition the confidence bands for the ATE
## (argument band = TRUE)
ateFit1c <- ate(fit, data = dtS, treatment = "X1", times = 5:8,
               se = TRUE, band = TRUE, B = 0)

## standard error / confidence intervals computed using 100 bootstrap samples
## (argument se = TRUE and B = 100)
ateFit1d <- ate(fit, data = dtS, treatment = "X1",
               times = 5:8, se = TRUE, B = 100)
## NOTE: for real applications 100 bootstrap samples is not enough

## same but using 2 cpus for generating and analyzing the bootstrap samples
## (parallel computation, argument mc.cores = 2)
ateFit1e <- ate(fit, data = dtS, treatment = "X1",
               times = 5:8, se = TRUE, B = 100, mc.cores = 2)

## End(Not run)

#### Survival settings without censoring ####
#### ATE with glm                               ####

## generate data
n <- 100
dtB <- sampleData(n, outcome="binary")
dtB[, X2 := as.numeric(X2)]

## estimate a logistic regression model
fit <- glm(formula = Y ~ X1+X2, data=dtB, family = "binomial")

## compute the ATE using X1 as the treatment variable
## only point estimate (argument se = FALSE)
ateFit1a <- ate(fit, data = dtB, treatment = "X1", se = FALSE)

## Not run:
## standard error / confidence intervals computed using the influence function
ateFit1b <- ate(fit, data = dtB, treatment = "X1",
               times = 5, ## just for having a nice output not used in computations
               se = TRUE, B = 0)

## standard error / confidence intervals computed using 100 bootstrap samples
ateFit1d <- ate(fit, data = dtB, treatment = "X1",
               times = 5, se = TRUE, B = 100)

## using the lava package
ateLava <- estimate(fit, function(p, data){
  a <- p["(Intercept)"]; b <- p["X11"]; c <- p["X2"];
  R.X11 <- expit(a + b + c * data[["X2"]])
  R.X10 <- expit(a + c * data[["X2"]])
  list(risk0=R.X10,risk1=R.X11,riskdiff=R.X11-R.X10)},
      average=TRUE)
ateLava

```

```

ateFit1b$meanRisk

## End(Not run)

#### Competing risks settings          ####
#### ATE with cause specific Cox regression ####

## Not run:
## generate data
n <- 500
set.seed(10)
dt <- sampleData(n, outcome="competing.risks")
dt$time <- round(dt$time,1)
dt$X1 <- factor(rbinom(n, prob = c(0.2,0.3) , size = 2), labels = paste0("T",0:2))

## estimate cause specific Cox model
fitCR <- CSC(Hist(time,event)~ X1+X8,data=dt,cause=1)

## compute the ATE at times 10, 15, 20 using X1 as the treatment variable
ateFit2a <- ate(fitCR, data = dt, treatment = "X1", times = c(10,15,20),
               cause = 1, se = FALSE)

## standard error / confidence intervals computed using the influence function
## (argument se = TRUE and B = 0)
ateFit2b <- ate(fitCR, data = dt, treatment = "X1", times = c(10,15,20),
               cause = 1, se = TRUE, B = 0)

## same as before with in addition the confidence bands for the ATE
## (argument band = TRUE)
ateFit2c <- ate(fitCR, data = dt, treatment = "X1", times = c(10,15,20),
               cause = 1, se = TRUE, band = TRUE, B = 0)

## standard error / confidence intervals computed using 100 bootstrap samples
## (argument se = TRUE and B = 100)
ateFit2d <- ate(fitCR, data = dt, treatment = "X1", times = c(10,15,20),
               cause = 1, se = TRUE, B = 100)
## NOTE: for real applications 100 bootstrap samples is not enough

## same but using 2 cpus for generating and analyzing the bootstrap samples
## (parallel computation, argument mc.cores = 2)
ateFit2e <- ate(fitCR, data = dt, treatment = "X1", times = c(10,15,20),
               cause = 1, se = TRUE, B = 100, mc.cores = 2)

## End(Not run)

#### time-dependent covariates ####
## Not run:
library(survival)
fit <- coxph(Surv(time, status) ~ celltype+karno + age + trt, veteran)
vet2 <- survSplit(Surv(time, status) ~., veteran,
                 cut=c(60, 120), episode="timegroup")
fitTD <- coxph(Surv(tstart, time, status) ~ celltype+karno + age + trt,

```

```

        data= vet2,x=1)
set.seed(16)
resVet <- ate(fitTD,formula=Hist(entry=tstart,time=time,event=status)~1,
             data = vet2, treatment = "celltype", contrasts = NULL,
             times=5,verbose=1,
             landmark = c(0,30,60,90), cause = 1, B = 10, se = 1,
             band = FALSE, mc.cores=1)
resVet

## End(Not run)

## Not run:
set.seed(137)
d=sampleDataTD(127)
library(survival)
d[,status:=1*(event==1)]
d[,X3:=as.factor(X3)]
## ignore competing risks
cox1TD <- coxph(Surv(start,time, status,type="counting") ~ X3+X5+X6+X8,
               data=d, x = TRUE)
resTD1 <- ate(cox1TD,formula=Hist(entry=start,time=time,event=status)~1,
             data = d, treatment = "X3", contrasts = NULL,
             times=.5,verbose=1,
             landmark = c(0,0.5,1), B = 20, se = 1,
             band = FALSE, mc.cores=1)
resTD1
## account for competing risks
cscTD <- CSC(Hist(time=time, event=event,entry=start) ~ X3+X5+X6+X8, data=d)
set.seed(16)
resTD <- ate(cscTD,formula=Hist(entry=start,time=time,event=event)~1,
            data = d, treatment = "X3", contrasts = NULL,
            times=.5,verbose=1,
            landmark = c(0,0.5,1), cause = 1, B = 20, se = 1,
            band = FALSE, mc.cores=1)
resTD

## End(Not run)

```

 autoplot.ate

Plot Average Risks

Description

Plot average risks.

Usage

```

## S3 method for class 'ate'
autoplot(object, estimator = object$estimator[1],
         ci = FALSE, band = FALSE, plot = TRUE, digits = 2, alpha = NA,
         ...)

```

Arguments

object	Object obtained with the function <code>ate</code> .
estimator	[character] The type of estimator relative to which the risks should be displayed.
ci	[logical] If TRUE display the confidence intervals for the average risks.
band	[logical] If TRUE display the confidence bands for the average risks.
plot	[logical] Should the graphic be plotted.
digits	[integer, >0] Number of decimal places.
alpha	[numeric, 0-1] Transparency of the confidence bands. Argument passed to <code>ggplot2::geom_ribbon</code> .
...	not used. Only for compatibility with the plot method.

See Also

[ate](#) to compute average risks.

Examples

```
## Not run:
library(survival)
library(rms)
library(ggplot2)
#### simulate data ####
n <- 1e2
set.seed(10)
dtS <- sampleData(n,outcome="survival")

#### Cox model ####
fit <- cph(formula = Surv(time,event)~ X1+X2,data=dtS,y=TRUE,x=TRUE)

#### Average treatment effect ####
seqTimes <- sort(unique(fit$y[,1]))
seqTimes5 <- seqTimes[seqTimes>5 & seqTimes<10]
ateFit <- ate(fit, data = dtS, treatment = "X1", contrasts = NULL,
             times = seqTimes, B = 0, band = TRUE, nsim.band = 500, y = TRUE,
             mc.cores=1)

#### display ####
autoplot(ateFit)

outGG <- autoplot(ateFit, band = TRUE, ci = TRUE, alpha = 0.1)
dd <- as.data.frame(outGG$data[treatment == 0])
outGG$plot + facet_wrap(~treatment, labeller = label_both)

## End(Not run)
```

 autoplot.predictCox *Plot Predictions From a Cox Model*

Description

Plot predictions from a Cox model.

Usage

```
## S3 method for class 'predictCox'
autoplot(object, type = NULL, ci = FALSE,
  band = FALSE, group.by = "row", reduce.data = FALSE, plot = TRUE,
  ylab = NULL, digits = 2, alpha = NA, ...)
```

Arguments

object	Object obtained with the function predictCox.
type	[character] The type of predicted value to display. Choices are: "hazard" the hazard function, "cumhazard" the cumulative hazard function, or "survival" the survival function.
ci	[logical] If TRUE display the confidence intervals for the predictions.
band	[logical] If TRUE display the confidence bands for the predictions.
group.by	[character] The grouping factor used to color the prediction curves. Can be "row", "strata", or "covariates".
reduce.data	[logical] If TRUE only the covariates that does take identical values for all observations are displayed.
plot	[logical] Should the graphic be plotted.
ylab	[character] Label for the y axis.
digits	[integer] Number of decimal places.
alpha	[numeric, 0-1] Transparency of the confidence bands. Argument passed to ggplot2::geom_ribbon.
...	Not used. Only for compatibility with the plot method.

Examples

```
library(survival)
library(ggplot2)

#### simulate data ####
set.seed(10)
d <- sampleData(1e2, outcome = "survival")

#### Cox model ####
m.cox <- coxph(Surv(time,event)~ X1 + X2 + X3,
  data = d, x = TRUE, y = TRUE)
```

```

## display baseline hazard
e.basehaz <- predictCox(m.cox)

autoplot(e.basehaz, type = "cumhazard")

## display predicted survival
pred.cox <- predictCox(m.cox, newdata = d[1:4,],
  times = 1:5, type = "survival", keep.newdata = TRUE)
autoplot(pred.cox)
autoplot(pred.cox, group.by = "covariates")
autoplot(pred.cox, group.by = "covariates", reduce.data = TRUE)

## predictions with confidence interval/bands
pred.cox <- predictCox(m.cox, newdata = d[1,,drop=FALSE],
  times = 1:5, type = "survival", band = TRUE, se = TRUE, keep.newdata = TRUE)
autoplot(pred.cox, ci = TRUE, band = TRUE)
autoplot(pred.cox, ci = TRUE, band = TRUE, alpha = 0.1)

#### Stratified Cox model ####
m.cox.strata <- coxph(Surv(time,event)~ strata(X1) + strata(X2) + X3 + X6,
  data = d, x = TRUE, y = TRUE)

pred.cox.strata <- predictCox(m.cox.strata, newdata = d[1:5,,drop=FALSE],
  time = 1:5, keep.newdata = TRUE)

## display
res <- autoplot(pred.cox.strata, type = "survival", group.by = "strata")

## customize display
res$plot + facet_wrap(~strata, labeller = label_both)
res$plot %>% res$data[strata == "0, 1"]

```

autoplot.predictCSC *Plot Predictions From a Cause-specific Cox Proportional Hazard Regression*

Description

Plot predictions from a Cause-specific Cox proportional hazard regression.

Usage

```

## S3 method for class 'predictCSC'
autoplot(object, ci = FALSE, band = FALSE,
  group.by = "row", reduce.data = FALSE, plot = TRUE, digits = 2,
  alpha = NA, ...)

```

Arguments

object	Object obtained with the function predictCox.
ci	[logical] If TRUE display the confidence intervals for the predictions.
band	[logical] If TRUE display the confidence bands for the predictions.
group.by	[character] The grouping factor used to color the prediction curves. Can be "row", "strata", or "covariates".
reduce.data	[logical] If TRUE only the covariates that does take identical values for all observations are displayed.
plot	[logical] Should the graphic be plotted.
digits	[integer] Number of decimal places.
alpha	[numeric, 0-1] Transparency of the confidence bands. Argument passed to ggplot2::geom_ribbon.
...	Not used. Only for compatibility with the plot method.

Examples

```

library(survival)
library(rms)
library(ggplot2)
library(prodlim)
#### simulate data ####
set.seed(10)
d <- sampleData(1e2, outcome = "competing.risks")

#### CSC model ####
m.CSC <- CSC(Hist(time,event)~ X1 + X2 + X6, data = d)

pred.CSC <- predict(m.CSC, newdata = d[1:2,], time = 1:5, cause = 1) #'
autoplot(pred.CSC)

#### stratified CSC model ####
m.SCSC <- CSC(Hist(time,event)~ strata(X1) + strata(X2) + X6,
             data = d)
pred.SCSC <- predict(m.SCSC, time = 1:3, newdata = d[1:4,],
                   cause = 1, keep.newdata = TRUE, keep.strata = TRUE)
autoplot(pred.SCSC, group.by = "strata")

```

autoplot.Score

ggplot AUC curve

Description

ggplot AUC curves

Usage

```
## S3 method for class 'Score'
autoplot(object, models, type = "score", lwd = 2, xlim,
  ylim, axes = TRUE, conf.int = FALSE, ...)
```

Arguments

object	Object obtained with <code>Score.list</code>
models	Choice of models to plot
type	Character. Either "score" to show AUC or "contrasts" to show differences between AUC.
lwd	Line width
xlim	Limits for x-axis
ylim	Limits for y-axis
axes	Logical. If TRUE draw axes.
conf.int	Logical. If TRUE draw confidence shadows.
...	Not yet used

Examples

```
library(survival)
d=sampleData(100,outcome="survival")
nd=sampleData(100,outcome="survival")
f1=coxph(Surv(time,event)~X1+X6+X8,data=d,x=TRUE,y=TRUE)
f2=coxph(Surv(time,event)~X2+X5+X9,data=d,x=TRUE,y=TRUE)
xx=Score(list(f1,f2), formula=Surv(time,event)~1,
  data=nd, metrics="auc", null.model=FALSE, times=seq(3:10))
aucgraph <- plotAUC(xx)
plotAUC(xx,conf.int=TRUE)
plotAUC(xx,which="contrasts")
plotAUC(xx,which="contrasts",conf.int=TRUE)
```

boot2pvalue

Compute the p.value from the distribution under H1

Description

Compute the p.value associated with the estimated statistic using a bootstrap sample of its distribution under H1.

Usage

```
boot2pvalue(x, null, estimate = NULL, alternative = "two.sided",
  FUN.ci = quantileCI, tol = .Machine$double.eps^0.5)
```


Arguments

x	[numeric vector] a vector of bootstrap estimates of the statistic.
null	[numeric] value of the statistic under the null hypothesis.
estimate	[numeric] the estimated statistic.
alternative	[character] a character string specifying the alternative hypothesis, must be one of "two.sided" (default), "greater" or "less".
FUN.ci	[function] the function used to compute the confidence interval. Must take x, alternative, conf.level and sign.estimate as arguments and only return the relevant limit (either upper or lower) of the confidence interval.
tol	[numeric] the absolute convergence tolerance.

Details

For test statistic close to 0, this function returns 1.

For positive test statistic, this function search the quantile alpha such that:

- $\text{quantile}(x, \text{probs} = \alpha) = 0$ when the argument alternative is set to "greater".
- $\text{quantile}(x, \text{probs} = 0.5 * \alpha) = 0$ when the argument alternative is set to "two.sided".

If the argument alternative is set to "less", it returns 1.

For negative test statistic, this function search the quantile alpha such that:

- $\text{quantile}(x, \text{probs} = 1 - \alpha) = 0$ when the argument alternative is set to "less".
- $\text{quantile}(x, \text{probs} = 1 - 0.5 * \alpha) = 0$ when the argument alternative is set to "two.sided".

If the argument alternative is set to "greater", it returns 1.

Examples

```
set.seed(10)

#### no effect ####
x <- rnorm(1e3)
boot2pvalue(x, null = 0, estimate = mean(x), alternative = "two.sided")
## expected value of 1
boot2pvalue(x, null = 0, estimate = mean(x), alternative = "greater")
## expected value of 0.5
boot2pvalue(x, null = 0, estimate = mean(x), alternative = "less")
## expected value of 0.5

#### positive effect ####
x <- rnorm(1e3, mean = 1)
boot2pvalue(x, null = 0, estimate = 1, alternative = "two.sided")
## expected value of 0.32 = 2*pnorm(q = 0, mean = -1) = 2*mean(x<=0)
```

```

boot2pvalue(x, null = 0, estimate = 1, alternative = "greater")
## expected value of 0.16 = pnorm(q = 0, mean = 1) = mean(x<=0)
boot2pvalue(x, null = 0, estimate = 1, alternative = "less")
## expected value of 0.84 = 1-pnorm(q = 0, mean = 1) = mean(x>=0)

#### negative effect ####
x <- rnorm(1e3, mean = -1)
boot2pvalue(x, null = 0, estimate = -1, alternative = "two.sided")
## expected value of 0.32 = 2*(1-pnorm(q = 0, mean = -1)) = 2*mean(x>=0)
boot2pvalue(x, null = 0, estimate = -1, alternative = "greater")
## expected value of 0.84 = pnorm(q = 0, mean = -1) = mean(x<=0)
boot2pvalue(x, null = 0, estimate = -1, alternative = "less") # pnorm(q = 0, mean = -1)
## expected value of 0.16 = 1-pnorm(q = 0, mean = -1) = mean(x>=0)

```

boxplot.Score

Boxplot risk quantiles

Description

Retrospective boxplots of risk quantiles conditional on outcome

Usage

```

## S3 method for class 'Score'
boxplot(x, model, reference, type = "risk", timepoint,
        overall = 1L, lwd = 3, xlim, xlab = "", main, outcome.label,
        outcome.label.offset = 0, event.labels, reline = (type == "diff"),
        add = FALSE, ...)

```

Arguments

x	Score object obtained by calling function Score.
model	Choice of risk prediction model
reference	Choice of reference risk prediction model for calculation of risk differences.
type	Either "risk" for predicted risks or "diff" for differences between predicted risks.
timepoint	time point specifying the prediction horizon
overall	Logical. Tag to be documented.
lwd	line width
xlim	x-axis limits
xlab	x-axis label
main	title of plot
outcome.label	Title label for column which shows the outcome status
outcome.label.offset	Vertical offset for outcome.label

event.labels	Labels for the different events (causes).
refline	Logical, for type="diff" only. If TRUE draw a red vertical line at 0.
add	Logical. Tag to be documented.
...	not used

Examples

```
# binary outcome
library(data.table)
library(prodlim)
db=sampleData(40,outcome="binary")
fitconv=glm(Y~X3+X5,data=db,family=binomial)
fitnew=glm(Y~X1+X3+X5+X6+X7,data=db,family=binomial)
scoreobj=Score(list(new=fitnew,conv=fitconv),
               formula=Y~1,contrasts=list(c(2,1)),
               data=db,summary="riskQuantile",null.model=FALSE)
boxplot(scoreobj)

# survival outcome
library(survival)
ds=sampleData(40,outcome="survival")
fitconv=coxph(Surv(time,event)~X6,data=ds,x=TRUE,y=TRUE)
fitnew=coxph(Surv(time,event)~X6+X9,data=ds,x=TRUE,y=TRUE)
## Not run:
scoreobj=Score(list("conventional model"=fitconv,"new model"=fitnew),
               formula=Hist(time,event)~1, data=ds,
               summary="riskQuantile",metrics=NULL, plots=NULL,
               c(0,0.25,0.5,0.75,1),
               times=5,null.model=FALSE)
boxplot(scoreobj)

scoreobj1=Score(list("conventional model"=fitconv,"new model"=fitnew),
               formula=Hist(time,event)~1, data=ds,
               summary="riskQuantile",metrics=NULL, plots=NULL,
               times=5,null.model=FALSE,compare=list(c(2,1)))
boxplot(scoreobj1)

## End(Not run)

# competing risks outcome
library(survival)
data(Melanoma, package = "riskRegression")
fitconv = CSC(Hist(time,status)~invasion+age+sex,data=Melanoma)
fitnew = CSC(Hist(time,status)~invasion+age+sex+logthick,data=Melanoma)
scoreobj=Score(list("Conventional model"=fitconv,"New model"=fitnew),
               formula=Hist(time,status)~1,
               data=Melanoma,metrics=NULL,summary="riskQuantile",times=5*365.25,null.model=FALSE)
boxplot(scoreobj)

# more than 2 competing risks
m=lava::lvm(~X1+X2+X3)
lava::distribution(m, "eventtime1") <- lava::coxWeibull.lvm(scale = 1/100)
```

```

lava::distribution(m, "eventtime2") <- lava::coxWeibull.lvm(scale = 1/100)
lava::distribution(m, "eventtime3") <- lava::coxWeibull.lvm(scale = 1/100)
lava::distribution(m, "censtime") <- lava::coxWeibull.lvm(scale = 1/100)
lava::regression(m,eventtime2~X3)=1.3
m <- lava::eventTime(m,
time ~ min(eventtime1 = 1, eventtime2 = 2, eventtime3 = 3, censtime = 0), "event")
set.seed(101)
dcr=as.data.table(lava::sim(m,101))
fitOld = CSC(Hist(time,event)~X1+X2,data=dcr)
fitNew = CSC(Hist(time,event)~X1+X2+X3,data=dcr)
scoreobj=Score(list("Conventional model"=fitOld,"New model"=fitNew),
formula=Hist(time,event)~1,
data=dcr,summary="riskQuantile",times=5,null.model=FALSE)
boxplot(scoreobj)

```

calcSeCox

Computation of standard errors for predictions

Description

Compute the standard error associated to the predictions from Cox regression model using a first order von Mises expansion of the functional (cumulative hazard or survival).

Usage

```

calcSeCox(object, times, nTimes, type, diag, Lambda0, object.n,
object.time, object.eXb, object.strata, nStrata, new.n, new.eXb,
new.LPdata, new.strata, new.survival, nVar, export, store.iid)

```

Arguments

object	The fitted Cox regression model object either obtained with coxph (survival package) or cph (rms package).
times	Vector of times at which to return the estimated hazard/survival.
nTimes	the length of the argument times.
type	One or several strings that match (either in lower or upper case or mixtures) one or several of the strings "hazard", "cumhazard", "survival".
diag	[logical] when FALSE the hazard/cumulative hazard/survival for all observations at all times is computed, otherwise it is only computed for the i-th observation at the i-th time.
Lambda0	the baseline hazard estimate returned by BaseHazStrata_cpp.
object.n	the number of observations in the dataset used to estimate the object.
object.time	the time to event of the observations used to estimate the object.

<code>object.eXb</code>	the exponential of the linear predictor relative to the observations used to estimate the object.
<code>object.strata</code>	the strata index of the observations used to estimate the object.
<code>nStrata</code>	the number of strata.
<code>new.n</code>	the number of observations for which the prediction was performed.
<code>new.eXb</code>	the linear predictor evaluated for the new observations.
<code>new.LPdata</code>	the variables involved in the linear predictor for the new observations.
<code>new.strata</code>	the strata indicator for the new observations.
<code>new.survival</code>	the survival evaluated for the new observations.
<code>nVar</code>	the number of variables that form the linear predictor.
<code>export</code>	can be "iid" to return the value of the influence function for each observation. "se" to return the standard error for a given timepoint.
<code>store.iid</code>	Implementation used to estimate the influence function and the standard error. Can be "full" or "minimal". See the details section.

Details

Can also return the estimated influence function for the cumulative hazard function and survival probabilities the sum over the observations of the estimated influence function.

`store.iid="full"` compute the influence function for each observation at each time in the argument times before computing the standard error / influence functions. `store.iid="minimal"` recompute for each subject specific prediction the influence function for the baseline hazard. This avoid to store all the influence functions but may lead to repeated evaluation of the influence function. This solution is therefore more efficient in memory usage but may not be in terms of computation time.

Value

A list optionally containing the standard error for the survival, cumulative hazard and hazard.

Author(s)

Brice Ozenne broz@sund.ku.dk, Thomas A. Gerds tag@biostat.ku.dk

<code>calcSeCSC</code>	<i>Standard error of the absolute risk predicted from cause-specific Cox models</i>
------------------------	---

Description

Standard error of the absolute risk predicted from cause-specific Cox models using a first order von Mises expansion of the absolute risk functional.

Usage

```
calcSeCSC(object, cif, hazard, cumhazard, survival, object.time,
  object.maxtime, eXb, new.LPdata, new.strata, times, surv.type,
  ls.infoVar, new.n, cause, nCause, nVar, export, store.iid, diag)
```

Arguments

<code>object</code>	The fitted cause specific Cox model
<code>cif</code>	the cumulative incidence function at each prediction time for each individual.
<code>hazard</code>	list containing the baseline hazard for each cause in a matrix form. Columns correspond to the strata.
<code>cumhazard</code>	list containing the cumulative baseline hazard for each cause in a matrix form. Columns correspond to the strata.
<code>survival</code>	list containing the (all cause) survival in a matrix form. Columns correspond to event times.
<code>object.time</code>	a vector containing all the events regardless to the cause.
<code>object.maxtime</code>	a matrix containing the latest event in the strata of the observation for each cause.
<code>eXb</code>	a matrix containing the exponential of the linear predictor evaluated for the new observations (rows) for each cause (columns)
<code>new.LPdata</code>	a list of design matrices for the new observations for each cause.
<code>new.strata</code>	a matrix containing the strata indicator for each observation and each cause.
<code>times</code>	the time points at which to evaluate the predictions.
<code>surv.type</code>	see the <code>surv.type</code> argument of CSC .
<code>ls.infoVar</code>	A list containing the output of <code>coxVariableName</code> for each Cox model.
<code>new.n</code>	the number of new observations.
<code>cause</code>	the cause of interest.
<code>nCause</code>	the number of causes.
<code>nVar</code>	the number of variables that form the linear predictor in each Cox model
<code>export</code>	can be "iid" to return the value of the influence function for each observation "se" to return the standard error for a given timepoint
<code>store.iid</code>	the method used to compute the influence function and the standard error. Can be "full" or "minimal". See the details section.
<code>diag</code>	[logical] when FALSE the absolute risk/survival for all observations at all times is computed, otherwise it is only computed for the i-th observation at the i-th time.

Details

Can also return the empirical influence function of the functionals cumulative hazard or survival or the sum over the observations of the empirical influence function.

`store.iid="full"` compute the influence function for each observation at each time in the argument `times` before computing the standard error / influence functions. `store.iid="minimal"`

recompute for each subject specific prediction the influence function for the baseline hazard. This avoid to store all the influence functions but may lead to repeated evaluation of the influence function. This solution is therefore efficient more efficient in memory usage but may not be in term of computation time.

Cforest	<i>S3-wrapper function for cforest from the party package</i>
---------	---

Description

S3-wrapper function for cforest from the party package

Usage

```
Cforest(formula, data, ...)
```

Arguments

formula	Passed on as is. See cforest of the party package
data	Passed on as is. See cforest of the party package
...	Passed on as they are. See cforest of the party package

Details

See cforest of the party package.

Value

list with two elements: cforest and call

References

Ulla B. Mogensen, Hemant Ishwaran, Thomas A. Gerds (2012). Evaluating Random Forests for Survival Analysis Using Prediction Error Curves. *Journal of Statistical Software*, 50(11), 1-23. URL <http://www.jstatsoft.org/v50/i11/>.

coef.CauseSpecificCox *Extract coefficients from a Cause-Specific Cox regression model*

Description

Extract coefficients from a Cause-Specific Cox regression model

Usage

```
## S3 method for class 'CauseSpecificCox'
coef(object, ...)
```

Arguments

object	Object obtained with CSC
...	not used

coef.riskRegression *Extract coefficients from riskRegression model*

Description

Extract coefficients from riskRegression model

Usage

```
## S3 method for class 'riskRegression'
coef(object, digits = 3, eps = 10^-4, ...)
```

Arguments

object	Object obtained with ARR or LRR or riskRegression
digits	Number of digits
eps	P-values below this number are shown as <eps
...	not used

colCenter_cpp	<i>Apply - by column</i>
---------------	--------------------------

Description

Fast computation of `sweep(X, MARGIN = 1, FUN = "-", STATS = center)`

Usage

```
colCenter_cpp(X, center)
```

Arguments

x	A matrix.
center	a numeric vector of length equal to the number of rows of x

Value

A matrix of same size as X.

Author(s)

Brice Ozenne <broz@sund.ku.dk>

Examples

```
x <- matrix(1,6,5)
sweep(x, MARGIN = 1, FUN = "-", STATS = 1:6)
colCenter_cpp(x, 1:6 )
```

colCumProd	<i>Apply cumprod in each column</i>
------------	-------------------------------------

Description

Fast computation of `apply(x,2,cumprod)`

Usage

```
colCumProd(x)
```

Arguments

x	A matrix.
---	-----------

Value

A matrix of same size as x.

Author(s)

Thomas Alexander Gerds <tag@biostat.ku.dk>

Examples

```
x <- matrix(1:8,ncol=2)
colCumProd(x)
```

colCumSum

Apply cumsum in each column

Description

Fast computation of `apply(x,2,cumsum)`

Usage

```
colCumSum(x)
```

Arguments

x A matrix.

Value

A matrix of same size as x.

Author(s)

Thomas Alexander Gerds <tag@biostat.ku.dk>

Examples

```
x <- matrix(1:8,ncol=2)
colCumSum(x)
```

colMultiply_cpp	<i>Apply * by column</i>
-----------------	--------------------------

Description

Fast computation of `sweep(X, MARGIN = 1, FUN = "*", STATS = scale)`

Usage

```
colMultiply_cpp(X, scale)
```

Arguments

X	A matrix.
scale	a numeric vector of length equal to the number of rows of x

Value

A matrix of same size as X.

Author(s)

Brice Ozenne <broz@sund.ku.dk>

Examples

```
x <- matrix(1,6,5)
sweep(x, MARGIN = 1, FUN = "*", STATS = 1:6)
colMultiply_cpp(x, 1:6 )
```

colScale_cpp	<i>Apply / by column</i>
--------------	--------------------------

Description

Fast computation of `sweep(X, MARGIN = 1, FUN = "/", STATS = scale)`

Usage

```
colScale_cpp(X, scale)
```

Arguments

X	A matrix.
scale	a numeric vector of length equal to the number of rows of x

Value

A matrix of same size as X.

Author(s)

Brice Ozenne <broz@sund.ku.dk>

Examples

```
x <- matrix(1,6,5)
sweep(x, MARGIN = 1, FUN = "/", STATS = 1:6)
colScale_cpp(x, 1:6 )
```

colSumsCrossprod	<i>Apply crossprod and colSums</i>
------------------	------------------------------------

Description

Fast computation of `crossprod(colSums(X),Y)`

Usage

```
colSumsCrossprod(X, Y, transposeY)
```

Arguments

X	A matrix with dimensions $k \times n$. Hence the result of <code>colSums(X)</code> has length n .
Y	A matrix with dimensions $n \times m$. Can be a matrix with dimension $m \times n$ but then <code>transposeY</code> should be TRUE.
transposeY	Logical. If TRUE transpose Y before matrix multiplication.

Value

A vector of length m .

Author(s)

Thomas Alexander Gerds <tag@biostat.ku.dk>

Examples

```
x <- matrix(1:8,ncol=2)
y <- matrix(1:16,ncol=8)
colSumsCrossprod(x,y,0)

x <- matrix(1:8,ncol=2)
y <- matrix(1:16,ncol=2)
colSumsCrossprod(x,y,1)
```

confBandCox	<i>Compute quantiles of a gaussian process</i>
-------------	--

Description

Compute quantiles of a gaussian process

Usage

```
confBandCox(iid, se, n.sim, conf.level)
```

Arguments

iid	The iid decomposition of the estimator over time.
se	The variance of the estimate over time.
n.sim	The number of simulations used to compute the quantiles.
conf.level	Level of confidence.

confint.ate	<i>Confidence Intervals and Confidence Bands for the Predicted Absolute Risk (Cumulative Incidence Function)</i>
-------------	--

Description

Confidence intervals and confidence Bands for the predicted absolute risk (cumulative incidence function).

Usage

```
## S3 method for class 'ate'
confint(object, parm = NULL, level = 0.95,
        nsim.band = 10000, meanRisk.transform = "none",
        diffRisk.transform = "none", ratioRisk.transform = "none",
        seed = NA, bootci.method = "perc", ...)
```

Arguments

object	A ate object, i.e. output of the ate function.
parm	not used. For compatibility with the generic method.
level	[numeric, 0-1] Level of confidence.
nsim.band	[integer, >0]the number of simulations used to compute the quantiles for the confidence bands.

`meanRisk.transform` [character] the transformation used to improve coverage of the confidence intervals for the mean risk in small samples. Can be "none", "log", "loglog", "cloglog".

`diffRisk.transform` [character] the transformation used to improve coverage of the confidence intervals for the risk difference in small samples. Can be "none", "atanh".

`ratioRisk.transform` [character] the transformation used to improve coverage of the confidence intervals for the risk ratio in small samples. Can be "none", "log".

`seed` [integer, >0] seed number set when performing simulation for the confidence bands. If not given or NA no seed is set.

`bootci.method` [character] Method for constructing bootstrap confidence intervals. Either "perc" (the default), "norm", "basic", "stud", or "bca".

... not used.

Details

Confidence bands and confidence intervals computed via the influence function are automatically restricted to the interval [0;1].

Confidence intervals obtained via bootstrap are computed using the `boot.ci` function of the `boot` package. p-value are obtained using test inversion method (finding the smallest confidence level such that the interval contain the null hypothesis).

Author(s)

Brice Ozenne

Examples

```
library(survival)
library(data.table)

## ## generate data ####
set.seed(10)
d <- sampleData(70,outcome="survival")
d[, X1 := paste0("T",rbinom(.N, size = 2, prob = c(0.51)))]
## table(d$X1)

#### stratified Cox model ####
fit <- coxph(Surv(time,event)~X1 + strata(X2) + X6,
             data=d, ties="breslow", x = TRUE, y = TRUE)

#### average treatment effect ####
fit.ate <- ate(fit, treatment = "X1", times = 1:3, data = d,
              se = TRUE, iid = TRUE, band = TRUE)
print(fit.ate, type = "meanRisk")
```

```

dt.ate <- as.data.table(fit.ate)

## manual calculation of se
dd <- copy(d)
dd$X1 <- rep(factor("T0", levels = paste0("T",0:2)), NROW(dd))
out <- predictCox(fit, newdata = dd, se = TRUE, times = 1:3, average.iid = TRUE)
term1 <- -out$survival.average.iid
term2 <- sweep(1-out$survival, MARGIN = 2, FUN = "-", STATS = colMeans(1-out$survival))
sqrt(colSums((term1 + term2/NROW(d))^2))
## fit.ate$meanRisk[treatment=="T0",meanRisk.se]

## note
out2 <- predictCox(fit, newdata = dd, se = TRUE, times = 1:3, iid = TRUE)
mean(out2$survival.iid[,1,1])
out$survival.average.iid[1,1]

## check confidence intervals (no transformation)
dt.ate[,.(lower = pmax(0,value + qnorm(0.025) * se),
           lower2 = lower,
           upper = value + qnorm(0.975) * se,
           upper2 = upper)]

## add confidence intervals computed on the log-log scale
## and backtransformed
outCI <- confint(fit.ate,
                 meanRisk.transform = "loglog", diffRisk.transform = "atanh",
                 ratioRisk.transform = "log")
print(outCI, type = "meanRisk")

dt.ate[type == "ate", newse := se/(value*log(value))]
dt.ate[type == "ate", .(lower = exp(-exp(log(-log(value)) - 1.96 * newse)),
                       upper = exp(-exp(log(-log(value)) + 1.96 * newse)))]

```

confint.influenceTest *Confidence Intervals and Confidence Bands for the Difference Between Two Estimates*

Description

Confidence intervals and confidence Bands for the difference between two estimates.

Usage

```

## S3 method for class 'influenceTest'
confint(object, parm = NULL, level = 0.95,
        nsim.band = 10000, transform = "none", seed = NA, ...)

```

Arguments

object	A influenceTest object, i.e. output of the influenceTest function.
parm	not used. For compatibility with the generic method.
level	[numeric, 0-1] Level of confidence.
nsim.band	[integer, >0] the number of simulations used to compute the quantiles for the confidence bands.
transform	[character] the transformation used to improve coverage of the confidence intervals. Can be "none" or "atanh".
seed	[integer, >0] seed number set before performing simulations for the confidence bands. If not given or NA no seed is set.
...	not used.

Details

Except for the cumulative hazard, the confidence bands and confidence intervals are automatically restricted to the interval [-1;1].

Author(s)

Brice Ozenne

confint.predictCox	<i>Confidence Intervals and Confidence Bands for the predicted Survival/Cumulative Hazard</i>
--------------------	---

Description

Confidence intervals and confidence Bands for the predicted survival/cumulative Hazard.

Usage

```
## S3 method for class 'predictCox'
confint(object, parm = NULL, level = 0.95,
        nsim.band = 10000, cumhazard.transform = "log",
        survival.transform = "loglog", seed = NA, ...)
```

Arguments

object	A predictCox object, i.e. output of the predictCox function.
parm	[character] the type of predicted value for which the confidence intervals should be output. Can be "survival" or "cumhazard".
level	[numeric, 0-1] Level of confidence.
nsim.band	[integer, >0] the number of simulations used to compute the quantiles for the confidence bands.


```

cumhazard.transform
    [character] the transformation used to improve coverage of the confidence intervals for the cumulative hazard in small samples. Can be "none", "log".

survival.transform
    [character] the transformation used to improve coverage of the confidence intervals for the survival in small samples. Can be "none", "log", "loglog", "cloglog".

seed
    [integer, >0] seed number set before performing simulations for the confidence bands. If not given or NA no seed is set.

...
    not used.

```

Details

The confidence bands and confidence intervals are automatically restricted to the interval of definition of the statistic, i.e. a confidence interval for the survival of [0.5;1.2] will become [0.5;1].

Author(s)

Brice Ozenne

Examples

```

library(survival)

#### generate data ####
set.seed(10)
d <- sampleData(40,outcome="survival")

#### estimate a stratified Cox model ####
fit <- coxph(Surv(time,event)~X1 + strata(X2) + X6,
             data=d, ties="breslow", x = TRUE, y = TRUE)

#### compute individual specific survival probabilities
fit.pred <- predictCox(fit, newdata=d[1:3], times=c(3,8), type = "survival",
                      se = TRUE, iid = TRUE, band = TRUE)

fit.pred

## check standard error
sqrt(rowSums(fit.pred$survival.iid[1,]^2)) ## se for individual 1

## check confidence interval
newse <- fit.pred$survival.se/(-fit.pred$survival*log(fit.pred$survival))
cbind(lower = as.double(exp(-exp(log(-log(fit.pred$survival)) + 1.96 * newse))),
      upper = as.double(exp(-exp(log(-log(fit.pred$survival)) - 1.96 * newse)))
)

#### compute confidence intervals without transformation
confint(fit.pred, survival.transform = "none")
cbind(lower = as.double(fit.pred$survival - 1.96 * fit.pred$survival.se),
      upper = as.double(fit.pred$survival + 1.96 * fit.pred$survival.se)
)

```

confint.predictCSC	<i>Confidence Intervals and Confidence Bands for the Predicted Absolute Risk (Cumulative Incidence Function)</i>
--------------------	--

Description

Confidence intervals and confidence Bands for the predicted absolute risk (cumulative incidence function).

Usage

```
## S3 method for class 'predictCSC'
confint(object, parm = NULL, level = 0.95,
        nsim.band = 10000, absRisk.transform = "loglog", seed = NA, ...)
```

Arguments

object	A predictCSC object, i.e. output of the predictCSC function.
parm	not used. For compatibility with the generic method.
level	[numeric, 0-1] Level of confidence.
nsim.band	[integer, >0] the number of simulations used to compute the quantiles for the confidence bands.
absRisk.transform	[character] the transformation used to improve coverage of the confidence intervals for the predicted absolute risk in small samples. Can be "none", "log", "loglog", "cloglog".
seed	[integer, >0] seed number set before performing simulations for the confidence bands. If not given or NA no seed is set.
...	not used.

Details

The confidence bands and confidence intervals are automatically restricted to the interval [0;1].

Author(s)

Brice Ozenne

Examples

```

library(survival)
library(prodlim)
#### generate data ####
set.seed(10)
d <- sampleData(100)

#### estimate a stratified CSC model ####
fit <- CSC(Hist(time,event)~ X1 + strata(X2) + X6, data=d)

#### compute individual specific risks
fit.pred <- predict(fit, newdata=d[1:3], times=c(3,8), cause = 1,
                  se = TRUE, iid = TRUE, band = TRUE)
fit.pred

## check confidence intervals
newse <- fit.pred$absRisk.se/(-fit.pred$absRisk*log(fit.pred$absRisk))
cbind(lower = as.double(exp(-exp(log(-log(fit.pred$absRisk)) + 1.96 * newse))),
      upper = as.double(exp(-exp(log(-log(fit.pred$absRisk)) - 1.96 * newse))))
)

#### compute confidence intervals without transformation
confint(fit.pred, absRisk.transform = "none")
cbind(lower = as.double(fit.pred$absRisk - 1.96 * fit.pred$absRisk.se),
      upper = as.double(fit.pred$absRisk + 1.96 * fit.pred$absRisk.se))
)

```

coxBaseEstimator

Extract the type of estimator for the baseline hazard

Description

Extract the type of estimator for the baseline hazard

Usage

```

coxBaseEstimator(object)

## S3 method for class 'coxph'
coxBaseEstimator(object)

## S3 method for class 'phreg'
coxBaseEstimator(object)

```

Arguments

object The fitted Cox regression model object either obtained with coxph (survival package), cph (rms package), or phreg (mets package).

Author(s)

Brice Ozenne broz@sund.ku.dk

coxCenter

Extract the mean value of the covariates

Description

Extract the mean value of the covariates

Usage

```
coxCenter(object)

## S3 method for class 'cph'
coxCenter(object)

## S3 method for class 'coxph'
coxCenter(object)

## S3 method for class 'phreg'
coxCenter(object)
```

Arguments

object The fitted Cox regression model object either obtained with coxph (survival package), cph (rms package), or phreg (mets package).

Author(s)

Brice Ozenne broz@sund.ku.dk

coxFormula

Extract the formula from a Cox model

Description

Extract the formula from a Cox model

Usage

```
coxFormula(object)

## S3 method for class 'cph'
coxFormula(object)

## S3 method for class 'coxph'
coxFormula(object)

## S3 method for class 'phreg'
coxFormula(object)

## S3 method for class 'glm'
coxFormula(object)
```

Arguments

object The fitted Cox regression model object either obtained with coxph (survival package), cph (rms package), or phreg (mets package).

Author(s)

Brice Ozenne broz@sund.ku.dk

coxLP

Compute the linear predictor of a Cox model

Description

Compute the linear predictor of a Cox model

Usage

```
coxLP(object, data, center)

## S3 method for class 'cph'
coxLP(object, data, center)

## S3 method for class 'coxph'
coxLP(object, data, center)

## S3 method for class 'phreg'
coxLP(object, data, center)
```

Arguments

object	The fitted Cox regression model object either obtained with coxph (survival package), cph (rms package), or phreg (mets package).
data	a data.frame or a data.table
center	should the linear predictor be computed after centering the covariates

Details

In case of empty linear predictor returns a vector of 0 with the same length as the number of rows of the dataset

Author(s)

Brice Ozenne broz@sund.ku.dk

coxModelFrame	<i>Extract the design matrix used to train a Cox model</i>
---------------	--

Description

Extract the design matrix used to train a Cox model. Should contain the time of event, the type of event, the variable for the linear predictor, the strata variables and the date of entry (in case of delayed entry).

Usage

```
coxModelFrame(object, center)

## S3 method for class 'coxph'
coxModelFrame(object, center = FALSE)

## S3 method for class 'cph'
coxModelFrame(object, center = FALSE)

## S3 method for class 'phreg'
coxModelFrame(object, center = FALSE)
```

Arguments

object	The fitted Cox regression model object either obtained with coxph (survival package), cph (rms package), or phreg (mets package).
center	[logical] Should the variables of the linear predictor be added ?

Author(s)

Brice Ozenne broz@sund.ku.dk

`coxN`*Extract the number of observations from a Cox model*

Description

Extract the number of observations from a Cox model

Usage

```
coxN(object)

## S3 method for class 'cph'
coxN(object)

## S3 method for class 'coxph'
coxN(object)

## S3 method for class 'phreg'
coxN(object)

## S3 method for class 'CauseSpecificCox'
coxN(object)

## S3 method for class 'glm'
coxN(object)
```

Arguments

`object` The fitted Cox regression model object either obtained with `coxph` (survival package), `cph` (rms package), or `phreg` (mets package).

Author(s)

Brice Ozenne broz@sund.ku.dk

`coxSpecial`*Special characters in Cox model*

Description

Return the special character(s) of the Cox model, e.g. used to indicate the strata variables.

Usage

```
coxSpecial(object)

## S3 method for class 'coxph'
coxSpecial(object)

## S3 method for class 'cph'
coxSpecial(object)

## S3 method for class 'phreg'
coxSpecial(object)
```

Arguments

object The fitted Cox regression model object either obtained with coxph (survival package), cph (rms package), or phreg (mets package).

Details

Must return a list with at least one element strata indicating the character in the formula marking the variable(s) defining the strata.

Author(s)

Brice Ozenne broz@sund.ku.dk

coxStrata

Define the strata for a new dataset

Description

Define the strata in a dataset to match those of a stratified Cox model

Usage

```
coxStrata(object, data, sterms, strata.vars, strata.levels)

## S3 method for class 'cph'
coxStrata(object, data, sterms, strata.vars, strata.levels)

## S3 method for class 'coxph'
coxStrata(object, data, sterms, strata.vars, strata.levels)

## S3 method for class 'phreg'
coxStrata(object, data, sterms, strata.vars, strata.levels)
```


Arguments

object	The fitted Cox regression model object either obtained with coxph (survival package), cph (rms package), or phreg (mets package).
data	a data.frame or a data.table
sterms	terms in the formula corresponding to the strata variables
strata.vars	the name of the variables used to define the strata
strata.levels	a named list containing for each variable used to form the strata all its possible levels
levels	the strata levels that have been used to fit the Cox model

Details

if no strata variables returns a vector of "1" (factor).

Author(s)

Brice Ozenne broz@sund.ku.dk

coxStrataLevel	<i>Returns the name of the strata in Cox model</i>
----------------	--

Description

Return the name of the strata in Cox model

Usage

```
coxStrataLevel(object)

## S3 method for class 'coxph'
coxStrataLevel(object)

## S3 method for class 'cph'
coxStrataLevel(object)

## S3 method for class 'phreg'
coxStrataLevel(object)
```

Arguments

object	The fitted Cox regression model object either obtained with coxph (survival package), cph (rms package), or phreg (mets package).
--------	---

Author(s)

Brice Ozenne broz@sund.ku.dk

coxVarCov	<i>Extract the variance covariance matrix of the beta from a Cox model</i>
-----------	--

Description

Extract the variance covariance matrix of the beta from a Cox model

Usage

```
coxVarCov(object)

## S3 method for class 'cph'
coxVarCov(object)

## S3 method for class 'coxph'
coxVarCov(object)

## S3 method for class 'phreg'
coxVarCov(object)
```

Arguments

object	The fitted Cox regression model object either obtained with coxph (survival package), cph (rms package), or phreg (mets package).
--------	---

Details

Should return NULL if the Cox model has no covariate. The rows and columns of the variance covariance matrix must be named with the names used in the design matrix.

Author(s)

Brice Ozenne broz@sund.ku.dk

coxVariableName	<i>Extract variable names from a model</i>
-----------------	--

Description

Extract the name of the variables belonging to the linear predictor or used to form the strata

Usage

```
coxVariableName(object, model.frame)
```

Arguments

object	The fitted Cox regression model object either obtained with <code>coxph</code> (survival package) or <code>cph</code> (rms package).
model.frame	[data.frame] dataset containing all the relevant variables (entry, time to event, type of event, variables in the linear predictor, strata). Output from <code>coxModelFrame</code> .

Author(s)

Brice Ozenne broz@sund.ku.dk

CSC

Cause-specific Cox proportional hazard regression

Description

Interface for fitting cause-specific Cox proportional hazard regression models in competing risk.

Usage

```
CSC(formula, data, cause, surv.type = "hazard", fitter = "coxph", ...)
```

Arguments

formula	Either a single Hist formula or a list of formulas. If it is a list it must contain as many Hist formulas as there are causes when <code>surv.type="hazard"</code> and exactly two formulas when <code>surv.type="survival"</code> . If it is a list the first formula is used for the cause of interest specific Cox regression and the other formula(s) either for the other cause specific Cox regression(s) or for the Cox regression of the combined event where each cause counts as event. Note that when only one formula is given the covariates enter in exactly the same way into all Cox regression analyses.
data	A data in which to fit the models.
cause	The cause of interest. Defaults to the first cause (see Details).
surv.type	Either "hazard" (the default) or "survival". If "hazard" fit cause-specific Cox regression models for all causes. If "survival" fit one cause-specific Cox regression model for the cause of interest and also a Cox regression model for event-free survival.
fitter	Routine to fit the Cox regression models. If <code>coxph</code> use <code>survival::coxph</code> else use <code>rms::cph</code> .
...	Arguments given to <code>coxph</code> .

Details

The causes and their order are determined by `prodlim::getStates()` applied to the Hist object.

Value

models	a list with the fitted (cause-specific) Cox regression objects
response	the event history response
eventTimes	the sorted (unique) event times
surv.type	the value of surv.type
theCause	the cause of interest. see cause
causes	the other causes

Author(s)

Thomas A. Gerds <tag@biostat.ku.dk> and Ulla B. Mogensen

References

B. Ozenne, A. L. Soerensen, T.H. Scheike, C.T. Torp-Pedersen, and T.A. Gerds. riskregression: Predicting the risk of an event using Cox regression models. *R Journal*, 9(2):440–460, 2017.

J Benichou and Mitchell H Gail. Estimates of absolute cause-specific risk in cohort studies. *Biometrics*, pages 813–826, 1990.

T.A. Gerds, T.H. Scheike, and P.K. Andersen. Absolute risk regression for competing risks: Interpretation, link functions, and prediction. *Statistics in Medicine*, 31(29):3921–3930, 2012.

See Also

[coxph](#)

Examples

```
library(prodlim)
library(survival)
data(Melanoma)
## fit two cause-specific Cox models
## different formula for the two causes
fit1 <- CSC(list(Hist(time,status)~sex+age,Hist(time,status)~invasion+epicel+log(thick)),
            data=Melanoma)
print(fit1)
## Not run:
library(Publish)
publish(fit1)

## End(Not run)

## model hazard of all cause mortality instead of hazard of type 2
fit1a <- CSC(list(Hist(time,status)~sex+age,Hist(time,status)~invasion+epicel+log(thick)),
            data=Melanoma,
            surv.type="surv")

## the predicted probabilities are similar
```

```

plot(predictRisk(fit1,times=500,cause=1,newdata=Melanoma),
      predictRisk(fit1a,times=500,cause=1,newdata=Melanoma))

## special case where cause 2 has no covariates
fit1b <- CSC(list(Hist(time,status)~sex+age,Hist(time,status)~1),
              data=Melanoma)
print(fit1b)
predict(fit1b,cause=1,times=100,newdata=Melanoma)

## same formula for both causes
fit2 <- CSC(Hist(time,status)~invasion+epicel+age,
            data=Melanoma)
print(fit2)

## combine a cause-specific Cox regression model for cause 2
## and a Cox regression model for the event-free survival:
## different formula for cause 2 and event-free survival
fit3 <- CSC(list(Hist(time,status)~sex+invasion+epicel+age,
                Hist(time,status)~invasion+epicel+age),
            surv.type="surv",
            data=Melanoma)
print(fit3)

## same formula for both causes
fit4 <- CSC(Hist(time,status)~invasion+epicel+age,
            data=Melanoma,
            surv.type="surv")
print(fit4)

## strata
fit5 <- CSC(Hist(time,status)~invasion+epicel+age+strata(sex),
            data=Melanoma,
            surv.type="surv")
print(fit5)

## sanity checks

cox1 <- coxph(Surv(time,status==1)~invasion+epicel+age+strata(sex),data=Melanoma)
cox2 <- coxph(Surv(time,status!=0)~invasion+epicel+age+strata(sex),data=Melanoma)
all.equal(coef(cox1),coef(fit5$models[[1]]))
all.equal(coef(cox2),coef(fit5$models[[2]]))

## predictions
##
## surv.type = "hazard": predictions for both causes can be extracted
## from the same fit
fit2 <- CSC(Hist(time,status)~invasion+epicel+age, data=Melanoma)
predict(fit2,cause=1,newdata=Melanoma[c(17,99,108),],times=c(100,1000,10000))
predictRisk(fit2,cause=1,newdata=Melanoma[c(17,99,108),],times=c(100,1000,10000))
predictRisk(fit2,cause=2,newdata=Melanoma[c(17,99,108),],times=c(100,1000,10000))
predict(fit2,cause=1,newdata=Melanoma[c(17,99,108),],times=c(100,1000,10000))
predict(fit2,cause=2,newdata=Melanoma[c(17,99,108),],times=c(100,1000,10000))

```

```
## surv.type = "surv" we need to change the cause of interest
library(survival)
fit5.2 <- CSC(Hist(time,status)~invasion+epicel+age+strata(sex),
             data=Melanoma,
             surv.type="surv", cause=2)
## now this does not work
try(predictRisk(fit5.2, cause=1, newdata=Melanoma, times=4))

## but this does
predictRisk(fit5.2, cause=2, newdata=Melanoma, times=100)
predict(fit5.2, cause=2, newdata=Melanoma, times=100)
predict(fit5.2, cause=2, newdata=Melanoma[4,], times=100)
```

Ctree

S3-Wrapper for ctree.

Description

The call is added to an ctree object

Usage

```
Ctree(...)
```

Arguments

... passed to ctree

Value

list with two elements: ctree and call

Author(s)

Thomas A. Gerds <tag@biostat.ku.dk>

See Also

Cforest

Examples

```
library(proclim)
library(party)
library(survival)
set.seed(50)
d <- SimSurv(50)
nd <- data.frame(X1=c(0,1,0), X2=c(-1,0,1))
```

```
f <- Ctree(Surv(time,status)~X1+X2,data=d)
predictRisk(f,newdata=nd,times=c(3,8))
```

discreteRoot *Dichotomic search for monotone function*

Description

Find the root of a monotone function on a discrete grid of value using dichotomic search

Usage

```
discreteRoot(fn, grid, increasing = TRUE, check = TRUE,
  tol = .Machine$double.eps^0.5)
```

Arguments

fn	[function] objective function to minimize in absolute value.
grid	[vector] possible minimizers.
increasing	[logical] is the function fn increasing?
check	[logical] should the program check that fn takes a different sign for the first vs. the last value of the grid?
tol	[numeric] the absolute convergence tolerance.

FGR *Formula wrapper for crr from cmprsk*

Description

Formula interface for Fine-Gray regression competing risk models.

Usage

```
FGR(formula, data, cause = 1, y = TRUE, ...)
```

Arguments

formula	A formula whose left hand side is a Hist object – see Hist . The right hand side specifies (a linear combination of) the covariates. See examples below.
data	A data.frame in which all the variables of formula can be interpreted.
cause	The failure type of interest. Defaults to 1.
y	logical value: if TRUE, the response vector is returned in component response.
...	...

Details

Formula interface for the function `crr` from the `cmprsk` package.

The function `crr` allows to multiply some covariates by time before they enter the linear predictor. This can be achieved with the formula interface, however, the code becomes a little cumbersome. See the examples.

Value

See `crr`.

Author(s)

Thomas Alexander Gerds <tag@biostat.ku.dk>

References

Gerds, TA and Scheike, T and Andersen, PK (2011) Absolute risk regression for competing risks: interpretation, link functions and prediction Research report 11/7. Department of Biostatistics, University of Copenhagen

See Also

[riskRegression](#)

Examples

```
library(prodlim)
library(survival)
library(cmprsk)
library(lava)
d <- prodlim::SimCompRisk(100)
f1 <- FGR(Hist(time,cause)~X1+X2,data=d)
print(f1)

## crr allows that some covariates are multiplied by
## a function of time (see argument tf of crr)
## by FGR uses the identity matrix
f2 <- FGR(Hist(time,cause)~cov2(X1)+X2,data=d)
print(f2)

## same thing, but more explicit:
f3 <- FGR(Hist(time,cause)~cov2(X1)+cov1(X2),data=d)
print(f3)

## both variables can enter cov2:
f4 <- FGR(Hist(time,cause)~cov2(X1)+cov2(X2),data=d)
print(f4)

## change the function of time
qFun <- function(x){x^2}
```



```

noFun <- function(x){x}
sqFun <- function(x){x^0.5}

## multiply X1 by time^2 and X2 by time:
f5 <- FGR(Hist(time,cause)~cov2(X1,tf=qFun)+cov2(X2),data=d)
print(f5)
print(f5$crrFit)
## same results as crr
with(d,crr(ftime=time,
           fstatus=cause,
           cov2=d[,c("X1","X2")],
           tf=function(time){cbind(qFun(time),time)}))

## still same result, but more explicit
f5a <- FGR(Hist(time,cause)~cov2(X1,tf=qFun)+cov2(X2,tf=noFun),data=d)
f5a$crrFit

## multiply X1 by time^2 and X2 by sqrt(time)
f5b <- FGR(Hist(time,cause)~cov2(X1,tf=qFun)+cov2(X2,tf=sqFun),data=d,cause=1)

## additional arguments for crr
f6<- FGR(Hist(time,cause)~X1+X2,data=d, cause=1,gto1=1e-5)
f6
f6a<- FGR(Hist(time,cause)~X1+X2,data=d, cause=1,gto1=0.1)
f6a

```

getSplitMethod *Input for data splitting algorithms*

Description

Parse hyperparameters for data splitting algorithm

Usage

```
getSplitMethod(split.method, B, N, M, seed)
```

Arguments

split.method	A character string specifying the algorithm for data splitting: <ul style="list-style-type: none"> • "loob" leave one out bootstrap • "bootcv" bootstrap cross validation • "cv5" 5-fold cross validation • "loocv" leave one out cross validation aka N-1 fold cross validation • "632plus" Efron's .632+ bootstrap
B	Number of repetitions of bootstrap or k-fold cross-validation
N	Sample size
M	Subsample size. Default is N (no subsampling).
seed	Integer passed to set.seed. If not given or NA no seed is set.

Value

A list with the following elements:

- `split.methodName`: the print name of the algorithm
- `split.method`: the internal name of the algorithm
- `index`: the index for data splitting. For bootstrap splitting this is a matrix with B columns and M rows identifying the in-bag subjects. For k-fold cross-validation this is a matrix with B columns identifying the membership to the k groups.
- `k`: the k of k-fold cross-validation
- `N`: the sample size
- `M`: the subsample size

Author(s)

Thomas A. Gerds <tag@biostat.ku.dk>

See Also

Score

Examples

```
# 3-fold crossvalidation
getSplitMethod("cv3",B=4,N=37)

# bootstrap with replacement
getSplitMethod("loob",B=4,N=37)

# bootstrap without replacement
getSplitMethod("loob",B=4,N=37,M=20)
```

iidCox

Extract iid decomposition from a Cox model

Description

Compute the influence function for each observation used to estimate the model

Usage

```
iidCox(object, newdata, baseline.iid, tau.hazard, tau.max, store.iid,
       keep.times, return.object)

## S3 method for class 'coxph'
iidCox(object, newdata = NULL, baseline.iid = TRUE,
       tau.hazard = NULL, tau.max = NULL, store.iid = "full",
```

```

    keep.times = TRUE, return.object = TRUE)

## S3 method for class 'cph'
iidCox(object, newdata = NULL, baseline.iid = TRUE,
       tau.hazard = NULL, tau.max = NULL, store.iid = "full",
       keep.times = TRUE, return.object = TRUE)

## S3 method for class 'phreg'
iidCox(object, newdata = NULL, baseline.iid = TRUE,
       tau.hazard = NULL, tau.max = NULL, store.iid = "full",
       keep.times = TRUE, return.object = TRUE)

## S3 method for class 'CauseSpecificCox'
iidCox(object, newdata = NULL,
       baseline.iid = TRUE, tau.hazard = NULL, tau.max = NULL,
       store.iid = "full", keep.times = TRUE, return.object = TRUE)

```

Arguments

<code>object</code>	object The fitted Cox regression model object either obtained with <code>coxph</code> (survival package) or <code>cph</code> (rms package).
<code>newdata</code>	[data.frame] Optional new data at which to do iid decomposition
<code>baseline.iid</code>	[logical] Should the influence function for the baseline hazard be computed.
<code>tau.hazard</code>	[numeric vector] the vector of times at which the i.i.d decomposition of the baseline hazard will be computed
<code>tau.max</code>	[numeric] latest time at which the i.i.d decomposition of the baseline hazard will be computed. Alternative to <code>tau.hazard</code> .
<code>store.iid</code>	[character] the method used to compute the influence function and the standard error. Can be "full", "approx" or "minimal". See the details section.
<code>keep.times</code>	[logical] If TRUE add the evaluation times to the output.
<code>return.object</code>	[logical] If TRUE return the object where the iid decomposition has been added. Otherwise return a list (see the return section)

Details

This function implements the first three formula (no number,10,11) of the subsection "Empirical estimates" in (Ozenne et al., 2017).

If there is no event in a strata, the influence function for the baseline hazard is set to 0.

`store.iid` equal to "full" exports the influence function for the coefficients and the baseline hazard at each event time. `store.iid` equal to "approx" does the same except that the terms that do not contribute to the variance are not ignored (i.e. set to 0) `store.iid` equal to "minimal" exports the influence function for the coefficients. For the baseline hazard it only computes the quantities necessary to compute the influence function in order to save memory.

Value

For Cox models, the iid slot is a list containing:

- IFbetaInfluence function for the regression coefficient.
- IFhazardTime differential of the influence function of the hazard.
- IFcumhazardInfluence function of the cumulative hazard.
- calcIFhazardElements used to compute the influence function at a given time.
- timeTimes at which the influence function has been evaluated.
- etime1.minTime of first event (i.e. jump) in each strata.
- etime.maxLast observation time (i.e. jump or censoring) in each strata.
- indexObsIndex of the observation in the original dataset.

For Cause-Specific Cox models, a list containing the iid decomposition relative to each cause is returned.

References

Brice Ozenne, Anne Lyngholm Sorensen, Thomas Scheike, Christian Torp-Pedersen and Thomas Alexander Gerds. riskRegression: Predicting the Risk of an Event using Cox Regression Models. The R Journal (2017) 9:2, pages 440-460.

Examples

```
library(survival)
library(data.table)
library(prodlim)
set.seed(10)
d <- sampleData(100, outcome = "survival")[,.(eventtime,event,X1,X6)]
setkey(d, eventtime)

m.cox <- coxph(Surv(eventtime, event) ~ X1+X6, data = d, y = TRUE, x = TRUE)
system.time(IF.cox <- iidCox(m.cox))
system.time(IF.cox_approx <- iidCox(m.cox, store.iid = "approx"))

IF.cox.all <- iidCox(m.cox, tau.hazard = sort(unique(c(7,d$eventtime))))
IF.cox.beta <- iidCox(m.cox, baseline.iid = FALSE)
```

influenceTest

Influence test [Experimental!!]

Description

Compare two estimates using their influence function

Usage

```
influenceTest(object, ...)

## S3 method for class 'list'
influenceTest(object, newdata, times, type, cause,
  keep.newdata = TRUE, keep.strata = FALSE, ...)

## Default S3 method:
influenceTest(object, object2, band = TRUE, ...)
```

Arguments

object	either a list of models or an object of class predictCox or predictCSC.
...	additional arguments to be passed to lower level functions.
newdata	[data.frame or data.table] Contain the values of the predictor variables defining subject specific predictions.
times	[numeric vector] Time points at which to return the estimated absolute risk.
type	[character]the type of predicted value.
cause	[integer/character] Identifies the cause of interest among the competing events.
keep.newdata	[logical] If TRUE add the value of the covariates used to make the prediction in the output.
keep.strata	[logical] If TRUE add the value of the strata used to make the prediction in the output.
object2	same as predict1 but for another model.
band	[logical] If TRUE add the influence function to the output such that confint will be able to compute the confidence bands.

Examples

```
library(lava)
library(survival)
library(prodlim)
library(data.table)
n <- 100

#### Under H1
set.seed(1)
newdata <- data.frame(X1=0:1)

## simulate non proportional hazard using lava
m <- lvm()
regression(m) <- y ~ 1
regression(m) <- s ~ exp(-2*X1)
distribution(m,~X1) <- binomial.lvm()
distribution(m,~cens) <- coxWeibull.lvm(scale=1)
distribution(m,~y) <- coxWeibull.lvm(scale=1,shape=~s)
eventTime(m) <- eventtime ~ min(y=1,cens=0)
```

```

d <- as.data.table(sim(m,n))
setkey(d, eventtime)

## fit cox models
m.cox <- coxph(Surv(eventtime, status) ~ X1,
               data = d, y = TRUE, x = TRUE)

mStrata.cox <- coxph(Surv(eventtime, status) ~ strata(X1),
                   data = d, y = TRUE, x = TRUE)

## compare models
# one time point
outIF <- influenceTest(list(m.cox, mStrata.cox),
                       type = "survival", newdata = newdata, times = 0.5)
confint(outIF)

# several timepoints
outIF <- influenceTest(list(m.cox, mStrata.cox),
                       type = "survival", newdata = newdata, times = c(0.5,1,1.5))
confint(outIF)

#### Under H0 (Cox) ####
set.seed(1)
## simulate proportional hazard using lava
m <- lvm()
regression(m) <- y ~ 1
distribution(m,~X1) <- binomial.lvm()
distribution(m,~cens) <- coxWeibull.lvm()
distribution(m,~y) <- coxWeibull.lvm()
eventTime(m) <- eventtime ~ min(y=1,cens=0)
d <- as.data.table(sim(m,n))
setkey(d, eventtime)

## fit cox models
Utime <- sort(unique(d$eventtime))
m.cox <- coxph(Surv(eventtime, status) ~ X1,
               data = d, y = TRUE, x = TRUE)

mStrata.cox <- coxph(Surv(eventtime, status) ~ strata(X1),
                    data = d, y = TRUE, x = TRUE)

p.cox <- predictCox(m.cox, newdata = newdata, time = Utime, type = "survival")
p.coxStrata <- predictCox(mStrata.cox, newdata = newdata, time = Utime, type = "survival")

## display
library(ggplot2)
autoplot(p.cox)
autoplot(p.coxStrata)

## compare models
outIF <- influenceTest(list(m.cox, mStrata.cox),
                       type = "survival", newdata = newdata, times = Utime[1:6])
confint(outIF)

```

```
#### Under H0 (CSC) ####
set.seed(1)
ff <- ~ f(X1,2) + f(X2,-0.033)
ff <- update(ff, ~ .+ f(X3,0) + f(X4,0) + f(X5,0))
ff <- update(ff, ~ .+ f(X6,0) + f(X7,0) + f(X8,0) + f(X9,0))
d <- sampleData(n, outcome = "competing.risk", formula = ff)
d[,X1:=as.numeric(as.character(X1))]
d[,X2:=as.numeric(as.character(X2))]
d[,X3:=as.numeric(as.character(X3))]
d[,X4:=as.numeric(as.character(X4))]
d[,X5:=as.numeric(as.character(X5))]
setkey(d, time)

Utime <- sort(unique(d$time))

## fit cox models
m.CSC <- CSC(Hist(time, event) ~ X1 + X2, data = d)
mStrata.CSC <- CSC(Hist(time, event) ~ strata(X1) + X2 + X3, data = d)

## compare models
outIF <- influenceTest(list(m.CSC, mStrata.CSC),
  cause = 1, newdata = unique(d[,.(X1,X2,X3)]), times = Utime[1:5])
confint(outIF)
```

IPA	<i>Explained variation for settings with binary, survival and competing risk outcome</i>
-----	--

Description

Index of Prediction Accuracy: General R^2 for binary outcome and right censored time to event (survival) outcome also with competing risks

Usage

```
rsquared(object,...)
IPA(object,...)
## Default S3 method:
rsquared(object,formula,newdata,times,cause,...)
## S3 method for class 'glm'
rsquared(object,formula,newdata,...)
## S3 method for class 'coxph'
rsquared(object,formula,newdata,times,...)
## S3 method for class 'CauseSpecificCox'
rsquared(object,formula,newdata,times,cause,...)
## Default S3 method:
IPA(object,formula,newdata,times,cause,...)
## S3 method for class 'glm'
```

```

IPA(object,formula,newdata,...)
## S3 method for class 'coxph'
IPA(object,formula,newdata,times,...)
## S3 method for class 'CauseSpecificCox'
IPA(object,formula,newdata,times,cause,...)

```

Arguments

object	Model for which we want IPA.
...	passed to <code>riskRegression::Score</code>
newdata	Optional validation data set in which to compute IPA
formula	Formula passed to <code>Score</code> . If not provided, try to use the formula of the call of object, if any.
cause	For competing risk models the event of interest
times	Vector of time points used as prediction horizon for the computation of Brier scores.

Details

IPA (R^2) is calculated based on the model's predicted risks. The Brier score of the model is compared to the Brier score of the null model.

Value

Data frame with explained variation values for the full model.

Author(s)

Thomas A. Gerds <tag@biostat.ku.dk>

See Also

`Score`

Examples

```

library(prodlm)
library(data.table)
# binary outcome
library(lava)
set.seed(18)
learndat <- sampleData(48,outcome="binary")
lr1 = glm(Y~X1+X2+X7+X9,data=learndat,family=binomial)
IPA(lr1)

## validation data
valdat=sampleData(94,outcome="binary")
IPA(lr1,newdata=valdat)

```



```

## predicted risks externally given
p1=predictRisk(lr1,newdata=valdat)
IPA(p1,formula=Y~1,valdat)

# survival
library(survival)
data(pbc)
pbc=na.omit(pbc)
pbctest=(1:NROW(pbc)) %in% sample(1:NROW(pbc),size=.632*NROW(pbc))
pbclearn=pbc[pbctest,]
cox1= coxph(Surv(time,status!=0)~age+sex+log(bili)+log(albumin)+log(protime),
            data=pbclearn,x=TRUE)

## same data
IPA(cox1,formula=Surv(time,status!=0)~1,times=1000)

## validation data
pbcval=pbc[!pbctest,]
IPA(cox1,formula=Surv(time,status!=0)~1,newdata=pbcval,times=1000)

## predicted risks externally given
p2=predictRisk(cox1,newdata=pbcval,times=1000)
IPA(cox1,formula=Surv(time,status!=0)~1,newdata=pbcval,times=1000)

# competing risks
data(Melanoma)
Melanomatest=(1:NROW(Melanoma)) %in% sample(1:NROW(Melanoma),size=.632*NROW(Melanoma))
Melanomalearn=Melanoma[Melanomatest,]
fit1 <- CSC(list(Hist(time,status)~sex,
                Hist(time,status)~invasion+epicel+age),
            data=Melanoma)
IPA(fit1,times=1000,cause=2)

## validation data
Melanomaval=Melanoma[!Melanomatest,]
IPA(fit1,formula=Hist(time,status)~1,newdata=Melanomaval,times=1000)

## predicted risks externally given
p3= predictRisk(fit1,cause=1,newdata=Melanomaval,times=1000)
IPA(p3,formula=Hist(time,status)~1,cause=1,newdata=Melanomaval,times=1000)

```

Description

This function is used internally to obtain inverse of the probability of censoring weights.

Usage

```
ipcw(formula, data, method, args, times, subject.times, lag = 1, what,
      keep = NULL)
```

Arguments

formula	A survival formula like, $\text{Surv}(\text{time}, \text{status}) \sim 1$, where as usual $\text{status}=0$ means censored. The status variable is internally reversed for estimation of censoring rather than survival probabilities. Some of the available models (see argument <code>method</code>) will use predictors on the right hand side of the formula.
data	The data used for fitting the censoring model
method	Censoring model used for estimation of the (conditional) censoring distribution.
args	A list of arguments which is passed to <code>method</code>
times	For <code>what="IPCW.times"</code> a vector of times at which to compute the probabilities of not being censored.
subject.times	For <code>what="IPCW.subject.times"</code> a vector of individual times at which the probabilities of not being censored are computed.
lag	If equal to 1 then obtain $G(T_i X_i)$, if equal to 0 estimate the conditional censoring distribution at the <code>subject.times</code> , i.e. $(G(T_i X_i))$.
what	Decide about what to do: If equal to <code>"IPCW.times"</code> then weights are estimated at given times. If equal to <code>"IPCW.subject.times"</code> then weights are estimated at individual <code>subject.times</code> . If missing then produce both.
keep	Which elements to add to the output. Any subset of the vector <code>c("times", "fit", "call")</code> .

Details

Inverse of the probability of censoring weights (IPCW) usually refer to the probabilities of not being censored at certain time points. These probabilities are also the values of the conditional survival function of the censoring time given covariates. The function `ipcw` estimates the conditional survival function of the censoring times and derives the weights.

IMPORTANT: the data set should be ordered, `order(time, -status)` in order to get the values `IPCW.subject.times` in the right order for some choices of `method`.

Value

A list with elements depending on argument `keep`.

times	The times at which weights are estimated
IPCW.times	Estimated weights at times
IPCW.subject.times	Estimated weights at individual time values <code>subject.times</code>
fit	The fitted censoring model
method	The method for modelling the censoring distribution
call	The call

Author(s)

Thomas A. Gerds <tag@biostat.ku.dk>

Examples

```

library(prodlim)
library(rms)
dat=SimSurv(30)

dat <- dat[order(dat$time),]

# using the marginal Kaplan-Meier for the censoring times

WKM=ipcw(Hist(time,status)~X2,
  data=dat,
  method="marginal",
  times=sort(unique(dat$time)),
  subject.times=dat$time,keep=c("fit"))
plot(WKM$fit)
WKM$fit

# using the Cox model for the censoring times given X2
library(survival)
WCox=ipcw(Hist(time=time,event=status)~X2,
  data=dat,
  method="cox",
  times=sort(unique(dat$time)),
  subject.times=dat$time,keep=c("fit"))
WCox$fit

plot(WKM$fit)
lines(sort(unique(dat$time)),
  1-WCox$IPCW.times[1,],
  type="l",
  col=2,
  lty=3,
  lwd=3)
lines(sort(unique(dat$time)),
  1-WCox$IPCW.times[5,],
  type="l",
  col=3,
  lty=3,
  lwd=3)

# using the stratified Kaplan-Meier
# for the censoring times given X2

WKM2=ipcw(Hist(time,status)~X2,
  data=dat,
  method="nonpar",
  times=sort(unique(dat$time)),

```

```
subject.times=dat$time,keep=c("fit"))
plot(WKM2$fit,add=FALSE)
```

Melanoma

Malignant melanoma data

Description

In the period 1962-77, 205 patients with malignant melanoma (cancer of the skin) had a radical operation performed at Odense University Hospital, Denmark. All patients were followed until the end of 1977 by which time 134 were still alive while 71 had died (of out whom 57 had died from cancer and 14 from other causes).

Format

A data frame with 205 observations on the following 12 variables.

time time in days from operation

status a numeric with values 0=censored 1=death.malignant.melanoma 2=death.other.causes

event a factor with levels censored death.malignant.melanoma death.other.causes

invasion a factor with levels level.0, level.1, level.2

ici inflammatory cell infiltration (IFI): 0, 1, 2 or 3

epicel a factor with levels not present present

ulcer a factor with levels not present present

thick tumour thickness (in 1/100 mm)

sex a factor with levels Female Male

age age at operation (years)

logthick tumour thickness on log-scale

Details

The object of the study was to assess the effect of risk factors on survival. Among such risk factors were the sex and age of the patients and the histological variables tumor thickness and ulceration (absent vs. present).

References

Regression with linear predictors (2010)

Andersen, P.K. and Skovgaard, L.T.

Springer Verlag

Examples

```
data(Melanoma)
```

model.matrix.cph	<i>Extract design matrix for cph objects</i>
------------------	--

Description

Extract design matrix for cph objects

Usage

```
## S3 method for class 'cph'  
model.matrix(object, data)
```

Arguments

object	a cph object.
data	a dataset.

model.matrix.phreg	<i>Extract design matrix for phreg objects</i>
--------------------	--

Description

Extract design matrix for phreg objects

Usage

```
## S3 method for class 'phreg'  
model.matrix(object, data)
```

Arguments

object	a phreg object.
data	a dataset.

Details

mainly a copy paste of the begining of the phreg function.

Paquid

Paquid sample

Description

PAQUID is a prospective cohort study initiated in 1988 in South Western France to explore functional and cerebral ageing. This sample includes $n=2561$ subjects. Data contains a time-to-event, a type of event and two cognitive scores measured at baseline.

Format

A data frame with 2561 observations on the following 4 variables.

`time` the time-to-event (in years).

`status` the type of event $0 =$ censored, $1 =$ dementia onset and $2 =$ death without dementia.

`DSST` score at the Digit Symbol Substitution Score Test. This test explores attention and psychomotor speed.

`MMSE` score at the Mini Mental State Examination. This test is often used as an index of global cognitive performance.

Source

The data have been first made publicly available via the package `timeROC`.

References

Dartigues, J., Gagnon, M., Barberger-Gateau, P., Letenneur, L., Commenges, D., Sauvel, C., Michel, P., and Salamon, R. (1992). The paquid epidemiological program on brain ageing. *Neuroepidemiology*, 11(1):14–18.

Blanche, P., Dartigues, J. F., & Jacqmin-Gadda, H. (2013). Estimating and comparing time-dependent areas under receiver operating characteristic curves for censored event times with competing risks. *Statistics in Medicine*, 32(30), 5381-5397.

Examples

```
data(Paquid)
```

penalizedS3	<i>S3-wrapper for S4 function penalized</i>
-------------	---

Description

S3-wrapper for S4 function penalized

Usage

```
penalizedS3(formula, data, type = "elastic.net", lambda1, lambda2, fold,
  ...)
```

Arguments

formula	Communicated outcome and explanatory variables. See examples.
data	Data set in which formula is to be interpreted
type	String specifying the type of penalization. Should match one of the following values: "ridge", "lasso", "elastic.net".
lambda1	Lasso penalty
lambda2	ridge penalty
fold	passed to penalized::profL1
...	Arguments passed to penalized

Examples

```
library(proclim)
## Not run:
## too slow
library(penalized)
set.seed(8)
d <- sampleData(200,outcome="binary")
newd <- sampleData(80,outcome="binary")
fitridge <- penalizedS3(Y~X1+X2+pen(7:8), data=d, type="ridge",
  standardize=TRUE, model="logistic",trace=FALSE)
fitlasso <- penalizedS3(Y~X1+X2+pen(7:8), data=d, type="lasso",
  standardize=TRUE, model="logistic",trace=FALSE)
# fitnet <- penalizedS3(Y~X1+X2+pen(7:8), data=d, type="elastic.net",
# standardize=TRUE, model="logistic",trace=FALSE)
predictRisk(fitridge,newdata=newd)
predictRisk(fitlasso,newdata=newd)
# predictRisk(fitnet,newdata=newd)
Score(list(fitridge),data=newd,formula=Y~1)
Score(list(fitridge),data=newd,formula=Y~1,split.method="bootcv",B=2)

## End(Not run)
## Not run: data(nki70) ## S4 fit
pen <- penalized(Surv(time, event), penalized = nki70[,8:77],
```

```

unpenalized = ~ER+Age+Diam+N+Grade, data = nki70,
lambda1 = 1)
penS3 <- penalizedS3(Surv(time,event)~ER+Age+Diam+pen(8:77)+N+Grade,
                    data=nki70, lambda1=1)
## or
penS3 <- penalizedS3(Surv(time,event)~ER+pen(TSPYL5,Contig63649_RC)+pen(10:77)+N+Grade,
                    data=nki70, lambda1=1)
## also this works
penS3 <- penalizedS3(Surv(time,event)~ER+Age+pen(8:33)+Diam+pen(34:77)+N+Grade,
                    data=nki70, lambda1=1)

## End(Not run)

```

plot.riskRegression *Plotting predicted risk*

Description

Show predicted risk obtained by a risk prediction model as a function of time.

Usage

```

## S3 method for class 'riskRegression'
plot(x,
     cause,
     newdata,
     xlab,
     ylab,
     xlim,
     ylim,
     lwd,
     col,
     lty,
     axes=TRUE,
     percent=TRUE,
     legend=TRUE,
     add=FALSE,
     ...)

```

Arguments

x	Fitted object obtained with one of ARR, LRR, riskRegression.
cause	For CauseSpecificCox models the cause of interest.
newdata	A data frame containing predictor variable combinations for which to compute predicted risk.
xlab	See plot
ylab	See plot

xlim	See plot
ylim	See plot
lwd	A vector of line thicknesses for the regression coefficients.
col	A vector of colors for the regression coefficients.
lty	A vector of line types for the regression coefficients.
axes	Logical. If FALSE then do not draw axes.
percent	If true the y-axis is labeled in percent.
legend	If true draw a legend.
add	Logical. If TRUE then add lines to an existing plot.
...	Used for transclusion of smart arguments for plot, lines, axis and background. See function SmartControl from prodlim.

Author(s)

Thomas Alexander Gerds <tag@biostat.ku.dk>

Examples

```
library(survival)
library(prodlim)
data(Melanoma)
fit.arr <- ARR(Hist(time,status)~invasion+age+strata(sex),data=Melanoma,cause=1)
plot(fit.arr,xlim=c(500,3000))
```

plotAUC

Plot of time-dependent AUC curves

Description

Plot of time-dependent AUC curves

Usage

```
plotAUC(x, models, which = "score", xlim, ylim, xlab, ylab, col, lwd,
  lty = 1, cex = 1, pch = 1, type = "l", axes = 1L,
  percent = 1L, conf.int = 0L, legend = 1L, ...)
```

Arguments

x	Object obtained with Score.list
models	Choice of models to plot
which	Character. Either "score" to show AUC or "contrasts" to show differences between AUC.
xlim	Limits for x-axis
ylim	Limits for y-axis
xlab	Label for x-axis
ylab	Label for y-axis
col	line color
lwd	line width
lty	line style
cex	point size
pch	point style
type	line type
axes	Logical. If TRUE draw axes.
percent	Logical. If TRUE scale y-axis in percent.
conf.int	Logical. If TRUE draw confidence shadows.
legend	Logical. If TRUE draw legend.
...	Used for additional control of the subroutines: plot,

Examples

```

library(survival)
library(prodlim)
d=sampleData(100,outcome="survival")
nd=sampleData(100,outcome="survival")
f1=coxph(Surv(time,event)~X1+X6+X8,data=d,x=TRUE,y=TRUE)
f2=coxph(Surv(time,event)~X2+X5+X9,data=d,x=TRUE,y=TRUE)
xx=Score(list("X1+X6+X8"=f1,"X2+X5+X9"=f2), formula=Surv(time,event)~1,
data=nd, metrics="auc", null.model=FALSE, times=seq(3:10))
aucgraph <- plotAUC(xx)
plotAUC(xx,conf.int=TRUE)
## difference between
plotAUC(xx,which="contrasts",conf.int=TRUE)

```

`plotBrier`*Plot Brier curve*

Description

Plot Brier score curves

Usage

```
plotBrier(x, models, which = "score", xlim, ylim, xlab, ylab, col, lwd,  
          lty = 1, cex = 1, pch = 1, type = "l", axes = 1L,  
          percent = 1L, conf.int = 0L, legend = 1L, ...)
```

Arguments

<code>x</code>	Object obtained with Score
<code>models</code>	Choice of models to plot
<code>which</code>	Character. Either "score" to show AUC or "contrasts" to show differences between AUC.
<code>xlim</code>	Limits for x-axis
<code>ylim</code>	Limits for y-axis
<code>xlab</code>	Label for x-axis
<code>ylab</code>	Label for y-axis
<code>col</code>	line color
<code>lwd</code>	line width
<code>lty</code>	line style
<code>cex</code>	point size
<code>pch</code>	point style
<code>type</code>	line type
<code>axes</code>	Logical. If TRUE draw axes.
<code>percent</code>	Logical. If TRUE scale y-axis in percent.
<code>conf.int</code>	Logical. If TRUE draw confidence shadows.
<code>legend</code>	Logical. If TRUE draw legend.
<code>...</code>	Used for additional control of the subroutines: plot, axis, lines, legend. See SmartControl .

Examples

```
# survival
library(survival)
library(prodlim)
ds1=sampleData(40,outcome="survival")
ds2=sampleData(40,outcome="survival")
f1 <- coxph(Surv(time,event)~X1+X3+X5+X7+X9,data=ds1,x=TRUE)
f2 <- coxph(Surv(time,event)~X2+X4+X6+X8+X10,data=ds1,x=TRUE)
xscore <- Score(list(f1,f2),formula=Hist(time,event)~1,data=ds2,times=0:12,metrics="brier")
plotBrier(xscore)
```

plotCalibration

Plot Calibration curve

Description

Plot Calibration curve

Usage

```
plotCalibration(x, models, times, method = "nne", cens.method,
  round = TRUE, bandwidth = NULL, q = 10, bars = FALSE,
  hanging = FALSE, names = "quantiles", pseudo = FALSE, rug,
  show.frequencies = FALSE, plot = TRUE, add = FALSE, diag = !add,
  legend = !add, auc.in.legend, brier.in.legend, axes = !add,
  xlim = c(0, 1), ylim = c(0, 1), xlab = ifelse(bars, "Risk groups",
  "Predicted risk"), ylab = "Observed frequency", col, lwd, lty, pch,
  type, cause = 1, percent = TRUE, na.action = na.fail, cex = 1,
  ...)
```

Arguments

x	Object obtained with function Score
models	Choice of models to plot
times	Time point specifying the prediction horizon.
method	The method for estimating the calibration curve(s): <ul style="list-style-type: none"> • "quantile": The observed proportion at predicted risk value 'p' is obtained in groups defined by quantiles of the predicted event probabilities of all subjects. The number of groups is controlled by argument q. • "nne": The observed proportion at predicted risk value 'p' is obtained based on the subjects whose predicted risk is inside a nearest neighborhood around the value 'p'. The larger the bandwidth the more subjects are included in the current neighborhood.
cens.method	For right censored data only. How observed proportions are calculated. Either "jackknife" or "local":

- "jackknife" Compute a running mean of the jackknife pseudovalues across neighborhoods/groups of the predicted risks. Here we rely on the assumption that censoring is independent of the event time and the covariates, see References.
- "local" Compute the Kaplan-Meier estimator in absence of competing risks and the Aalen-Johansen estimator in presence of competing risks locally like a running mean in neighborhoods of the predicted risks. The widths of the neighborhoods are defined according to method.

round	If TRUE predicted probabilities are rounded to two digits before smoothing. This may have a considerable effect on computing efficiency in large data sets.
bandwidth	The bandwidth for method="nne"
q	The number of quantiles for method="quantile" and bars=TRUE.
bars	If TRUE, use barplots to show calibration.
hanging	Barplots only. If TRUE, hang bars corresponding to observed frequencies at the value of the corresponding prediction.
names	Barplots only. Names argument passed to names.arg of barplot.
pseudo	If TRUE show pseudo values (only for right censored data).
rug	If TRUE show rug plot at the predictions
show.frequencies	Barplots only. If TRUE, show frequencies above the bars.
plot	If FALSE, do not plot the results, just return a plottable object.
add	If TRUE the line(s) are added to an existing plot.
diag	If FALSE no diagonal line is drawn.
legend	Logical. If TRUE draw legend.
auc.in.legend	Logical. If TRUE add AUC to legend.
brier.in.legend	Logical. If TRUE add Brier score to legend.
axes	If FALSE no axes are drawn.
xlim	Limits of x-axis.
ylim	Limits of y-axis.
xlab	Label for y-axis.
ylab	Label for x-axis.
col	Vector with colors, one for each element of object. Passed to lines .
lwd	Vector with line widths, one for each element of object. Passed to lines .
lty	lwd Vector with line style, one for each element of object. Passed to lines .
pch	Passed to lines .
type	Passed to lines .
cause	For competing risks models, the cause of failure or event of interest
percent	If TRUE axes labels are multiplied by 100 and thus interpretable on a percent scale.

na.action what to do with NA values. Passed to `model.frame`

cex Default cex used for legend and labels.

... Used to control the subroutines: plot, axis, lines, barplot, legend, addtable2plot, points (pseudo values), rug. See `SmartControl`.

Examples

```
library(prodlim)
# binary
db=sampleData(100,outcome="binary")
fb1=glm(Y~X1+X5+X7,data=db,family="binomial")
fb2=glm(Y~X1+X3+X6+X7,data=db,family="binomial")
xb=Score(list(model1=fb1,model2=fb2),Y~1,data=db,
          plots="cal")
plotCalibration(xb,brier.in.legend=TRUE)
plotCalibration(xb,bars=TRUE,model="model1")
plotCalibration(xb,models=1,bars=TRUE,names.cex=1.3)

# survival
library(survival)
library(prodlim)
dslearn=sampleData(56,outcome="survival")
dstest=sampleData(100,outcome="survival")
fs1=coxph(Surv(time,event)~X1+X5+X7,data=dslearn,x=1)
fs2=coxph(Surv(time,event)~strata(X1)+X3+X6+X7,data=dslearn,x=1)
xs=Score(list(Cox1=fs1,Cox2=fs2),Surv(time,event)~1,data=dstest,
            plots="cal",metrics=NULL)
plotCalibration(xs)
plotCalibration(xs,cens.method="local",pseudo=1)
plotCalibration(xs,method="quantile")

# competing risks

## Not run:
data(Melanoma)
f1 <- CSC(Hist(time,status)~age+sex+epicel+ulcer,data=Melanoma)
f2 <- CSC(Hist(time,status)~age+sex+logthick+epicel+ulcer,data=Melanoma)
x <- Score(list(model1=f1,model2=f2),Hist(time,status)~1,data=Melanoma,
            cause= 2,times=5*365.25,plots="cal")
plotCalibration(x)

## End(Not run)
```

Description

Plot time-varying effects from a risk regression model.

Usage

```
plotEffects(x, formula, level, ref.line = TRUE, conf.int = 0.95, xlim,
            ylim, xlab = "Time", ylab = "Cumulative coefficient", col, lty, lwd,
            add = FALSE, legend, axes = TRUE, ...)
```

Arguments

x	Fitted object obtained with one of ARR, LRR, riskRegression.
formula	A formula to specify the variable(s) whose regression coefficients should be plotted.
level	For categorical variables the level (group) whose contrast to the reference level (group) should be plotted.
ref.line	Logical. If TRUE then add a horizontal line at zero.
conf.int	Logical. If TRUE then add confidence limits. Can be controlled using smart arguments. See examples
xlim	See plot
ylim	See plot
xlab	See plot
ylab	See plot
col	A vector of colors for the regression coefficients.
lty	A vector of line types for the regression coefficients.
lwd	A vector of line thicknesses for the regression coefficients.
add	Logical. If TRUE then add lines to an existing plot.
legend	Logical. If TRUE then add a legend. Can be controlled using smart arguments. See examples.
axes	Logical. If FALSE then do not draw axes.
...	Used for transclusion of smart arguments for plot, axis. See function SmartControl from prodlim.

Author(s)

Thomas H. Scheike <ts@biostat.ku.dk>

Thomas A. Gerds <>tag@biostat.ku.dk>

Examples

```

library(survival)
library(prodlim)
data(Melanoma)

fit.tarr <- ARR(Hist(time,status)~strata(sex),
               data=Melanoma,
               cause=1)
plotEffects(fit.tarr)

fit.tarr <- ARR(Hist(time,status)~strata(sex)+strata(invasion),
               data=Melanoma,
               cause=1,
               times=seq(800,3000,20))
plotEffects(fit.tarr,formula=~sex)
plotEffects(fit.tarr,formula=~invasion)
plotEffects(fit.tarr,
            formula=~invasion,
            level="invasionlevel.1")

## legend arguments are transcluded:
plotEffects(fit.tarr,
            formula=~invasion,
            legend.bty="b",
            legend.cex=1)

## and other smart arguments too:
plotEffects(fit.tarr,
            formula=~invasion,
            legend.bty="b",
            axis2.las=2,
            legend.cex=1)

```

plotPredictRisk *Plotting predicted risks curves.*

Description

Time-dependent event risk predictions.

Usage

```

plotPredictRisk(x, newdata, times, cause = 1, xlim, ylim, xlab, ylab,
               axes = TRUE, col, density, lty, lwd, add = FALSE, legend = TRUE,
               percent = FALSE, ...)

```


Arguments

x	Object specifying an event risk prediction model.
newdata	A data frame with the same variable names as those that were used to fit the model x.
times	Vector of times at which to return the estimated probabilities.
cause	Show predicted risk of events of this cause
xlim	Plotting range on the x-axis.
ylim	Plotting range on the y-axis.
xlab	Label given to the x-axis.
ylab	Label given to the y-axis.
axes	Logical. If FALSE no axes are drawn.
col	Vector of colors given to the survival curve.
density	Density of the color – useful for showing many (overlapping) curves.
lty	Vector of lty's given to the survival curve.
lwd	Vector of lwd's given to the survival curve.
add	Logical. If TRUE only lines are added to an existing device
legend	Logical. If TRUE a legend is plotted by calling the function legend. Optional arguments of the function legend can be given in the form legend.x=val where x is the name of the argument and val the desired value. See also Details.
percent	Logical. If TRUE the y-axis is labeled in percent.
...	Parameters that are filtered by SmartControl and then passed to the functions: plot , axis , legend .

Details

Arguments for the invoked functions legend and axis can be specified as legend.lty=2. The specification is not case sensitive, thus Legend.lty=2 or LEGEND.lty=2 will have the same effect. The function axis is called twice, and arguments of the form axis1.labels, axis1.at are used for the time axis whereas axis2.pos, axis1.labels, etc., are used for the y-axis.

These arguments are processed via ...{} of plotPredictRisk and inside by using the function SmartControl.

Value

The (invisible) object.

Author(s)

Ulla B. Mogensen and Thomas A. Gerds <tag@biostat.ku.dk>

References

Ulla B. Mogensen, Hemant Ishwaran, Thomas A. Gerds (2012). Evaluating Random Forests for Survival Analysis Using Prediction Error Curves. *Journal of Statistical Software*, 50(11), 1-23. URL <http://www.jstatsoft.org/v50/i11/>.

See Also[plotRisk](#)**Examples**

```

library(survival)
# generate survival data
# no effect
set.seed(8)
d <- sampleData(80,outcome="survival",formula = ~f(X6, 0) + f(X7, 0))
d[,table(event)]
f <- coxph(Surv(time,event)~X6+X7,data=d,x=1)
plotPredictRisk(f)

# large effect
set.seed(8)
d <- sampleData(80,outcome="survival",formula = ~f(X6, 0.1) + f(X7, -0.1))
d[,table(event)]
f <- coxph(Surv(time,event)~X6+X7,data=d,x=1)
plotPredictRisk(f)

# generate competing risk data
# small effect
set.seed(8)
d <- sampleData(40,formula = ~f(X6, 0.01) + f(X7, -0.01))
d[,table(event)]
f <- CSC(Hist(time,event)~X5+X6,data=d)
plotPredictRisk(f)

# large effect
set.seed(8)
d <- sampleData(40,formula = ~f(X6, 0.1) + f(X7, -0.1))
d[,table(event)]
f <- CSC(Hist(time,event)~X5+X6,data=d)
plotPredictRisk(f)

```

`plotRisk`*plot predicted risks*

Description

plot predicted risks

Usage

```

plotRisk(x, models, times, xlim = c(0, 1), ylim = c(0, 1), xlab, ylab,
  col, pch = 3, cex = 1, preclipse = 0, preclipse.shade = FALSE,
  ...)

```

Arguments

x	Object obtained with function Score
models	Choice of two models to plot. The predicted risks of the first (second) are shown along the x-axis (y-axis).
times	Time point specifying the prediction horizon.
xlim	x-axis limits
ylim	y-axis limits
xlab	x-axis labels
ylab	y-axis labels
col	colour
pch	point type
cex	point size
preclipse	Value between 0 and 1 defining the preclipse area
preclipse.shade	Logical. If TRUE shade the area of clinically meaningful change.
...	Used to control the subroutines: plot, axis, lines, barplot, legend. See SmartControl .

Details

Two rival prediction models are applied to the same data.

Value

a nice graph

Author(s)

Thomas A. Gerds <tag@biostat.ku.dk>

Examples

```
library(prodlim)
## uncensored
learndat = sampleData(40,outcome="binary")
testdat = sampleData(40,outcome="binary")
lr1 = glm(Y~X1+X2+X7+X9,data=learndat,family="binomial")
lr2 = glm(Y~X3+X5+X6,data=learndat,family="binomial")
xb=Score(list("LR(X1+X2+X7+X9)"=lr1,"LR(X3+X5+X6)"=lr2),formula=Y~1,
          data=testdat,summary="risks",null.model=0L)
plotRisk(xb)
## survival
library(survival)
learndat = sampleData(40,outcome="survival")
testdat = sampleData(40,outcome="survival")
cox1 = coxph(Surv(time,event)~X1+X2+X7+X9,data=learndat,x=TRUE)
cox2 = coxph(Surv(time,event)~X3+X5+X6,data=learndat,x=TRUE)
```

```

xs=Score(list("Cox(X1+X2+X7+X9)"=cox1,"Cox(X3+X5+X6)"=cox2),formula=Surv(time,event)~1,
          data=testdat,summary="risks",null.model=0L,times=c(3,5,6))
plotRisk(xs,times=5)
## competing risk
## Not run:
library(proplim)
library(survival)
set.seed(8)
learndat = sampleData(80,outcome="competing.risk")
testdat = sampleData(140,outcome="competing.risk")
m1 = FGR(Hist(time,event)~X2+X7+X9,data=learndat,cause=1)
m2 = CSC(Hist(time,event)~X2+X7+X9,data=learndat,cause=1)
xcr=Score(list("FGR"=m1,"CSC"=m2),formula=Hist(time,event)~1,
            data=testdat,summary="risks",null.model=0L,times=c(3,5))
plotRisk(xcr,times=1)

## End(Not run)

```

plotROC

Plot ROC curves

Description

Plot ROC curve

Usage

```

plotROC(x, models, times, xlab = "1-Specificity", ylab = "Sensitivity",
        col, lwd, lty = 1, cex = 1, pch = 1, legend = TRUE,
        auc.in.legend = TRUE, brier.in.legend = FALSE, add = FALSE, ...)

```

Arguments

x	Object obtained with function Score
models	Choice of models to plot
times	Time point(s) specifying the prediction horizon
xlab	Label for x-axis
ylab	Label for y-axis
col	line color
lwd	line width
lty	line style
cex	point size
pch	point style
legend	logical. If 1L draw a legend with the values of AUC.
auc.in.legend	Logical. If TRUE add AUC to legend.

```

brier.in.legend      Logical. If TRUE add Brier score to legend.
add                  logical. If 1L add lines to an existing plot.
...                 Used for additional control of the subroutines: plot, axis, lines, legend, ad-
                   dtable2plot. See SmartControl.

```

Examples

```

## binary
set.seed(18)
library(randomForest)
library(proclim)
bd1 <- sampleData(40,outcome="binary")
bd2 <- sampleData(58,outcome="binary")
bd1[,y:=factor(Y)]
bd2[,y:=factor(Y)]
fb1 <- glm(y~X1+X2+X3+X4+X5+X6+X7+X8+X9+X10,data=bd1,family="binomial")
fb2 <- randomForest(y~X1+X2+X3+X4+X5+X6+X7+X8+X9+X10,data=bd1)
xb <- Score(list("glm"=fb1,"rf"=fb2),y~1,data=bd2,
             plots="roc",metrics=c("auc","brier"))
plotROC(xb,brier.in.legend=1L)

# with cross-validation
## Not run:
xb3 <- Score(list("glm"=fb1,"rf"=fb2),y~1,data=bd1,
             plots="roc",B=3,split.method="bootcv",
             metrics=c("auc"))

## End(Not run)
## survival
set.seed(18)
library(survival)
sd1 <- sampleData(40,outcome="survival")
sd2 <- sampleData(58,outcome="survival")
fs1 <- coxph(Surv(time,event)~X3+X5+X6+X7+X8+X10,data=sd1,x=TRUE)
fs2 <- coxph(Surv(time,event)~X1+X2+X9,data=sd1,x=TRUE)
xs <- Score(list(model1=fs1,model2=fs2),Hist(time,event)~1,data=sd2,
             times=5,plots="roc",metrics="auc")
plotROC(xs)
## competing risks
data(Melanoma)
f1 <- CSC(Hist(time,status)~age+sex+epicel+ulcer,data=Melanoma)
f2 <- CSC(Hist(time,status)~age+sex+logthick+epicel+ulcer,data=Melanoma)
x <- Score(list(model1=f1,model2=f2),Hist(time,status)~1,data=Melanoma,
           cause=1,times=5*365.25,plots="roc",metrics="auc")
plotROC(x)

```

Description

Apply formula to combine two or more Cox models into absolute risk (cumulative incidence function).

Usage

```
## S3 method for class 'CauseSpecificCox'
predict(object, newdata, times, cause,
        type = "absRisk", landmark = NA, keep.times = 1L,
        keep.newdata = 1L, keep.strata = 1L, se = FALSE, band = FALSE,
        iid = FALSE, confint = (se + band) > 0, average.iid = FALSE,
        product.limit = TRUE, store.iid = "full", diag = FALSE, ...)
```

Arguments

object	The fitted cause specific Cox model
newdata	[data.frame or data.table] Contain the values of the predictor variables defining subject specific predictions relative to each cause. Should have the same structure as the data set used to fit the object.
times	[numeric vector] Time points at which to return the estimated absolute risk.
cause	[integer/character] Identifies the cause of interest among the competing events.
type	[character] Can be changed to "survival" if the event free survival should be output instead of the absolute risk.
landmark	[integer] The starting time for the computation of the cumulative risk.
keep.times	[logical] If TRUE add the evaluation times to the output.
keep.newdata	[logical] If TRUE add the value of the covariates used to make the prediction in the output list.
keep.strata	[logical] If TRUE add the value of the strata used to make the prediction in the output list.
se	[logical] If TRUE compute and add the standard errors to the output.
band	[logical] If TRUE compute and add the quantiles for the confidence bands to the output.
iid	[logical] If TRUE compute and add the influence function to the output.
confint	[logical] If TRUE compute and add the confidence intervals/bands to the output. They are computed applying the confint function to the output.
average.iid	[logical]. If TRUE add the average of the influence function over newdata to the output.
product.limit	[logical]. If TRUE the survival is computed using the product limit estimator. Otherwise the exponential approximation is used (i.e. exp(-cumulative hazard)).
store.iid	[character] Implementation used to estimate the influence function and the standard error. Can be "full" or "minimal".
diag	[logical] when FALSE the absolute risk/survival for all observations at all times is computed, otherwise it is only computed for the i-th observation at the i-th time.
...	not used.

Details

This function computes the absolute risk as given by formula 2 of (Ozenne et al., 2017). Confidence intervals and confidence bands can be computed using a first order von Mises expansion. See the section "Construction of the confidence intervals" in (Ozenne et al., 2017).

A detailed explanation about the meaning of the argument `store.iid` can be found in (Ozenne et al., 2017) Appendix B "Saving the influence functions".

Note: for Cox regression models with time varying covariates it does not make sense to use this function, because the predicted risk has to be a measurable function of the data available at the time origin.

The iid decomposition is output using an array containing the value of the influence of each subject used to fit the object (dim 3), for each subject in `newdata` (dim 1), and each time (dim 2).

Author(s)

Brice Ozenne broz@sund.ku.dk, Thomas A. Gerds tag@biostat.ku.dk

References

Brice Ozenne, Anne Lyngholm Sorensen, Thomas Scheike, Christian Torp-Pedersen and Thomas Alexander Gerds. riskRegression: Predicting the Risk of an Event using Cox Regression Models. The R Journal (2017) 9:2, pages 440-460.

See Also

[confint.predictCSC](#) to compute confidence intervals/bands. [autoplot.predictCSC](#) to display the predictions.

Examples

```
library(survival)
library(prodlm)
#### generate data ####
set.seed(5)
d <- sampleData(80,outcome="comp") ## training dataset
nd <- sampleData(4,outcome="comp") ## validation dataset
d$time <- round(d$time,1) ## create tied events
ttt <- sort(sample(x = unique(d$time), size = 10))

## estimate a CSC model based on the coxph function
CSC.fit <- CSC(Hist(time,event)~ X3+X8, data=d, method = "breslow")

## compute the absolute risk of cause 1, in the validation dataset
## at time 1:10
CSC.risk <- predict(CSC.fit, newdata=nd, times=1:10, cause=1)
CSC.risk

## compute absolute risks with CI for cause 2
## (without displaying the value of the covariates)
predict(CSC.fit,newdata=nd,times=1:10,cause=2,se=TRUE,
        keep.newdata = FALSE)
```

```
## other example
library(survival)
CSC.fit.s <- CSC(list(Hist(time,event)~ strata(X1)+X2+X9,
  Hist(time,event)~ X2+strata(X4)+X8+X7),data=d, method = "breslow")
predict(CSC.fit.s,cause=1,times=ttt,se=1L) ## note: absRisk>1 due to small number of observations

## using the cph function instead of coxph
CSC.cph <- CSC(Hist(time,event)~ X1+X2,data=d, method = "breslow", fitter = "cph")#
predict(CSC.cph, newdata = d, cause = 2, times = ttt)

## landmark analysis
T0 <- 1
predCSC_afterT0 <- predict(CSC.fit, newdata = d, cause = 2, times = ttt[ttt>T0], landmark = T0)
predCSC_afterT0
```

predict.FGR	<i>Predict subject specific risks (cumulative incidence) based on Fine-Gray regression model</i>
-------------	--

Description

Predict subject specific risks (cumulative incidence) based on Fine-Gray regression model

Usage

```
## S3 method for class 'FGR'
predict(object, newdata, times, ...)
```

Arguments

object	Result of call to FGR
newdata	Predictor values of subjects for who to predict risks
times	Time points at which to evaluate the risks
...	passed to predict.crr

Examples

```
library(proclim)
library(survival)
set.seed(10)
d <- sampleData(101, outcome = "competing.risk")
tFun<-function(t) {t}
fgr<-FGR(Hist(time, event)~X1+strata(X2)+X6+cov2(X7, tf=tFun),
  data=d, cause=1)
predictRisk(fgr,times=5,newdata=d[1:10])
```

```
predict.riskRegression
```

Predict individual risk.

Description

Extract predictions from a risk prediction model.

Usage

```
## S3 method for class 'riskRegression'  
predict(object, newdata, ...)
```

Arguments

object	Fitted object obtained with one of ARR, LRR, riskRegression.
newdata	A data frame containing predictor variable combinations for which to compute predicted risk.
...	not used

Author(s)

Thomas H. Scheike <ts@biostat.ku.dk>

Thomas A. Gerds <>tag@biostat.ku.dk>

References

Gerds, TA and Scheike, T and Andersen, PK (2011) Absolute risk regression for competing risks: interpretation, link functions and prediction Research report 11/8. Department of Biostatistics, University of Copenhagen

Examples

```
data(Melanoma)  
library(proplim)  
library(survival)  
  
fit.tarr <- ARR(Hist(time,status)~age+invasion+strata(sex),data=Melanoma,cause=1)  
predict(fit.tarr,newdata=data.frame(age=48,  
  invasion=factor("level.1",  
    levels=levels(Melanoma$invasion)),  
  sex=factor("Female",levels=levels(Melanoma$sex))))  
predict(fit.tarr,newdata=data.frame(age=48,  
  invasion=factor("level.1",  
    levels=levels(Melanoma$invasion)),  
  sex=factor("Male",levels=levels(Melanoma$sex))))  
predict(fit.tarr,newdata=data.frame(age=c(48,58,68),
```

```

invasion=factor("level.1",
  levels=levels(Melanoma$invasion)),
sex=factor("Male",levels=levels(Melanoma$sex)))
predict(fit.tarr,newdata=Melanoma[1:4,])

```

predictCox	<i>Fast computation of survival probabilities, hazards and cumulative hazards from Cox regression models</i>
------------	--

Description

Fast routine to get baseline hazards and subject specific hazards as well as survival probabilities from a `survival::coxph` or `rms::cph` object

Usage

```

predictCox(object, times, newdata = NULL, centered = TRUE,
  type = c("cumhazard", "survival"), keep.strata = TRUE,
  keep.times = TRUE, keep.newdata = FALSE, keep.infoVar = FALSE,
  se = FALSE, band = FALSE, iid = FALSE, confint = (se + band) > 0,
  diag = FALSE, average.iid = FALSE, store.iid = "full")

```

Arguments

object	The fitted Cox regression model object either obtained with <code>coxph</code> (survival package) or <code>cph</code> (rms package).
times	[numeric vector] Time points at which to return the estimated hazard/cumulative hazard/survival.
newdata	[data.frame or data.table] Contain the values of the predictor variables defining subject specific predictions. Should have the same structure as the data set used to fit the object.
centered	[logical] If TRUE return prediction at the mean values of the covariates <code>fit\$mean</code> , if FALSE return a prediction for all covariates equal to zero. in the linear predictor. Will be ignored if argument <code>newdata</code> is used. For internal use.
type	[character vector] the type of predicted value. Choices are <ul style="list-style-type: none"> • "hazard" the baseline hazard function when argument <code>newdata</code> is not used and the hazard function when argument <code>newdata</code> is used. • "cumhazard" the cumulative baseline hazard function when argument <code>newdata</code> is not used and the cumulative hazard function when argument <code>newdata</code> is used. • "survival" the survival baseline hazard function when argument <code>newdata</code> is not used and the cumulative hazard function when argument <code>newdata</code> is used.

Several choices can be combined in a vector of strings that match (no matter the case) strings "hazard", "cumhazard", "survival".

<code>keep.strata</code>	[logical] If TRUE add the (newdata) strata to the output. Only if there any.
<code>keep.times</code>	[logical] If TRUE add the evaluation times to the output.
<code>keep.newdata</code>	[logical] If TRUE add the value of the covariates used to make the prediction in the output list.
<code>keep.infoVar</code>	[logical] For internal use.
<code>se</code>	[logical] If TRUE compute and add the standard errors to the output.
<code>band</code>	[logical] If TRUE compute and add the quantiles for the confidence bands to the output.
<code>iid</code>	[logical] If TRUE compute and add the influence function to the output.
<code>confint</code>	[logical] If TRUE compute and add the confidence intervals/bands to the output. They are computed applying the <code>confint</code> function to the output.
<code>diag</code>	[logical] when FALSE the hazard/cumulative hazard/survival for all observations at all times is computed, otherwise it is only computed for the <i>i</i> -th observation at the <i>i</i> -th time.
<code>average.iid</code>	[logical] If TRUE add the average of the influence function over newdata to the output.
<code>store.iid</code>	[character] Implementation used to estimate the influence function and the standard error. Can be "full" or "minimal".
<code>...</code>	not used.

Details

When the argument `newdata` is not specified, the function computes the baseline hazard estimate. See (Ozenne et al., 2017) section "Handling of tied event times".

Otherwise the function computes survival probabilities with confidence intervals/bands. See (Ozenne et al., 2017) section "Confidence intervals and confidence bands for survival probabilities". The survival is computed using the exponential approximation (equation 3).

A detailed explanation about the meaning of the argument `store.iid` can be found in (Ozenne et al., 2017) Appendix B "Saving the influence functions".

The function is not compatible with time varying predictor variables.

The centered argument enables us to reproduce the results obtained with the `basehaz` function from the survival package but should not be modified by the user.

The `iid` decomposition is output using an array containing the value of the influence of each subject used to fit the object (dim 3), for each subject in `newdata` (dim 1), and each time (dim 2).

Author(s)

Brice Ozenne broz@sund.ku.dk, Thomas A. Gerds [tag@biostat.ku.dk](mailto>tag@biostat.ku.dk)

References

Brice Ozenne, Anne Lyngholm Sorensen, Thomas Scheike, Christian Torp-Pedersen and Thomas Alexander Gerds. `riskRegression`: Predicting the Risk of an Event using Cox Regression Models. *The R Journal* (2017) 9:2, pages 440-460.

See Also

[confint.predictCox](#) to compute confidence intervals/bands. [autoplot.predictCox](#) to display the predictions.

Examples

```

library(survival)
library(data.table)

#### generate data ####
set.seed(10)
d <- sampleData(40,outcome="survival") ## training dataset
nd <- sampleData(4,outcome="survival") ## validation dataset
d$time <- round(d$time,1) ## create tied events
# table(duplicated(d$time))

#### stratified Cox model ####
fit <- coxph(Surv(time,event)~X1 + strata(X2) + X6,
             data=d, ties="breslow", x = TRUE, y = TRUE)

## compute the baseline cumulative hazard
fit.haz <- predictCox(fit)
cbind(survival::basehaz(fit), fit.haz$cumhazard)

## compute individual specific cumulative hazard and survival probabilities
fit.pred <- predictCox(fit, newdata=nd, times=c(3,8), se = TRUE, band = TRUE)
fit.pred

#### other examples ####
# one strata variable
fitS <- coxph(Surv(time,event)~strata(X1)+X2,
              data=d, ties="breslow", x = TRUE, y = TRUE)

predictCox(fitS)
predictCox(fitS, newdata=nd, times = 1)

# two strata variables
set.seed(1)
d$U=sample(letters[1:5],replace=TRUE,size=NROW(d))
d$V=sample(letters[4:10],replace=TRUE,size=NROW(d))
nd$U=sample(letters[1:5],replace=TRUE,size=NROW(nd))
nd$V=sample(letters[4:10],replace=TRUE,size=NROW(nd))
fit2S <- coxph(Surv(time,event)~X1+strata(U)+strata(V)+X2,
               data=d, ties="breslow", x = TRUE, y = TRUE)

cbind(survival::basehaz(fit2S),predictCox(fit2S,type="cumhazard")$cumhazard)
predictCox(fit2S)
predictCox(fitS, newdata=nd, times = 3)

# left truncation
test2 <- list(start=c(1,2,5,2,1,7,3,4,8,8),

```

```

      stop=c(2,3,6,7,8,9,9,9,14,17),
      event=c(1,1,1,1,1,1,1,0,0,0),
      x=c(1,0,0,1,0,1,1,1,0,0))
m.cph <- coxph(Surv(start, stop, event) ~ 1, test2, x = TRUE)
as.data.table(predictCox(m.cph))

basehaz(m.cph)

```

predictCoxPL	<i>Computation of survival probabilities from Cox regression models using the product limit estimator.</i>
--------------	--

Description

Same as predictCox except that the survival is estimated using the product limit estimator.

Usage

```

predictCoxPL(object, times, newdata = NULL, type = c("cumhazard",
  "survival"), keep.strata = TRUE, keep.infoVar = FALSE, ...)

```

Arguments

object	The fitted Cox regression model object either obtained with coxph (survival package) or cph (rms package).
times	[numeric vector] Time points at which to return the estimated hazard/cumulative hazard/survival.
newdata	[data.frame or data.table] Contain the values of the predictor variables defining subject specific predictions. Should have the same structure as the data set used to fit the object.
type	[character vector] the type of predicted value. Choices are <ul style="list-style-type: none"> • "hazard" the baseline hazard function when argument newdata is not used and the hazard function when argument newdata is used. • "cumhazard" the cumulative baseline hazard function when argument newdata is not used and the cumulative hazard function when argument newdata is used. • "survival" the survival baseline hazard function when argument newdata is not used and the cumulative hazard function when argument newdata is used. Several choices can be combined in a vector of strings that match (no matter the case) strings "hazard", "cumhazard", "survival".
keep.strata	[logical] If TRUE add the (newdata) strata to the output. Only if there any.
keep.infoVar	[logical] For internal use.
...	additional arguments to be passed to predictCox .

Details

Note: the iid and standard errors are computed using the exponential approximation.

Examples

```

library(survival)

#### generate data ####
set.seed(10)
d <- sampleData(40,outcome="survival")
nd <- sampleData(4,outcome="survival")
d$time <- round(d$time,1)

#### Cox model ####
fit <- coxph(Surv(time,event)~ X1 + X2 + X6,
             data=d, ties="breslow", x = TRUE, y = TRUE)

## exponential approximation
predictCox(fit, newdata = d, times = 1:5)

## product limit
predictCoxPL(fit, newdata = d, times = 1:5)

#### stratified Cox model ####
fits <- coxph(Surv(time,event)~ X1 + strata(X2) + X6,
              data=d, ties="breslow", x = TRUE, y = TRUE)

## exponential approximation
predictCox(fits, newdata = d, times = 1:5)

## product limit
predictCoxPL(fits, newdata = d, times = 1:5)

#### fully stratified Cox model ####
fits <- coxph(Surv(time,event)~ 1,
              data=d, ties="breslow", x = TRUE, y = TRUE)

## product limit
GS <- survfit(Surv(time,event)~1, data = d)
range(predictCoxPL(fits)$survival - GS$surv)

fits <- coxph(Surv(time,event)~ strata(X2),
              data=d, ties="breslow", x = TRUE, y = TRUE)

## product limit
GS <- survfit(Surv(time,event)~X2, data = d)
range(predictCoxPL(fits)$survival - GS$surv)

```

predictRisk	<i>Extracting predicting risks from regression models</i>
-------------	---

Description

Extract event probabilities from fitted regression models and machine learning objects. The function `predictRisk` is a generic function, meaning that it invokes specifically designed functions depending on the 'class' of the first argument. See [predictRisk](#).

Usage

```
predictRisk(object, newdata, ...)  
  
## Default S3 method:  
predictRisk(object, newdata, times, cause, ...)  
  
## S3 method for class 'double'  
predictRisk(object, newdata, times, cause, ...)  
  
## S3 method for class 'integer'  
predictRisk(object, newdata, times, cause, ...)  
  
## S3 method for class 'factor'  
predictRisk(object, newdata, times, cause, ...)  
  
## S3 method for class 'numeric'  
predictRisk(object, newdata, times, cause, ...)  
  
## S3 method for class 'glm'  
predictRisk(object, newdata, iid = FALSE,  
  average.iid = FALSE, ...)  
  
## S3 method for class 'formula'  
predictRisk(object, newdata, ...)  
  
## S3 method for class 'BinaryTree'  
predictRisk(object, newdata, ...)  
  
## S3 method for class 'lrm'  
predictRisk(object, newdata, ...)  
  
## S3 method for class 'rpart'  
predictRisk(object, newdata, ...)  
  
## S3 method for class 'randomForest'  
predictRisk(object, newdata, ...)
```

```
## S3 method for class 'matrix'
predictRisk(object, newdata, times, cause, ...)

## S3 method for class 'aalen'
predictRisk(object, newdata, times, ...)

## S3 method for class 'cox.aalen'
predictRisk(object, newdata, times, ...)

## S3 method for class 'coxph'
predictRisk(object, newdata, times,
  product.limit = FALSE, iid = FALSE, average.iid = FALSE, ...)

## S3 method for class 'coxphTD'
predictRisk(object, newdata, times, landmark, ...)

## S3 method for class 'CSCTD'
predictRisk(object, newdata, times, cause, landmark, ...)

## S3 method for class 'coxph.penall'
predictRisk(object, newdata, times, ...)

## S3 method for class 'cph'
predictRisk(object, newdata, times, product.limit = FALSE,
  iid = FALSE, average.iid = FALSE, ...)

## S3 method for class 'selectCox'
predictRisk(object, newdata, times, ...)

## S3 method for class 'prodlim'
predictRisk(object, newdata, times, cause, ...)

## S3 method for class 'survfit'
predictRisk(object, newdata, times, ...)

## S3 method for class 'psm'
predictRisk(object, newdata, times, ...)

## S3 method for class 'ranger'
predictRisk(object, newdata, times, cause, ...)

## S3 method for class 'rfsrc'
predictRisk(object, newdata, times, cause, ...)

## S3 method for class 'FGR'
predictRisk(object, newdata, times, cause, ...)

## S3 method for class 'riskRegression'
```



```

predictRisk(object, newdata, times, cause, ...)

## S3 method for class 'ARR'
predictRisk(object, newdata, times, cause, ...)

## S3 method for class 'CauseSpecificCox'
predictRisk(object, newdata, times, cause,
  product.limit = TRUE, iid = FALSE, average.iid = FALSE, ...)

## S3 method for class 'penfitS3'
predictRisk(object, newdata, times, ...)

## S3 method for class 'SuperPredictor'
predictRisk(object, newdata, ...)

## S3 method for class 'gbm'
predictRisk(object, newdata, times, ...)

## S3 method for class 'flexsurvreg'
predictRisk(object, newdata, times, ...)

```

Arguments

object	A fitted model from which to extract predicted event probabilities.
newdata	A data frame containing predictor variable combinations for which to compute predicted event probabilities.
...	Additional arguments that are passed on to the current method.
times	A vector of times in the range of the response variable, for which the cumulative incidences event probabilities are computed.
cause	Identifies the cause of interest among the competing events.
iid	Should the iid decomposition be output using an attribute?
average.iid	Should the average iid decomposition be output using an attribute?
product.limit	If TRUE the survival is computed using the product limit estimator. Otherwise the exponential approximation is used (i.e. $\exp(-\text{cumulative hazard})$).
landmark	The starting time for the computation of the cumulative risk.

Details

In uncensored binary outcome data there is no need to choose a time point.

When operating on models for survival analysis (without competing risks) the function still predicts the risk, as $1 - S(t|X)$ where $S(t|X)$ is survival chance of a subject characterized by X .

When there are competing risks (and the data are right censored) one needs to specify both the time horizon for prediction (can be a vector) and the cause of the event. The function then extracts the absolute risks $F_c(t|X)$ aka the cumulative incidence of an event of type/cause c until time t for a subject characterized by X . Depending on the model it may or not be possible to predict the risk of all causes in a competing risks setting. For example, a cause-specific Cox (CSC) object allows to predict both cases whereas a Fine-Gray regression model (FGR) is specific to one of the causes.

Value

For binary outcome a vector with predicted risks. For survival outcome with and without competing risks a matrix with as many rows as `NROW(newdata)` and as many columns as `length(times)`. Each entry is a probability and in rows the values should be increasing.

Author(s)

Thomas A. Gerds <tag@biostat.ku.dk>

Examples

```
## binary outcome
library(rms)
set.seed(7)
d <- sampleData(80,outcome="binary")
nd <- sampleData(80,outcome="binary")
fit <- lrm(Y~X1+X8,data=d)
predictRisk(fit,newdata=nd)
## Not run:
library(SuperLearner)
set.seed(1)
sl = SuperLearner(Y = d$Y, X = d[,-1], family = binomial(),
  SL.library = c("SL.mean", "SL.glmnet", "SL.randomForest"))

## End(Not run)

## survival outcome
# generate survival data
library(prodlim)
set.seed(100)
d <- sampleData(100,outcome="survival")
d[,X1:=as.numeric(as.character(X1))]
d[,X2:=as.numeric(as.character(X2))]
# then fit a Cox model
library(rms)
cphmodel <- cph(Surv(time,event)~X1+X2,data=d,surv=TRUE,x=TRUE,y=TRUE)
# or via survival
library(survival)
coxphmodel <- coxph(Surv(time,event)~X1+X2,data=d,x=TRUE,y=TRUE)

# Extract predicted survival probabilities
# at selected time-points:
ttt <- quantile(d$time)
# for selected predictor values:
ndat <- data.frame(X1=c(0.25,0.25,-0.05,0.05),X2=c(0,1,0,1))
# as follows
predictRisk(cphmodel,newdata=ndat,times=ttt)
predictRisk(coxphmodel,newdata=ndat,times=ttt)

# stratified cox model
sfit <- coxph(Surv(time,event)~strata(X1)+X2,data=d,x=TRUE,y=TRUE)
predictRisk(sfit,newdata=d[1:3,],times=c(1,3,5,10))
```

```

## simulate learning and validation data
learndat <- sampleData(100,outcome="survival")
valdat <- sampleData(100,outcome="survival")
## use the learning data to fit a Cox model
library(survival)
fitCox <- coxph(Surv(time,event)~X1+X2,data=learndat,x=TRUE,y=TRUE)
## suppose we want to predict the survival probabilities for all subjects
## in the validation data at the following time points:
## 0, 12, 24, 36, 48, 60
psurv <- predictRisk(fitCox,newdata=valdat,times=seq(0,60,12))
## This is a matrix with event probabilities (1-survival)
## one column for each of the 5 time points
## one row for each validation set individual

# Do the same for a randomSurvivalForest model
# library(randomForestSRC)
# rsfmodel <- rfsrc(Surv(time,event)~X1+X2,data=learndat)
# prsfsurv=predictRisk(rsfmodel,newdata=valdat,times=seq(0,60,12))
# plot(psurv,prsfsurv)

## Cox with ridge option
f1 <- coxph(Surv(time,event)~X1+X2,data=learndat,x=TRUE,y=TRUE)
f2 <- coxph(Surv(time,event)~ridge(X1)+ridge(X2),data=learndat,x=TRUE,y=TRUE)
## Not run:
plot(predictRisk(f1,newdata=valdat,times=10),
      riskRegression::predictRisk.coxph(f2,newdata=valdat,times=10),
      xlim=c(0,1),
      ylim=c(0,1),
      xlab="Unpenalized predicted survival chance at 10",
      ylab="Ridge predicted survival chance at 10")

## End(Not run)

## competing risks

library(survival)
library(riskRegression)
library(prodlim)
train <- prodlim::SimCompRisk(100)
test <- prodlim::SimCompRisk(10)
cox.fit <- CSC(Hist(time,cause)~X1+X2,data=train)
predictRisk(cox.fit,newdata=test,times=seq(1:10),cause=1)

## with strata
cox.fit2 <- CSC(list(Hist(time,cause)~strata(X1)+X2,Hist(time,cause)~X1+X2),data=train)
predictRisk(cox.fit2,newdata=test,times=seq(1:10),cause=1)

```

Description

Print average treatment effects.

Usage

```
## S3 method for class 'ate'  
print(x, ...)
```

Arguments

x	object obtained with function ate
...	passed to summary

See Also

[summary.ate](#) to obtain a more detailed output [confint.ate](#) to compute confidence intervals/bands.
[ate](#) to compute the average treatment effects.

print.CauseSpecificCox

Print of a Cause-Specific Cox regression model

Description

Print of a Cause-Specific Cox regression model

Usage

```
## S3 method for class 'CauseSpecificCox'  
print(x, ...)
```

Arguments

x	Object obtained with CSC
...	Passed to print

print.FGR	<i>Print of a Fine-Gray regression model</i>
-----------	--

Description

Print of a Fine-Gray regression model

Usage

```
## S3 method for class 'FGR'
print(x, ...)
```

Arguments

x	Object fitted with function FGR
...	passed to cmprsk::summary.crr

print.influenceTest	<i>Output of the Difference Between Two Estimates</i>
---------------------	---

Description

Output of the difference between two estimates.

Usage

```
## S3 method for class 'influenceTest'
print(x, digits = 3, ...)
```

Arguments

x	object obtained with the function influenceTest.
digits	[integer, >0] indicating the number of decimal places.
...	Passed to print.

Details

to display confidence intervals/bands, the confint method needs to be applied on the object.

See Also

[confint.influenceTest](#) to compute confidence intervals/bands. [influenceTest](#) to perform the comparison.

print.IPA *Print IPA object*

Description

Print method for IPA

Usage

```
## S3 method for class 'IPA'
print(x, percent = TRUE, digits = 2, ...)
```

Arguments

x	Object obtained with IPA
percent	Logical. If TRUE show percentages.
digits	Number of digits
...	passed to print

Author(s)

Thomas A. Gerds <tag@biostat.ku.dk>

print.predictCox *Print Predictions From a Cox Model*

Description

Print predictions from a Cox model.

Usage

```
## S3 method for class 'predictCox'
print(x, digits = 3, ...)
```

Arguments

x	object obtained with the function predictCox.
digits	[integer, >0] indicating the number of decimal places.
...	Passed to print.

Details

to display confidence intervals/bands, the confint method needs to be applied on the object.

See Also

[confint.predictCox](#) to compute confidence intervals/bands. [predictCox](#) to compute the predicted cumulative hazard/survival.

print.predictCSC	<i>Print Predictions From a Cause-specific Cox Proportional Hazard Regression</i>
------------------	---

Description

Print predictions from a Cause-specific Cox proportional hazard regression.

Usage

```
## S3 method for class 'predictCSC'
print(x, digits = 3, ...)
```

Arguments

x	object obtained with the function <code>predictCox</code> .
digits	[integer, >0] indicating the number of decimal places.
...	Passed to <code>print</code> .

Details

to display confidence intervals/bands, the `confint` method needs to be applied on the object.

See Also

[confint.predictCSC](#) to compute confidence intervals/bands. [predict.CauseSpecificCox](#) to compute the predicted risks.

print.riskRegression	<i>Print function for riskRegression models</i>
----------------------	---

Description

Print function for riskRegression models

Usage

```
## S3 method for class 'riskRegression'
print(x, times, digits = 3, eps = 10^-4,
      verbose = TRUE, conf.int = 0.95, ...)
```

Arguments

x	Object obtained with ARR, LRR or riskRegression
times	Time points at which to show time-dependent coefficients
digits	Number of digits for all numbers but p-values
eps	p-values smaller than this number are shown as such
verbose	Level of verbosity
conf.int	level of confidence. default is 0.95
...	not used

`print.Score` *Print Score object*

Description

Print method for risk prediction scores

Usage

```
## S3 method for class 'Score'
print(x, digits, percent = TRUE, ...)
```

Arguments

x	Object obtained with Score.list
digits	Number of digits
percent	Logical. If TRUE show percentages.
...	passed to print

`print.subjectWeights` *Print subject weights*

Description

Print subject weights

Usage

```
## S3 method for class 'subjectWeights'
print(x, digits = 3, ...)
```

Arguments

x	Subject weights
digits	Digits
...	not used

reconstructData	<i>Reconstruct the original dataset</i>
-----------------	---

Description

Reconstruct the original dataset from the elements stored in the coxph object

Usage

```
reconstructData(object)
```

Arguments

object a coxph object.

Author(s)

Brice Ozenne broz@sund.ku.dk and Thomas A. Gerds tag@biostat.ku.dk

riskLevelPlot	<i>Level plots for risk prediction models</i>
---------------	---

Description

Level plots for predicted risks

Usage

```
riskLevelPlot(object, formula, data = parent.frame(), horizon = NULL,
  cause = 1, ...)
```

Arguments

object	risk prediction model object
formula	formula
data	data
horizon	time point
cause	cause of interest
...	passed to lattice::levelplot

Details

Level plots for predicted risks

Author(s)

Thomas A. Gerds <tag@biostat.ku.dk>

Examples

```
# ----- logistic regression -----
expit <- function(x){exp(x)/(1+exp(x))}
partyData <- function(N){
  Age <- runif(N,.5,15)
  Parasites <- rnorm(N,mean=3.5-0.03*Age)
  Fever <- factor(rbinom(N,1,expit(-3.5-.3*Age+.55*Parasites+0.15*Age*Parasites)))
  data.frame(Fever, Age, Parasites)
}
d <- partyData(100)
f <- glm(Fever~Age+Parasites,data=d,family="binomial")
riskLevelPlot(f,Fever~Age+Parasites,d)
library(randomForest)
rf <- randomForest(Fever~Age+Parasites,data=d)
riskLevelPlot(f,Fever~Age+Parasites,d)
riskLevelPlot(rf,Fever~Age+Parasites,d)

# ----- survival analysis -----

# --simulate an artificial data frame
# with survival response and three predictors

library(survival)
library(proplim)
set.seed(140515)
sdat <- sampleData(43,outcome="survival")
# -- fit a Cox regression model
survForm = Surv(time,event) ~ X8 + X9
cox <- coxph(survForm, data = sdat,x=TRUE)

# --choose a time horizon for the predictions and plot the risks
timeHorizon <- floor(median(sdat$time))
riskLevelPlot(cox, survForm, data = sdat, horizon = timeHorizon)

# ----- competing risks -----

# -- simulate an artificial data frame
# with competing cause response and three predictors
library(cmprsk)
library(riskRegression)
set.seed(140515)
crdat <- sampleData(49)

# -- fit a cause-specific Cox regression model
crForm <- Hist(time,event)~X8+X9
csCox <- CSC(crForm, data=crdat)
```

```
# -- choose a time horizon and plot the risk for a given cause
timeHorizon <- floor(median(crdat$time))
riskLevelPlot(csCox, crForm, data = crdat, horizon = timeHorizon, cause = 1)
```

riskRegression	<i>Risk Regression Fits a regression model for the risk of an event – allowing for competing risks.</i>
----------------	---

Description

This is a wrapper for the function `comp.risk` from the `timereg` package. The main difference is one marks variables in the formula that should have a time-dependent effect whereas in `comp.risk` one marks variables that should have a time constant (proportional) effect.

Usage

```
riskRegression(formula, data, times, link = "relative", cause,
  conf.int = TRUE, cens.model, cens.formula, max.iter = 50,
  conservative = TRUE, ...)
```

Arguments

<code>formula</code>	Formula where the left hand side specifies the event history <code>event.history</code> and the right hand side the linear predictor. See examples.
<code>data</code>	The data for fitting the model in which includes all the variables included in formula.
<code>times</code>	Vector of times. For each time point in <code>times</code> estimate the baseline risk and the timevarying coefficients.
<code>link</code>	"relative" for the absolute risk regression model. "logistic" for the logistic risk regression model. "prop" for the Fine-Gray regression model.
<code>cause</code>	The cause of interest.
<code>conf.int</code>	If TRUE return the iid decomposition, that can be used to construct confidence bands for predictions.
<code>cens.model</code>	Specified the model for the (conditional) censoring distribution used for deriving weights (IFPW). Defaults to "KM" (the Kaplan-Meier method ignoring covariates) alternatively it may be "Cox" (Cox regression).
<code>cens.formula</code>	Right hand side of the formula used for fitting the censoring model. If not specified the right hand side of <code>formula</code> is used.
<code>max.iter</code>	Maximal number of iterations.
<code>conservative</code>	If TRUE use variance formula that ignores the contribution by the estimate of the inverse of the probability of censoring weights
<code>...</code>	Further arguments passed to <code>comp.risk</code>

Author(s)

Thomas A. Gerds <tag@biostat.ku.dk>, Thomas H. Scheike <ts@biostat.ku.dk>

References

Thomas A Gerds, Thomas H Scheike, and Per K Andersen. Absolute risk regression for competing risks: interpretation, link functions, and prediction. *Statistics in medicine*, 31(29):3921–3930, 2012.

Scheike, Zhang and Gerds (2008), Predicting cumulative incidence probability by direct binomial regression, *Biometrika*, 95, 205-220.

Scheike and Zhang (2007), Flexible competing risks regression modelling and goodness of fit, *LIDA*, 14, 464-483.

Martinussen and Scheike (2006), *Dynamic regression models for survival data*, Springer.

Examples

```
library(prodlim)
data(Melanoma,package="riskRegression")
## tumor thickness on the log-scale
Melanoma$logthick <- log(Melanoma$thick)

# Single binary factor

## absolute risk regression
library(survival)
library(prodlim)
fit.arr <- ARR(Hist(time,status)~sex,data=Melanoma,cause=1)
print(fit.arr)
# show predicted cumulative incidences
plot(fit.arr,col=3:4,newdata=data.frame(sex=c("Female","Male")))

## compare with non-parametric Aalen-Johansen estimate
library(prodlim)
fit.aj <- prodlim(Hist(time,status)~sex,data=Melanoma)
plot(fit.aj,conf.int=FALSE)
plot(fit.arr,add=TRUE,col=3:4,newdata=data.frame(sex=c("Female","Male")))

## with time-dependent effect
fit.tarr <- ARR(Hist(time,status)~strata(sex),data=Melanoma,cause=1)
plot(fit.tarr,newdata=data.frame(sex=c("Female","Male")))

## logistic risk regression
fit.lrr <- LRR(Hist(time,status)~sex,data=Melanoma,cause=1)
summary(fit.lrr)

# Single continuous factor

## tumor thickness on the log-scale
Melanoma$logthick <- log(Melanoma$thick)
```

```
## absolute risk regression
fit2.arr <- ARR(Hist(time,status)~logthick,data=Melanoma,cause=1)
print(fit2.arr)
# show predicted cumulative incidences
plot(fit2.arr,col=1:5,newdata=data.frame(logthick=quantile(Melanoma$logthick)))

## comparison with nearest neighbor non-parametric Aalen-Johansen estimate
library(prodlim)
fit2.aj <- prodlim(Hist(time,status)~logthick,data=Melanoma)
plot(fit2.aj,conf.int=FALSE,newdata=data.frame(logthick=quantile(Melanoma$logthick)))
plot(fit2.arr,add=TRUE,col=1:5,lty=3,newdata=data.frame(logthick=quantile(Melanoma$logthick)))

## logistic risk regression
fit2.lrr <- LRR(Hist(time,status)~logthick,data=Melanoma,cause=1)
summary(fit2.lrr)

## change model for censoring weights
library(rms)
fit2a.lrr <- LRR(Hist(time,status)~logthick,
                data=Melanoma,
                cause=1,
                cens.model="cox",
                cens.formula=~sex+epicel+ulcer+age+logthick)
summary(fit2a.lrr)

## compare prediction performance
Score(list(ARR=fit2.arr,AJ=fit2.aj,LRR=fit2.lrr),formula=Hist(time,status)~1,data=Melanoma)

# multiple regression
library(riskRegression)
library(prodlim)
# absolute risk model
multi.arr <- ARR(Hist(time,status)~logthick+sex+age+ulcer,data=Melanoma,cause=1)

# stratified model allowing different baseline risk for the two gender
multi.arr <- ARR(Hist(time,status)~thick+strata(sex)+age+ulcer,data=Melanoma,cause=1)

# stratify by a continuous variable: strata(age)
multi.arr <- ARR(Hist(time,status)~tp(thick,power=0)+strata(age)+sex+ulcer,
                data=Melanoma,
                cause=1)

fit.arr2a <- ARR(Hist(time,status)~tp(thick,power=1),data=Melanoma,cause=1)
summary(fit.arr2a)
fit.arr2b <- ARR(Hist(time,status)~timevar(thick),data=Melanoma,cause=1)
summary(fit.arr2b)

## logistic risk model
fit.lrr <- LRR(Hist(time,status)~thick,data=Melanoma,cause=1)
summary(fit.lrr)
```

```
## nearest neighbor non-parametric Aalen-Johansen estimate
library(prodlim)
fit.aj <- prodlim(Hist(time,status)~thick,data=Melanoma)
plot(fit.aj,conf.int=FALSE)

# prediction performance
x <- Score(list(fit.arr2a,fit.arr2b,fit.lrr),
            data=Melanoma,
            formula=Hist(time,status)~1,
            cause=1,
            split.method="none")
```

riskRegression.options

Global options for riskRegression

Description

Output and set global options for the riskRegression package.

Usage

```
riskRegression.options(...)
```

Arguments

... for now limited to method.predictRisk and mehtod.predictRiskIID.

Details

only used by the ate function.

Examples

```
options <- riskRegression.options()

## add new method.predictRiskIID
riskRegression.options(method.predictRiskIID = c(options$method.predictRiskIID,"xx"))

riskRegression.options()
```

rowCenter_cpp	<i>Apply - by row</i>
---------------	-----------------------

Description

Fast computation of `sweep(X, MARGIN = 2, FUN = "-", STATS = center)`

Usage

```
rowCenter_cpp(X, center)
```

Arguments

<code>X</code>	A matrix.
<code>center</code>	a numeric vector of length equal to the number of rows of <code>x</code>

Value

A matrix of same size as `X`.

Author(s)

Brice Ozenne <broz@sund.ku.dk>

Examples

```
x <- matrix(1,6,5)
sweep(x, MARGIN = 2, FUN = "-", STATS = 1:5)
rowCenter_cpp(x, 1:5 )

rowCenter_cpp(x, colMeans(x) )
```

rowCumProd	<i>Apply cumprod in each row</i>
------------	----------------------------------

Description

Fast computation of `t(apply(x,1,cumprod))`

Usage

```
rowCumProd(x)
```

Arguments

<code>x</code>	A matrix.
----------------	-----------

Value

A matrix of same size as x.

Author(s)

Thomas Alexander Gerds <tag@biostat.ku.dk>

Examples

```
x <- matrix(1:8,ncol=2)
rowCumProd(x)
```

rowCumSum

Apply cumsum in each row

Description

Fast computation of $t(\text{apply}(x,1,\text{cumsum}))$

Usage

```
rowCumSum(x)
```

Arguments

x A matrix.

Value

A matrix of same size as x.

Author(s)

Thomas Alexander Gerds <tag@biostat.ku.dk>

Examples

```
x <- matrix(1:8,ncol=2)
rowCumSum(x)
```

rowMultiply_cpp	<i>Apply * by row</i>
-----------------	-----------------------

Description

Fast computation of `sweep(X, MARGIN = 2, FUN = "*", STATS = scale)`

Usage

```
rowMultiply_cpp(X, scale)
```

Arguments

X	A matrix.
scale	a numeric vector of length equal to the number of rows of x

Value

A matrix of same size as X.

Author(s)

Brice Ozenne <broz@sund.ku.dk>

Examples

```
x <- matrix(1,6,5)
sweep(x, MARGIN = 2, FUN = "*", STATS = 1:5)
rowMultiply_cpp(x, 1:5 )

rowMultiply_cpp(x, 1/colMeans(x) )
```

rowPaste	<i>Collapse Rows of Characters.</i>
----------	-------------------------------------

Description

Collapse rows of characters. Fast alternative to `apply(x,1,paste0,collapse="")`

Usage

```
rowPaste(object)
```

Arguments

object	A matrix/data.frame/list containing the characters.
--------	---

Examples

```
## Not run:  
M <- matrix(letters,nrow = 26, ncol = 2)  
rowPaste(M)  
  
## End(Not run)
```

rowScale_cpp

Apply / by row

Description

Fast computation of `sweep(X, MARGIN = 2, FUN = "/", STATS = scale)`

Usage

```
rowScale_cpp(X, scale)
```

Arguments

X	A matrix.
scale	a numeric vector of length equal to the number of rows of x

Value

A matrix of same size as X.

Author(s)

Brice Ozenne <broz@sund.ku.dk>

Examples

```
x <- matrix(1,6,5)  
sweep(x, MARGIN = 2, FUN = "/", STATS = 1:5)  
rowScale_cpp(x, 1:5 )  
  
rowScale_cpp(x, colMeans(x) )
```

rowSumsCrossprod	<i>Apply crossprod and rowSums</i>
------------------	------------------------------------

Description

Fast computation of `crossprod(rowSums(X),Y)`

Usage

```
rowSumsCrossprod(X, Y, transposeY)
```

Arguments

X	A matrix with dimensions $n*k$. Hence the result of <code>rowSums(X)</code> has length n .
Y	A matrix with dimensions $n*m$. Can be a matrix with dimension $m*n$ but then <code>transposeY</code> should be TRUE.
transposeY	Logical. If TRUE transpose Y before matrix multiplication.

Value

A vector of length m .

Author(s)

Thomas Alexander Gerds <tag@biostat.ku.dk>

Examples

```
x <- matrix(1:10,nrow=5)
y <- matrix(1:20,ncol=4)
rowSumsCrossprod(x,y,0)

x <- matrix(1:10,nrow=5)
y <- matrix(1:20,ncol=5)
rowSumsCrossprod(x,y,1)
```

sampleData	<i>Simulate data with binary or time-to-event outcome</i>
------------	---

Description

Simulate data with binary outcome and 10 covariates.

Usage

```
sampleData(n,outcome="competing.risks",
formula= ~ f(X1,2)+f(X2,-0.033)+f(X3,0.4)+f(X6,.1)+f(X7,-.1)+f(X8,.5)+f(X9,-1))
sampleDataTD(n,n.intervals=5,outcome="competing.risks",
formula= ~ f(X1,2)+f(X2,-0.033)+f(X3,0.4)+f(X6,.1)+f(X7,-.1)+f(X8,.5)+f(X9,-1))
```

Arguments

n	Sample size
outcome	Character vector. Response variables are generated according to keywords: "binary" = binary response, "survival" = survival response, "competing.risks" = competing risks response
formula	Specify regression coefficients
n.intervals	sampleDataTD only: the maximum number of episodes in which the covariates are updated.

Details

For the actual lava::regression parameters see the function definition.

Value

Simulated data as data.table with n rows and the following columns: Y (binary outcome), time (non-binary outcome), event (non-binary outcome), X1-X5 (binary predictors), X6-X10 (continuous predictors)

Author(s)

Thomas A. Gerds <tag@biostat.ku.dk>

See Also

lvm

Examples

```
sampleData(10,outcome="binary")
sampleData(10,outcome="survival")
sampleData(10,outcome="competing.risks")
```

Score.list

*Score risk predictions***Description**

Methods to score the predictive performance of risk markers and risk prediction models

Usage

```
## S3 method for class 'list'
Score(object, formula, data, metrics = c("auc", "brier"),
      summary = NULL, plots = NULL, cause, times, landmarks,
      use.event.times = FALSE, null.model = TRUE, se.fit = TRUE,
      conservative = FALSE, multi.split.test = FALSE, conf.int = 0.95,
      contrasts = TRUE, probs = c(0, 0.25, 0.5, 0.75, 1),
      cens.method = "ipcw", cens.model = "cox", split.method, B, M, seed,
      trainseeds, parallel = c("no", "multicore", "snow"), ncpus = 1,
      cl = NULL, progress.bar = 3, keep, predictRisk.args, debug = 0L,
      useEventTimes, nullModel, censMethod, censModel, splitMethod, ...)
```

Arguments

object	List of risk predictions (see details and examples).
formula	A formula which identifies the outcome (left hand side). E.g., $Y \sim 1$ for binary and $\text{Hist}(\text{time}, \text{status}) \sim 1$ for time-to-event outcome. In right censored data, the right hand side of the formula is used to estimate the inverse probability of censoring weights (IPCW) model.
data	data.frame or data.table in which the formula can be interpreted.
metrics	Character vector specifying which metrics to apply. Case does not matter. Choices are "AUC" and "Brier".
summary	Character vector specifying which summary statistics to apply to the predicted risks. Choices are "risks", "IPA", "riskQuantile" and "ibs". Can be all c("risks", "IPA", "riskQuantile", "ibs") or a subset thereof. <ul style="list-style-type: none"> • "risks" adds the predicted risks to the output. • "ipa" computes the index of prediction accuracy (AKA R-squared) based on Brier scores for model vs null model • "riskQuantile" calculates time-point specific boxplots for the predicted risks (or biomarker values) conditional on the outcome at the time-point. • "ibs" calculates integrated Brier scores across the time points at which the Brier score is computed. This works only with time-to-event outcome and the results depend on the argument times. Set to NULL to avoid estimation of summary statistics.

plots	Character vector specifying for which plots to put data into the result. Currently implemented are "ROC", "Calibration" and "boxplot". In addition, one can plot AUC and Brier score as function of time as soon as times has at least two different values.
cause	Event of interest. Used for binary outcome Y to specify that risks are risks of the event Y=event and for competing risks outcome to specify the cause of interest.
times	For survival and competing risks outcome: list of prediction horizons. All times which are greater than the maximal observed time in the data set are automatically removed. Note that the object returned by the function may become huge when the prediction performance is estimated at many prediction horizons.
landmarks	Not yet implemented.
use.event.times	If TRUE merge all unique event times with the vector given by argument times.
null.model	If TRUE fit a risk prediction model which ignores the covariates and predicts the same value for all subjects. The model is fitted using data and the left hand side of formula. For binary outcome this is just the empirical prevalence. For (right censored) time to event outcome, the null models are equal to the Kaplan-Meier estimator (no competing risks) and the Aalen-Johansen estimator (with competing risks).
se.fit	Logical or 0 or 1. If FALSE or 0 do not calculate standard errors.
conservative	Logical, only relevant in right censored data. If TRUE ignore variability of the estimate of the inverse probability of censoring weights when calculating standard errors for prediction performance parameters. This can potentially reduce computation time and memory usage at a usually very small expense of a slightly higher standard error.
multi.split.test	Logical or 0 or 1. If FALSE or 0 do not calculate multi-split tests. This argument is ignored when split.method is "none".
conf.int	Either logical or a numeric value between 0 and 1. In right censored data, confidence intervals are based on Blanche et al (see references). Setting FALSE prevents the computation confidence intervals. TRUE means compute 95 percent confidence intervals and corresponding p-values for AUC and Brier score. If set to 0.87, the level of significance is 13 percent. So, do not set it to 0.87.
contrasts	Either logical or a list of contrasts. A list of contrasts defines which risk prediction models (markers) should be contrasted with respect to their prediction performance. If TRUE do all possible comparisons. For example, when object is a list with two risk prediction models and null.model=TRUE setting TRUE is equivalent to list(c(0, 1, 2), c(1, 2)) where c(0, 1, 2) codes for the two comparisons: 1 vs 0 and 2 vs 0 (positive integers refer to elements of object, 0 refers to the benchmark null model which ignores the covariates). This again is equivalent to explicitly setting list(c(0, 1), c(0, 2), c(1, 2)). A more complex example: Suppose object has 7 elements and you want to do the following 3 comparisons: 6 vs 3, 2 vs 5 and 2 vs 3, you should set contrasts=c(6, 3), c(2, 5, 3).
probs	Quantiles for retrospective summary statistics of the predicted risks. This affects the result of the function boxplot.Score.

<code>cens.method</code>	Method for dealing with right censored data. Either "ipcw" or "pseudo". Here IPCW refers to inverse probability of censoring weights and pseudo for jack-knife pseudo values. Right now pseudo values are only used for calibration curves.
<code>cens.model</code>	Model for estimating inverse probability of censored weights. Implemented are the Kaplan-Meier method ("km") and Cox regression ("cox") both applied to the censored times. If the right hand side of formula does not specify covariates, the Kaplan-Meier method is used even if this argument is set to "cox".
<code>split.method</code>	Method for cross-validation. Right now the only choice is <code>bootcv</code> in which case bootstrap learning sets are drawn with or without replacement (argument <code>M</code>) from data. The data not included in the current bootstrap learning set are used as validation set to compute the prediction performance.
<code>B</code>	Number of bootstrap sets for cross-validation.
<code>M</code>	Size of subsamples for bootstrap cross-validation. If specified it has to be an integer smaller than the size of data.
<code>seed</code>	Super seed for setting training data seeds when randomly splitting (bootstrapping) the data during cross-validation.
<code>trainseeds</code>	Seeds for training models during cross-validation.
<code>parallel</code>	The type of parallel operation to be used (if any). If missing, the default is "no".
<code>ncpus</code>	integer: number of processes to be used in parallel operation.
<code>cl</code>	An optional parallel or snow cluster for use if <code>parallel = "snow"</code> . If not supplied, a cluster on the local machine is created for the duration of the <code>Score</code> call.
<code>progress.bar</code>	Style for <code>txtProgressBar</code> . Can be 1,2,3 see <code>help(txtProgressBar)</code> or <code>NULL</code> to avoid the progress bar.
<code>keep</code>	list of characters (not case sensitive) which determines additional output. "residuals" provides Brier score residuals and "splitindex" provides sampling index used to split the data into training and validation sets. "vcov" provides the variance-covariance matrix of the estimated parameters.
<code>predictRisk.args</code>	A list of argument-lists to control how risks are predicted. The names of the lists should be the S3-classes of the object. The argument-lists are then passed on to the S3-class specific <code>predictRisk</code> method. For example, if your object contains one or several random forest model fitted with the function <code>randomForestSRC::rfsrc</code> then you can specify additional arguments for the function <code>riskRegression::predictRisk.rfsrc</code> which will pass these on to the function <code>randomForestSRC::predict.rfsrc</code> . A specific example in this case would be <code>list(rfsrc=list(na.action="na.i</code> A more flexible approach is to write a new <code>predictRisk</code> S3-method. See Details.
<code>debug</code>	Logical. If <code>TRUE</code> indicate landmark in progress of the program.
<code>useEventTimes</code>	obsolete.
<code>nullModel</code>	obsolete.
<code>censMethod</code>	obsolete.
<code>censModel</code>	obsolete.

splitMethod obsolete.
 ... Named list containing additional arguments that are passed on to the predictRisk methods corresponding to object. See examples.

Details

The function implements a toolbox for the risk prediction modeller: all tools work for the three outcomes: (1) binary (uncensored), (2) right censored time to event without competing risks, (3) right censored time to event with competing risks

Computed are the (time-dependent) Brier score and the (time-dependent) area under the ROC curve for a list of risk prediction models either in external validation data or in the learning data using bootstrap cross-validation. The function optionally provides results for plotting (time-point specific) ROC curves, for (time-point specific) calibration curves and for (time-point specific) retrospective boxplots.

For uncensored binary outcome the Delong-Delong test is used to contrast AUC of rival models. In right censored survival data (with and without competing risks) the p-values correspond to Wald tests based on standard errors obtained with an estimate of the influence function as described in detail in the appendix of Blanche et al. (2015).

This function works with one or multiple models that predict the risk of an event $R(t|X)$ for a subject characterized by predictors X at time t . With binary endpoints (outcome 0/1 without time component) the risk is simply $R(X)$. In case of a survival object without competing risks the function still works with predicted event probabilities, i.e., $R(t|X)=1-S(t|X)$ where $S(t|X)$ is the predicted survival chance for subject X at time t .

The already existing predictRisk methods (see methods(predictRisk)) may not cover all models and methods for predicting risks. But users can quickly extend the package as explained in detail in Mogensen et al. (2012) for the predecessors pec::predictSurvProb and pec::predictEventProb which have been unified as riskRegression::predictRisk.

Bootstrap Crossvalidation (see also Gerds & Schumacher 2007 and Mogensen et al. 2012)

$B=10$, M (not specified or $M=NROW(data)$) Training of each of the models in each of 10 bootstrap data sets (learning data sets). Learning data sets are obtained by sampling $NROW(data)$ subjects of the data set with replacement. There are roughly $.632*NROW(data)$ subjects in the learning data (inbag) and $.368*NROW(data)$ subjects not in the validation data sets (out-of-bag).

These are used to estimate the scores: AUC, Brier, etc. Reported are averages across the 10 splits.

```
## Bootstrap with replacement set.seed(13) N=17 data = data.frame(id=1:N,y=rbinom(N,1,.3),x=rnorm(N))
boot.index = sample(1:N,size=N,replace=TRUE) boot.index inbag = 1:N outofbag = !inbag
learn.data = data[inbag] val.data = data[outofbag] riskRegression::getSplitMethod("bootcv",B=10,N=17)
```

```
NOTE: the number .632 is the expected probability to draw one subject (for example subject
1) with replacement from the data, which does not depend on the sample size: B=10000 N=137
mean(sapply(1:B,function(b){match(1,sample(1:N,size=N,replace=TRUE),nomatch=0)}))
N=30 mean(sapply(1:B,function(b){match(1,sample(1:N,size=N,replace=TRUE),nomatch=0)}))
N=300 mean(sapply(1:B,function(b){match(1,sample(1:N,size=N,replace=TRUE),nomatch=0)}))
```

```
## Bootstrap without replacement (training size set to be 70 percent of data) B=10, M=.7
```

Training of each of the models in each of 10 bootstrap data sets (learning data sets). Learning data sets are obtained by sampling $round(.8*NROW(data))$ subjects of the data set without replacement. There are $NROW(data)-round(.8*NROW(data))$ subjects not in the learning data


```
sets. These are used to estimate the scores: AUC, Brier, etc. Reported are averages across the
10 splits. set.seed(13) N=17 data = data.frame(id=1:N,y=rbinom(N,1,.3),x=rnorm(N))
boot.index = sample(1:N,size=M,replace=FALSE) boot.index inbag = 1:N outofbag = !inbag
learn.data = data[inbag] val.data = data[outofbag] riskRegression:::getSplitMethod("bootcv",B=10,N=17,
```

Value

List with scores and assessments of contrasts, i.e., tests and confidence limits for performance and difference in performance (AUC and Brier), summaries and plots. Most elements are in `data.table` format.

Author(s)

Thomas A Gerds <tag@biostat.ku.dk> and Paul Blanche <paul.blanche@univ-ubs.fr>

References

- Ulla B. Mogensen, Hemant Ishwaran, Thomas A. Gerds (2012). Evaluating Random Forests for Survival Analysis Using Prediction Error Curves. *Journal of Statistical Software*, 50(11), 1-23. URL <http://www.jstatsoft.org/v50/i11/>.
- Paul Blanche, Cecile Proust-Lima, Lucie Loubere, Claudine Berr, Jean- Francois Dartigues, and Helene Jacqmin-Gadda. Quantifying and comparing dynamic predictive accuracy of joint models for longitudinal marker and time-to-event in presence of censoring and competing risks. *Biometrics*, 71 (1):102–113, 2015.
- P. Blanche, J-F Dartigues, and H. Jacqmin-Gadda. Estimating and comparing time-dependent areas under receiver operating characteristic curves for censored event times with competing risks. *Statistics in Medicine*, 32(30):5381–5397, 2013.
- E. Graf et al. (1999), Assessment and comparison of prognostic classification schemes for survival data. *Statistics in Medicine*, vol 18, pp= 2529–2545.
- Efron, Tibshirani (1997) *Journal of the American Statistical Association* 92, 548–560 Improvement On Cross-Validation: The .632+ Bootstrap Method.
- Gerds, Schumacher (2006), Consistent estimation of the expected Brier score in general survival models with right-censored event times. *Biometrical Journal*, vol 48, 1029–1040.
- Thomas A. Gerds, Martin Schumacher (2007) Efron-Type Measures of Prediction Error for Survival Analysis *Biometrics*, 63(4), 1283–1287 doi:10.1111/j.1541-0420.2007.00832.x
- Martin Schumacher, Harald Binder, and Thomas Gerds. Assessment of survival prediction models based on microarray data. *Bioinformatics*, 23(14):1768-74, 2007.
- Mark A. van de Wiel, Johannes Berkhof, and Wessel N. van Wieringen Testing the prediction error difference between 2 predictors *Biostatistics* (2009) 10(3): 550-560 doi:10.1093/biostatistics/kxp011
- Michael W Kattan and Thomas A Gerds. The index of prediction accuracy: an intuitive measure useful for evaluating risk prediction models. *Diagnostic and Prognostic Research*, 2(1):7, 2018.

Examples

```
# binary outcome
library(lava)
set.seed(18)
```

```

learndat <- sampleData(48,outcome="binary")
testdat <- sampleData(40,outcome="binary")

## score logistic regression models
lr1 = glm(Y~X1+X2+X7+X9,data=learndat,family=binomial)
lr2 = glm(Y~X3+X5,data=learndat,family=binomial)
Score(list("LR(X1+X2+X7+X9)"=lr1,"LR(X3+X5)"=lr2),formula=Y~1,data=testdat)

## ROC curve and calibration plot
xb=Score(list("LR(X1+X2+X7+X9)"=lr1,"LR(X3+X5+X6)"=lr2),formula=Y~1,
          data=testdat,plots=c("calibration","ROC"))
## Not run: plotROC(xb)
plotCalibration(xb)

## End(Not run)

## compute AUC for a list of continuous markers
markers = as.list(testdat[,.(X6,X7,X8,X9,X10)])
Score(markers,formula=Y~1,data=testdat,metrics=c("auc"))

# cross-validation
## Not run:
  learndat=sampleData(400,outcome="binary")
  lr1a = glm(Y~X6,data=learndat,family=binomial)
  lr2a = glm(Y~X7+X8+X9,data=learndat,family=binomial)
  ## bootstrap cross-validation
x1=Score(list("LR1"=lr1a,"LR2"=lr2a),formula=Y~1,data=learndat,split.method="bootcv",B=100)
x1
  ## leave-one-out and leave-pair-out bootstrap
x2=Score(list("LR1"=lr1a,"LR2"=lr2a),formula=Y~1,data=learndat,
          split.method="loob",
          B=100,plots="calibration")
x2

## End(Not run)
# survival outcome

# Score Cox regression models
## Not run: library(survival)
library(rms)
library(prodlim)
set.seed(18)
trainSurv <- sampleData(100,outcome="survival")
testSurv <- sampleData(40,outcome="survival")
cox1 = coxph(Surv(time,event)~X1+X2+X7+X9,data=trainSurv, y=TRUE, x = TRUE)
cox2 = coxph(Surv(time,event)~X3+X5+X6,data=trainSurv, y=TRUE, x = TRUE)
xs=Score(list("Cox(X1+X2+X7+X9)"=cox1,"Cox(X3+X5+X6)"=cox2),
          formula=Surv(time,event)~1,data=testSurv,conf.int=FALSE,times=c(5,8))
xs

## End(Not run)

# Integrated Brier score

```

```

## Not run:
xs=Score(list("Cox(X1+X2+X7+X9)"=cox1,"Cox(X3+X5+X6)"=cox2),
          formula=Surv(time,event)~1,data=testSurv,conf.int=FALSE,
          summary="ibs",
          times=sort(unique(testSurv$time)))

## End(Not run)

# time-dependent AUC for list of markers
## Not run: survmarkers = as.list(testSurv[,.(X6,X7,X8,X9,X10)])
Score(survmarkers,
      formula=Surv(time,event)~1,metrics="auc",data=testSurv,
      conf.int=TRUE,times=c(5,8))

# compare models on test data
Score(list("Cox(X1+X2+X7+X9)"=cox1,"Cox(X3+X5+X6)"=cox2),
       formula=Surv(time,event)~1,data=testSurv,conf.int=TRUE,times=c(5,8))

## End(Not run)
# crossvalidation models in traindata
## Not run:
library(survival)
set.seed(18)
trainSurv <- sampleData(400,outcome="survival")
cox1 = coxph(Surv(time,event)~X1+X2+X7+X9,data=trainSurv, y=TRUE, x = TRUE)
cox2 = coxph(Surv(time,event)~X3+X5+X6,data=trainSurv, y=TRUE, x = TRUE)
x1 = Score(list("Cox(X1+X2+X7+X9)"=cox1,"Cox(X3+X5+X6)"=cox2),
           formula=Surv(time,event)~1,data=trainSurv,conf.int=TRUE,times=c(5,8),
           split.method="loob",B=100,plots="calibration")

x2= Score(list("Cox(X1+X2+X7+X9)"=cox1,"Cox(X3+X5+X6)"=cox2),
          formula=Surv(time,event)~1,data=trainSurv,conf.int=TRUE,times=c(5,8),
          split.method="bootcv",B=100)

## End(Not run)

# restrict number of comparisons
## Not run:
Score(list("Cox(X1+X2+X7+X9)"=cox1,"Cox(X3+X5+X6)"=cox2),
      formula=Surv(time,event)~1,data=trainSurv,contrasts=TRUE,
      null.model=FALSE,conf.int=TRUE,times=c(5,8),split.method="bootcv",B=3)

# competing risks outcome
set.seed(18)
trainCR <- sampleData(40,outcome="competing.risks")
testCR <- sampleData(40,outcome="competing.risks")
library(riskRegression)
library(cmpsrk)
# Cause-specific Cox regression
csc1 = CSC(Hist(time,event)~X1+X2+X7+X9,data=trainCR)
csc2 = CSC(Hist(time,event)~X3+X5+X6,data=trainCR)
# Fine-Gray regression
fgr1 = FGR(Hist(time,event)~X1+X2+X7+X9,data=trainCR,cause=1)

```

```

fgr2 = FGR(Hist(time,event)~X3+X5+X6,data=trainCR,cause=1)
Score(list("CSC(X1+X2+X7+X9)"=csc1,"CSC(X3+X5+X6)"=csc2,
          "FGR(X1+X2+X7+X9)"=fgr1,"FGR(X3+X5+X6)"=fgr2),
       formula=Hist(time,event)~1,data=testCR,se.fit=1L,times=c(5,8))

## End(Not run)

## Not run:
# reproduce some results of Table IV of Blanche et al. Stat Med 2013
data(Paquad)
ResPaquad <- Score(list("DSST"--Paquad$DSST,"MMSE"--Paquad$MMSE),
                  formula=Hist(time,status)~1,
                  data=Paquad,
                  null.model = FALSE,
                  conf.int=TRUE,
                  metrics=c("auc"),
                  times=c(3,5,10),
                  plots="ROC")

ResPaquad
plotROC(ResPaquad,time=5)

## End(Not run)

```

selectCox

Backward variable selection in the Cox regression model

Description

This is a wrapper function which first selects variables in the Cox regression model using `fastbw` from the `rms` package and then returns a fitted Cox regression model with the selected variables.

Usage

```
selectCox(formula, data, rule = "aic")
```

Arguments

formula	A formula object with a <code>Surv</code> object on the left-hand side and all the variables on the right-hand side.
data	Name of an data frame containing all needed variables.
rule	The method for selecting variables. See fastbw for details.

Details

This function first calls `cph` then `fastbw` and finally `cph` again.

References

Ulla B. Mogensen, Hemant Ishwaran, Thomas A. Gerds (2012). Evaluating Random Forests for Survival Analysis Using Prediction Error Curves. *Journal of Statistical Software*, 50(11), 1-23. URL <http://www.jstatsoft.org/v50/i11/>.

Examples

```
library(pec)
library(prodlim)
data(GBSG2)
library(survival)
f <- selectCox(Surv(time,cens)~horTh+age+menostat+tsize+tgrade+pnodes+progrec+estrec ,
               data=GBSG2)
```

selectJump	<i>Evaluate the influence function at selected times</i>
------------	--

Description

Evaluate the influence function at selected times

Usage

```
selectJump(IF, times, type)
```

Arguments

IF	influence function returned by iidCox
times	the times at which the influence function should be assessed
type	can be "hazard" or/and "cumhazard".

Value

An object with the same dimensions as IF

Author(s)

Brice Ozenne broz@sund.ku.dk

simActiveSurveillance *Simulate data of a hypothetical active surveillance prostate cancer study*

Description

Simulate data of a hypothetical active surveillance prostate cancer study

Usage

```
simActiveSurveillance(n)
```

Arguments

n sample size

Details

This is based on the functionality of library(lava).

Value

data table of size n

Author(s)

Thomas A. Gerds <tag@biostat.ku.dk>

Examples

```
set.seed(71)
simActiveSurveillance(3)
```

simMelanoma *Simulate data alike the Melanoma data*

Description

Simulate data alike the Melanoma data

Usage

```
simMelanoma(n)
```

Arguments

n sample size

Details

This is based on the functionality of `library(lava)`.

Value

data table of size n

Author(s)

Thomas A. Gerds <tag@biostat.ku.dk>

Examples

```
set.seed(71)
simMelanoma(3)
```

sliceMultiply_cpp *Apply * by slice*

Description

Fast computation of `sweep(X, MARGIN = 1:2, FUN = "*", STATS = scale)`

Usage

```
sliceMultiply_cpp(X, M)

sliceMultiplyPointer_cpp(X, M)
```

Arguments

X An array.
M A matrix with the same number of row and columns as X.

Value

An array of same size as X.

Author(s)

Brice Ozenne <broz@sund.ku.dk>

Examples

```
x <- array(1, dim = c(2,6,5))
M <- matrix(1:12,2,6)
sweep(x, MARGIN = 1:2, FUN = "*", STATS = M)
sliceMultiply_cpp(x, M)
```

sliceScale_cpp	<i>Apply / by slice</i>
----------------	-------------------------

Description

Fast computation of `sweep(X, MARGIN = 1:2, FUN = "/", STATS = scale)`

Usage

```
sliceScale_cpp(X, M)
```

```
sliceScalePointer_cpp(X, M)
```

Arguments

X	An array.
M	A matrix with the same number of row and columns as X.

Value

An array of same size as X.

Author(s)

Brice Ozenne <broz@sund.ku.dk>

Examples

```
x <- array(1, dim = c(2,6,5))
M <- matrix(1:12,2,6)
sweep(x, MARGIN = 1:2, FUN = "/", STATS = M)
sliceScale_cpp(x, M)
```

SmcFcs	<i>SmcFcs</i>
--------	---------------

Description

TODO

Usage

```
SmcFcs(formula, data, m = 5, method, fitter = "glm", fit.formula, ...)
```


Arguments

formula	TODO
data	TODO
m	TODO
method	TODO
fitter	TODO
fit.formula	TODO
...	TODO

splitStrataVar	<i>Reconstruct each of the strata variables</i>
----------------	---

Description

Reconstruct each of the strata variables from the strata variable stored in the coxph object.

Usage

```
splitStrataVar(object)
```

Arguments

object	a coxph object.
--------	-----------------

Author(s)

Brice Ozenne broz@sund.ku.dk and Thomas A. Gerds tag@biostat.ku.dk

subjectWeights	<i>Estimation of censoring probabilities at subject specific times</i>
----------------	--

Description

This function is used internally to construct pseudo values by inverse of the probability of censoring weights.

Usage

```
subjectWeights(formula, data, method = c("cox", "marginal", "km",
    "nonpar", "forest", "none"), args, lag = 1)
```

Arguments

formula	A survival formula like, <code>Surv(time,status)~1</code> or <code>Hist(time,status)~1</code> where <code>status=0</code> means censored. The status variable is internally reversed for estimation of censoring rather than survival probabilities. Some of the available models, see argument <code>model</code> , will use predictors on the right hand side of the formula.
data	The data used for fitting the censoring model
method	Censoring model used for estimation of the (conditional) censoring distribution.
args	Arguments passed to the fitter of the method.
lag	If equal to 1 then obtain $G(T_i X_i)$, if equal to 0 estimate the conditional censoring distribution at the <code>subject.times</code> , i.e. $(G(T_i X_i))$.

Details

Inverse of the probability of censoring weights usually refer to the probabilities of not being censored at certain time points. These probabilities are also the values of the conditional survival function of the censoring time given covariates. The function `subjectWeights` estimates the conditional survival function of the censoring times and derives the weights.

IMPORTANT: the data set should be ordered, `order(time, -status)` in order to get the weights in the right order for some choices of method.

Value

times	The times at which weights are estimated
weights	Estimated weights at individual time values <code>subject.times</code>
lag	The time lag.
fit	The fitted censoring model
method	The method for modelling the censoring distribution
call	The call

Author(s)

Thomas A. Gerds <tag@biostat.ku.dk>

Examples

```
library(prodlim)
library(survival)
dat=SimSurv(300)

dat <- dat[order(dat$time, -dat$status),]

# using the marginal Kaplan-Meier for the censoring times

WKM=subjectWeights(Hist(time,status)~X2,data=dat,method="marginal")
plot(WKM$fit)
WKM$fit
```

```

WKM$weights

# using the Cox model for the censoring times given X2

WCox=subjectWeights(Surv(time,status)~X2,data=dat,method="cox")
WCox
plot(WCox$weights,WKM$weights)

# using the stratified Kaplan-Meier for the censoring times given X2

WKM2 <- subjectWeights(Surv(time,status)~X2,data=dat,method="nonpar")
plot(WKM2$fit,add=FALSE)

```

subsetIndex

Extract Specific Elements From An Object

Description

Extract specific elements from an object.

Usage

```

subsetIndex(object, index, default, ...)

## Default S3 method:
subsetIndex(object, index, default, ...)

## S3 method for class 'matrix'
subsetIndex(object, index, default, col = TRUE, ...)

```

Arguments

object	A vector or a matrix.
index	index of the elements to be extracted. 0 indicates that the column should be set to the default value. NA indicates that the column should be set to NA.
default	the default value.
...	Only used by the generic method.
col	If object is a matrix, TRUE lead to extract the columns and FALSE the rows.

Examples

```

M <- matrix(rnorm(50),5,10)
subsetIndex(M, index = c(0,0,1), default = 0)
subsetIndex(M, index = c(0,2,3,NA), default = 0)
subsetIndex(M, index = c(0,NA,2,3,NA), default = 0)

```

```
C <- 1:10
subsetIndex(C, index = c(0,0,1,5,NA), default = 0)
```

summary.ate

Summary Average Treatment Effects

Description

Summary average treatment effects.

Usage

```
## S3 method for class 'ate'
summary(object, digits = 3, type = c("meanRisk",
  "diffRisk", "ratioRisk"), estimator = object$estimator[1], ...)
```

Arguments

object	object obtained with function ate
digits	[integer, >0] Number of digits.
type	[character vector] what to displayed. Can be any combination of "meanRisk", "diffRisk", and "ratioRisk".
estimator	[character] The type of estimator relative to which the estimates should be displayed.
...	passed to print

Details

to display confidence intervals/bands and p.value, the confint method needs to be applied on the object.

See Also

[confint.ate](#) to compute confidence intervals/bands. [ate](#) to compute the average treatment effects.

summary.FGR

Summary of a Fine-Gray regression model

Description

Summary of a Fine-Gray regression model

Usage

```
## S3 method for class 'FGR'
summary(object, ...)
```

Arguments

object	Object fitted with function FGR
...	passed to cmprsk::summary.crr

summary.riskRegression

Summary of a risk regression model

Description

Summary of a risk regression model

Usage

```
## S3 method for class 'riskRegression'
summary(object, times, digits = 3,
        pvalue.digits = 4, eps = 10^-4, verbose = TRUE, ...)
```

Arguments

object	Object obtained with ARR, LRR or riskRegression
times	Time points at which to show time-dependent coefficients
digits	Number of digits for all numbers but p-values
pvalue.digits	Number of digits for p-values
eps	p-values smaller than this number are shown as such
verbose	Level of verbosity
...	not used

SuperPredictor *Formula interface for SuperLearner::SuperLearner*

Description

Formula interface for SuperLearner::SuperLearner

Usage

```
SuperPredictor(formula, data, family = "binomial",
  SL.library = c("SL.glm", "SL.glm.interaction", "SL.ranger"), ...)
```

Arguments

formula	where the left hand side specifies the outcome and the right hand side the predictors
data	data set in which formula can be evaluated
family	the outcome family. default is binomial
SL.library	the SuperLearner libraries
...	passed to SuperLearner::SuperLearner

Details

Formula interface for SuperLearner::SuperLearner `##' @param formula`

Examples

```
## Not run:
library(SuperLearner)
library(data.table)
d = sampleData(338, outcome="binary")
spfit = SuperPredictor(Y~X1+X2+X3+X4+X5+X6+X7+X8+X9+X10,data=d)
predictRisk(spfit)
x <- Score(list(spfit),data=d,formula=Y~1)

## End(Not run)
```

SurvResponseVar	<i>Extract the time and event variable from a Cox model</i>
-----------------	---

Description

Extract the time and event variable from a Cox model

Usage

```
SurvResponseVar(formula)
```

Arguments

formula a formula

Author(s)

Brice Ozenne broz@sund.ku.dk

Examples

```
## Not run:
SurvResponseVar(Surv(time,event)~X1+X2)
SurvResponseVar(Hist(time,event==0)~X1+X2)
SurvResponseVar(Surv(start,time, status,type="counting") ~ X3+X5)
SurvResponseVar(Surv(start,event=status, time2=time,type="counting") ~ X3+X5)

SurvResponseVar(survival::Surv(start,event=status, time2=time,type="counting") ~ X3+X5)
SurvResponseVar(status ~ X3+X5)
SurvResponseVar(I(status == 1) ~ X3+X5)
SurvResponseVar(list(Hist(time, event) ~ X1+X6,Hist(time, event) ~ X6))

## End(Not run)
```

terms.phreg	<i>Extract terms for phreg objects</i>
-------------	--

Description

Extract terms for phreg objects

Usage

```
## S3 method for class 'phreg'
terms(x, ...)
```

Arguments

x a phreg object.
 ... not used.

transformCI	<i>Compute Confidence Intervals using a transformation</i>
-------------	--

Description

Compute confidence intervals using a transformation. The resulting confidence interval is returned on the original case (i.e. back-transformed).

Usage

```
transformCI(estimate, se, quantile, type, min.value, max.value)
```

Arguments

estimate [numeric matrix] the estimate value before transformation.
 se [numeric matrix] the standard error after transformation.
 quantile [numeric vector] quantile that will be multiplied to each column of se.
 type [character] the transformation. Can be "log", "loglog", "cloglog", or "atanh"
 (Fisher transform).
 min.value [numeric] if not NULL and the lower bound of the confidence interval is below
 min, it will be set at min.
 max.value [numeric] if not NULL and the lower bound of the confidence interval is below
 max, it will be set at max.

Details

se and estimate must have same dimensions.

transformCIBP	<i>Compute Confidence Intervals/Bands and P-values After a Transformation</i>
---------------	---

Description

Compute confidence intervals/bands and p-values after a transformation

Usage

```
transformCIBP(estimate, se, iid, null, conf.level, nsim.band, seed, type,  

  min.value, max.value, ci, band, p.value)
```


Arguments

estimate	[numeric matrix] the estimate value before transformation.
se	[numeric matrix] the standard error before transformation.
iid	[numeric array] the iid decomposition before transformation.
null	[numeric] the value of the estimate (before transformation) under the null hypothesis.
conf.level	[numeric, 0-1] Level of confidence.
nsim.band	[integer, >0] the number of simulations used to compute the quantiles for the confidence bands.
seed	[integer, >0] seed number set before performing simulations for the confidence bands.
type	[character] the transformation. Can be "log", "loglog", "cloglog", or "atanh" (Fisher transform).
min.value	[numeric] if not NULL and the lower bound of the confidence interval is below min, it will be set at min.
max.value	[numeric] if not NULL and the lower bound of the confidence interval is below max, it will be set at max.
ci	[logical] should confidence intervals be computed.
band	[logical] should confidence bands be computed.
p.value	[logical] should p-values be computed.

The iid decomposition must have dimensions [n.prediction,time,n.obs] while estimate and se must have dimensions [n.prediction,time].

transformIID

Compute Influence Functions after Transformation

Description

Compute influence functions after transformation based on the influence function before transformation.

Usage

```
transformIID(estimate, iid, type)
```

Arguments

estimate	[numeric matrix] the estimate value before transformation.
iid	[numeric array] the standard error before transformation.
type	[character] the transformation. Can be "log", "loglog", "cloglog", or "atanh" (Fisher transform).

Details

Use a delta method to find the standard error after transformation.

The iid decomposition must contain have dimension [n.prediction,time,n.obs] and estimate [n.prediction,time].

transformP	<i>Compute P-values After a Transformation</i>
------------	--

Description

Compute the p-values after a transformation.

Usage

```
transformP(estimate, se, null, type)
```

Arguments

estimate	[numeric matrix] the estimate value before transformation.
se	[numeric matrix] the standard error after transformation.
null	[numeric] the value of the estimate (before transformation) under the null hypothesis.
type	[character] the transformantion. Can be "log", "loglog", "cloglog", or "atanh" (Fisher transform).

Details

se and estimate must have same dimensions.

transformSE	<i>Compute Standard Errors after Transformation</i>
-------------	---

Description

Compute standard errors after transformation based on the standard error before transformation.

Usage

```
transformSE(estimate, se, type)
```

Arguments

estimate	[numeric matrix] the estimate value before transformation.
se	[numeric matrix] the standard error before transformation.
type	[character] the transformation. Can be "log", "loglog", "cloglog", or "atanh" (Fisher transform).

Details

Use a delta method to find the standard error after transformation.

se and estimate must have same dimensions.

Index

*Topic **datasets**

Melanoma, [60](#)

Paquid, [62](#)

*Topic **survival**

Cforest, [23](#)

CSC, [43](#)

FGR, [47](#)

ipcw, [57](#)

plot.riskRegression, [64](#)

plotEffects, [70](#)

plotPredictRisk, [72](#)

predict.riskRegression, [81](#)

predictRisk, [87](#)

riskRegression, [99](#)

selectCox, [116](#)

subjectWeights, [121](#)

ARR (riskRegression), [99](#)

as.data.table.ate, [4](#)

as.data.table.influenceTest, [5](#)

as.data.table.predictCox, [5](#)

as.data.table.predictCSC, [6](#)

ate, [6](#), [12](#), [92](#), [124](#)

autoplot.ate, [8](#), [11](#)

autoplot.predictCox, [13](#), [84](#)

autoplot.predictCSC, [14](#), [79](#)

autoplot.Score, [15](#)

axis, [73](#)

boot2pvalue, [16](#)

boxplot.Score, [18](#)

calcSeCox, [20](#)

calcSeCSC, [21](#)

Cforest, [23](#)

coef.CauseSpecificCox, [24](#)

coef.riskRegression, [24](#)

colCenter_cpp, [25](#)

colCumProd, [25](#)

colCumSum, [26](#)

colMultiply_cpp, [27](#)

colScale_cpp, [27](#)

colSumsCrossprod, [28](#)

confBandCox, [29](#)

confint.ate, [8](#), [29](#), [92](#), [124](#)

confint.influenceTest, [31](#), [93](#)

confint.predictCox, [32](#), [84](#), [95](#)

confint.predictCSC, [34](#), [79](#), [95](#)

coxBaseEstimator, [35](#)

coxCenter, [36](#)

coxFormula, [36](#)

coxLP, [37](#)

coxModelFrame, [38](#)

coxN, [39](#)

coxph, [44](#)

coxSpecial, [39](#)

coxStrata, [40](#)

coxStrataLevel, [41](#)

coxVarCov, [42](#)

coxVariableName, [42](#)

CSC, [22](#), [43](#)

Ctree, [46](#)

discreteRoot, [47](#)

fastbw, [116](#)

FGR, [47](#)

getSplitMethod, [49](#)

Hist, [47](#)

iidCox, [50](#)

influenceTest, [52](#), [93](#)

IPA, [55](#)

ipcw, [57](#)

legend, [73](#)

lines, [69](#)

LRR (riskRegression), [99](#)

Melanoma, 60
model.frame, 70
model.matrix.cph, 61
model.matrix.phreg, 61

Paquid, 62
penalizedS3, 63
plot, 73
plot.riskRegression, 64
plotAUC, 65
plotBrier, 67
plotCalibration, 68
plotEffects, 70
plotPredictRisk, 72
plotRisk, 74, 74
plotROC, 76
predict.CauseSpecificCox, 77, 95
predict.FGR, 80
predict.riskRegression, 81
predictCox, 82, 85, 95
predictCoxPL, 85
predictRisk, 87, 87
print.ate, 91
print.CauseSpecificCox, 92
print.FGR, 93
print.influenceTest, 93
print.IPA, 94
print.predictCox, 94
print.predictCSC, 95
print.riskRegression, 95
print.Score, 96
print.subjectWeights, 96

reconstructData, 97
riskLevelPlot, 97
riskRegression, 48, 99
riskRegression-package
 (riskRegression), 99
riskRegression.options, 102
rowCenter_cpp, 103
rowCumProd, 103
rowCumSum, 104
rowMultiply_cpp, 105
rowPaste, 105
rowScale_cpp, 106
rowSumsCrossprod, 107
rsquared (IPA), 55

sampleData, 107
sampleDataTD (sampleData), 107
Score (Score.list), 109
Score.list, 109
selectCox, 116
selectJump, 117
simActiveSurveillance, 118
simMelanoma, 118
sliceMultiply_cpp, 119
sliceMultiplyPointer_cpp
 (sliceMultiply_cpp), 119
sliceScale_cpp, 120
sliceScalePointer_cpp (sliceScale_cpp),
 120
SmartControl, 65, 67, 70, 71, 73, 75, 77
SmcFcs, 120
splitStrataVar, 121
subjectWeights, 121
subsetIndex, 123
summary.ate, 92, 124
summary.FGR, 125
summary.riskRegression, 125
SuperPredictor, 126
SurvResponseVar, 127

terms.phreg, 127
transformCI, 128
transformCIBP, 128
transformIID, 129
transformP, 130
transformSE, 130