

# Package ‘unglue’

October 7, 2019

**Title** Extract Matched Substrings Using a Pattern

**Version** 0.0.1

**Description** Use syntax inspired by the package 'glue' to extract matched substrings in a more intuitive and compact way than by using standard regular expressions.

**Depends** R (>= 3.1.0)

**License** GPL-3

**Encoding** UTF-8

**LazyData** true

**Suggests** glue, testthat (>= 2.1.0), rlang, covr, knitr, rmarkdown, magrittr

**RoxygenNote** 6.1.1

**VignetteBuilder** knitr

**NeedsCompilation** no

**Author** Antoine Fabri [aut, cre]

**Maintainer** Antoine Fabri <antoine.fabri@gmail.com>

**Repository** CRAN

**Date/Publication** 2019-10-07 17:20:02 UTC

## R topics documented:

unglue . . . . .	2
unglue_detect . . . . .	4
unglue_regex . . . . .	5
<b>Index</b>	<b>6</b>

---

unglue

*unglue*


---

## Description

The functions `unglue_data()`, `unglue()`, `unglue_vec()` and `unglue_unnest()` extract matched substrings using a syntax inspired from `glue::glue()`. Simple cases don't require regex knowledge at all.

## Usage

```
unglue(x, patterns, open = "{", close = "}", convert = FALSE,
       multiple = NULL)
```

```
unglue_data(x, patterns, open = "{", close = "}", convert = FALSE,
            multiple = NULL)
```

```
unglue_vec(x, patterns, var = 1, open = "{", close = "}",
           convert = FALSE, multiple = NULL)
```

```
unglue_unnest(data, col, patterns, open = "{", close = "}",
              remove = TRUE, convert = FALSE)
```

## Arguments

<code>x</code>	a character vector to unglue.
<code>patterns</code>	a character vector or a list of character vectors, if a list, items will be pasted using an empty separator ("").
<code>open</code>	The opening delimiter.
<code>close</code>	The closing delimiter.
<code>convert</code>	If TRUE, will convert columns of output using <code>utils::type.convert()</code> with parameter <code>as.is = TRUE</code> , alternatively, can be a converting function, such as <code>readr::type_convert</code> . Formula notation is supported if the package <code>rlang</code> is installed, so things like <code>convert = ~type_convert(., numerals = "warn.loss")</code> are possible.
<code>multiple</code>	The aggregation function to use if several subpatterns are named the same, by default no function is used and subpatterns named the same will match the same value. If a function is provided it will be fed the conflicting values as separate arguments. Formula notation is supported if the package <code>rlang</code> is installed.
<code>var</code>	for <code>unglue_vec()</code> , the numeric index or the name of the subpattern to extract from
<code>data</code>	a data frame.
<code>col</code>	column containing the character vector to extract values from.
<code>remove</code>	wether to remove the column <code>col</code> once extraction is performed

## Details

Depending on the task you might want:

- `unglue_data()` to return a data frame from a character vector, just as `glue::glue_data()` does in reverse
- `unglue()` to return a list of data frames containing the matches
- `unglue_vec()` to extract one value by element of `x`, chosen by indice or by name.
- `unglue_unnest()` to extract value from a column of a data frame to new columns

To build the relevant regex pattern special characters will be escaped in the input pattern and the sub-patterns will be replaced with `(.*)` if in standard `"{foo}"` form. An alternate regular expression can be provided after `=` so that `"{foo=\d}"` will be translated into `"(\d)"`.

Sometimes we might want to use regex to match a part of the text that won't be extracted, in these cases we just need to omit the name as in `"{=\d}"`.

`unglue_unnest()`'s name is a tribute to `tidyr::unnest()` because `unglue_unnest(data, col, patterns)` returns a similar output as `dplyr::mutate(data, unglued = unglue(col, patterns)) %>% tidyr::unnest()` (without requiring any extra package). It is also very close to `tidyr::extract()` and efforts were made to make the syntax consistent with the latter.

## Value

For `unglue()` a list of one row data frames, for `unglue_data` a data frame, for `unglue_unnest` the data frame input with additional columns built from extracted values, for `unglue_vec` an atomic vector.

## Examples

```
# using an awample from ?glue::glue
if(require(magrittr) && require(glue)) {
  glued_data <- mtcars %>% glue_data("{rownames(.)} has {hp} hp")
  unglue_data(glued_data, "{rownames(.)} has {hp} hp")
}

facts <- c("Antarctica is the largest desert in the world!",
"The largest country in Europe is Russia!",
"The smallest country in Europe is Vatican!",
"Disneyland is the most visited place in Europe! Disneyland is in Paris!",
"The largest island in the world is Green Land!")
facts_df <- data.frame(id = 1:5, facts)

patterns <- c("The {adjective} {place_type} in {bigger_place} is {place}!",
"{place} is the {adjective} {place_type}=[^ ]+ in {bigger_place}!{=.}*")
unglue_data(facts, patterns)

sentences <- c("666 is [a number]", "foo is [a word]",
"42 is [the answer]", "Area 51 is [unmatched]")
patterns <- c("{number=\\d+} is [{what}]", "{word=\\D+} is [{what}]")
unglue_data(sentences, patterns)
```

```
unglue_unnest(facts_df, facts, patterns)
unglue_unnest(facts_df, facts, patterns, remove = FALSE)
```

---

unglue_detect	<i>Detect if strings are matched by a set of unglue patterns</i>
---------------	--

---

## Description

Returns a logical indicating whether input strings were matched by one or more patterns

## Usage

```
unglue_detect(x, patterns, open = "{", close = "}", convert = FALSE,
             multiple = NULL)
```

## Arguments

x	a character vector to unglue.
patterns	a character vector or a list of character vectors, if a list, items will be pasted using an empty separator ("").
open	The opening delimiter.
close	The closing delimiter.
convert	If TRUE, will convert columns of output using <code>utils::type.convert()</code> with parameter <code>as.is = TRUE</code> , alternatively, can be a converting function, such as <code>readr::type_convert</code> . Formula notation is supported if the package <code>rlang</code> is installed, so things like <code>convert = ~type_convert(. , numerals = "warn.loss")</code> are possible.
multiple	The aggregation function to use if several subpatterns are named the same, by default no function is used and subpatterns named the same will match the same value. If a function is provided it will be fed the conflicting values as separate arguments. Formula notation is supported if the package <code>rlang</code> is installed.

## Value

a vector of logical.

## Examples

```
sentences <- c("666 is [a number]", "foo is [a word]",
              "42 is [the answer]", "Area 51 is [unmatched]")
patterns <- c("{number=\\d+} is [{what}]", "{word=\\D+} is [{what}]")
unglue_detect(sentences, patterns)
```

---

unglue_regex	<i>Converts unglue pattern to regular regex pattern</i>
--------------	---

---

### Description

Transforms a vector of patterns given in the unglue format to a vector of proper regex (PCRE) patterns (so they can for instance be used with functions from other packages).

### Usage

```
unglue_regex(patterns, open = "{", close = "}", use_multiple = FALSE,  
             named_capture = FALSE, attributes = FALSE)
```

### Arguments

patterns	a character vector or a list of character vectors, if a list, items will be pasted using an empty separator ("").
open	The opening delimiter.
close	The closing delimiter.
use_multiple	wether we should consider that duplicate labels can match different substrings.
named_capture	wether to incorporate the names of the groups in the ouput regex
attributes	wether to give group attributes to the output

### Value

a character vector.

### Examples

```
patterns <- c("{number=\\d+} is [{what}]", "{word=\\D+} is [{what}]")  
unglue_regex(patterns)
```

# Index

`unglue`, [2](#)  
`unglue_data (unglue)`, [2](#)  
`unglue_detect`, [4](#)  
`unglue_regex`, [5](#)  
`unglue_unnest (unglue)`, [2](#)  
`unglue_vec (unglue)`, [2](#)