

Package ‘LLSR’

March 5, 2019

Type Package

Title Data Analysis of Liquid-Liquid Systems using R

Version 0.0.2.19

Date 2019-03-05

Author Diego F Coelho <diegofcoelho@gmail.com> [aut, cre], Pedro Victor Oliveira Menezes <pedrod841@hotmail.com> [dct], Carla Corina dos Santos Porto <carlacorina@hotmail.com.br> [dct], Jon George Huddleston <Jonathan.Huddleston@brunel.ac.uk> [rev], Elias Basile Tambourgi <eliastam@feq.unicamp.br> [rev]

Maintainer Diego F Coelho <diegofcoelho@gmail.com>

Description Originally design to characterise Aqueous Two Phase Systems, LLSR provide a simple way to analyse experimental data and obtain phase diagram parameters, among other properties, systematically. The package will include (every other update) new functions in order to comprise useful tools in liquid-liquid extraction research.

License GPL-3

Encoding UTF-8

LazyData TRUE

Depends R (>= 3.5)

Imports rootSolve, XLConnect, digest, svDialogs, minpack.lm, ggplot2, svglite, dplyr, nleqslv, crayon

URL <https://CRAN.R-project.org/package=LLSR>

BugReports <https://github.com/diegofcoelho/LLSR/issues>

Suggests testthat

RoxygenNote 6.1.1

NeedsCompilation no

Repository CRAN

Date/Publication 2019-03-05 22:20:11 UTC

R topics documented:

AQSearch	2
AQSearch.Binodal	3
AQSearch.Parameter	4
AQSearch.Slope	5
AQSearch.Tieline	6
AQSys	7
AQSys.CritPoint	9
AQSys.data	10
AQSys.LevArmRule	11
AQSys.plot	13
AQSysBancroft	14
AQSysCurve	15
AQSysDB	16
AQSysDOE	17
AQSysEval	18
AQSysList	19
AQSysOthmer	20
AQSysPlot	21
export_data	22
export_template	22
llsr_data	23
peg4kslt	23
Index	25

AQSearch	<i>Search function for ATPS Systems data</i>
----------	--

Description

This function allow the user to search the LLSR database to find any ATPS that matches the used criteria.

This function allow the user to search the package database to find any ATPS that matches the available criteria.

Usage

```
AQSearch(db = LLSR::llsr_data, ...)
```

```
## Default S3 method:
```

```
AQSearch(db = LLSR::llsr_data, db.CompA = NULL,
  db.CompB = NULL, db.CompC = NULL, db.Temp = NULL, db.ph = NULL,
  db.uid = NULL, stacked = FALSE, ...)
```

Arguments

db	A highly structure db containing data from previously analysed data. LLSR database is used by default but user may input his own db if formatted properly.
...	Additional optional arguments. None are used at present.
db.CompA	A String variable containing either the CAS, chemical formula or name of the upper phase enriched component..
db.CompB	A String variable containing either the CAS, chemical formula or name of the lower phase component.
db.CompC	A String variable containing either the CAS, chemical formula or name of the additive component.
db.Temp	A numeric variable containing the Temperature (in Kelvin) to be searched within DB.
db.ph	A numeric variable containing the pH to be searched within DB.
db.uid	An Unique md5 hash Identification. User can retrieve data for a specific system if in possession of its UID.
stacked	A boolean variable used to return value as a nested list or a data.frame. Used internally to organize data output.

Details

The function return the systems that matches the criteria submitted by the user.

Value

Returns a data.frame containing system's parameters which match searched conditions

Examples

```
## Not run:
AQSearch(db.CompA="Ammonium")

## End(Not run)
```

AQSearch.Binodal *Search function for ATPS Systems data*

Description

This function allow the user to search the package database to find any ATPS that matches the available criteria.

Usage

```
## S3 method for class 'Binodal'
AQSearch(db = LLSR::llsr_data, db.CompA = NULL,
         db.CompB = NULL, db.CompC = NULL, db.Temp = NULL, db.ph = NULL,
         db.uid = NULL, stacked = FALSE, ...)
```

Arguments

db	A highly structure db containing data from previously analysed data. LLSR database is used by default but user may input his own db if formatted properly.
db.CompA	A String variable containing either the CAS, chemical formula or name of the upper phase enriched component..
db.CompB	A String variable containing either the CAS, chemical formula or name of the lower phase component.
db.CompC	A String variable containing either the CAS, chemical formula or name of the additive component.
db.Temp	A numeric variable containing the Temperature (in Kelvin) to be searched within DB.
db.ph	A numeric variable containing the pH to be searched within DB.
db.uid	An Unique md5 hash Identification. User can retrieve data for a specific system if in possession of its UID.
stacked	A boolean variable used to return value as a nested list or a data.frame. Used internally to organize data output.
...	Additional optional arguments. None are used at present.

Details

The function return the systems that matches the criteria submitted by the user.

Value

Returns a data.frame containing system's parameters which match searched conditions

Examples

```
## Not run:
AQSearch.Binodal(db.CompA="Ammonium")

## End(Not run)
```

AQSearch.Parameter *Search function for ATPS Systems data*

Description

This function allow the user to search the package database to find any ATPS that matches the available criteria.

Usage

```
## S3 method for class 'Parameter'
AQSearch(db = LLSR::llsr_data, db.CompA = NULL,
  db.CompB = NULL, db.CompC = NULL, db.Temp = NULL, db.ph = NULL,
  db.uid = NULL, stacked = FALSE, ...)
```

Arguments

db	A highly structure db containing data from previously analysed data. LLSR database is used by default but user may input his own db if formatted properly.
db.CompA	A String variable containing either the CAS, chemical formula or name of the upper phase enriched component..
db.CompB	A String variable containing either the CAS, chemical formula or name of the lower phase component.
db.CompC	A String variable containing either the CAS, chemical formula or name of the additive component.
db.Temp	A numeric variable containing the Temperature (in Kelvin) to be searched within DB.
db.ph	A numeric variable containing the pH to be searched within DB.
db.uid	An Unique md5 hash Identification. User can retrieve data for a specific system if in possession of its UID.
stacked	A boolean variable used to return value as a nested list or a data.frame. Used internally to organize data output.
...	Additional optional arguments. None are used at present.

Details

The function return the systems that matches the criteria submitted by the user.

Value

Returns a data.frame containing system's parameters which match searched conditions

Examples

```
## Not run:
AQSearch.Parameter(db.CompA="Ammonium")

## End(Not run)
```

AQSearch.Slope *Search function for ATPS Systems data*

Description

This function allow the user to search the package database to find any ATPS that matches the available criteria.

Usage

```
## S3 method for class 'Slope'
AQSearch(db = LLSR::llsr_data, db.CompA = NULL,
         db.CompB = NULL, db.CompC = NULL, db.Temp = NULL, db.ph = NULL,
         db.uid = NULL, stacked = FALSE, ...)
```

Arguments

db	A highly structure db containing data from previously analysed data. LLSR database is used by default but user may input his own db if formatted properly.
db.CompA	A String variable containing either the CAS, chemical formula or name of the upper phase enriched component..
db.CompB	A String variable containing either the CAS, chemical formula or name of the lower phase component.
db.CompC	A String variable containing either the CAS, chemical formula or name of the additive component.
db.Temp	A numeric variable containing the Temperature (in Kelvin) to be searched within DB.
db.ph	A numeric variable containing the pH to be searched within DB.
db.uid	An Unique md5 hash Identification. User can retrieve data for a specific system if in possession of its UID.
stacked	A boolean variable used to return value as a nested list or a data.frame. Used internally to organize data output.
...	Additional optional arguments. None are used at present.

Details

The function return the systems that matches the criteria submitted by the user.

Value

Returns a data.frame containing system's parameters which match searched conditions

Examples

```
## Not run:
AQSearch.Slope(db.CompA="Ammonium")

## End(Not run)
```

AQSearch.Tieline *Search function for ATPS Systems data*

Description

This function allow the user to search the package database to find any ATPS that matches the available criteria.

Usage

```
## S3 method for class 'Tieline'
AQSearch(db = LLSR::llsr_data, db.CompA = NULL,
  db.CompB = NULL, db.CompC = NULL, db.Temp = NULL, db.ph = NULL,
  db.uid = NULL, stacked = FALSE, ...)
```

Arguments

db	A highly structure db containing data from previously analysed data. LLSR database is used by default but user may input his own db if formatted properly.
db.CompA	A String variable containing either the CAS, chemical formula or name of the upper phase enriched component..
db.CompB	A String variable containing either the CAS, chemical formula or name of the lower phase component.
db.CompC	A String variable containing either the CAS, chemical formula or name of the additive component.
db.Temp	A numeric variable containing the Temperature (in Kelvin) to be searched within DB.
db.ph	A numeric variable containing the pH to be searched within DB.
db.uid	An Unique md5 hash Identification. User can retrieve data for a specific system if in possession of its UID.
stacked	A boolean variable used to return value as a nested list or a data.frame. Used internally to organize data output.
...	Additional optional arguments. None are used at present.

Details

The function return the systems that matches the criteria submitted by the user.

Value

Returns a data.frame containing system's parameters which match searched conditions

Examples

```
## Not run:  
AQSearch.Tieline(db.CompA="Ammonium")  
  
## End(Not run)
```

AQSys

Merchuk's nonlinear Equation

Description

.

Perform a nonlinear regression fit using any of the several mathematical descriptors implemented in order to calculate the equation's parameters.

Usage

```
AQSys(dataSET, ...)

## Default S3 method:
AQSys(dataSET, modelName = "merchuk", Order = "xy",
      ...)
```

Arguments

dataSET	- Binodal Experimental data that will be used in the nonlinear fit
...	Additional optional arguments. None are used at present.
modelName	- Character String specifying the nonlinear empirical equation to fit data. The default method uses Merchuk's equation. Other mathematical descriptors can be listed using AQSysList().
Order	Defines how the data is organized in the Worksheet. Use "xy" whether the first column corresponds to the lower phase fraction and "yx" whether the opposite.

Details

The function returns functions parameters after fitting experimental data to the equations listed in AQSysList().

Value

A list containing three data.frame variables with all data parsed from the worksheet and parameters calculated through the available mathematical descriptions.

References

- MURUGESAN, T.; PERUMALSAMY, M. Liquid-Liquid Equilibria of Poly(ethylene glycol) 2000 + Sodium Citrate + Water at (25, 30, 35, 40, and 45) C. *Journal of Chemical & Engineering Data*, v. 50, n. 4, p. 1392-1395, 2005/07/01 2005. ISSN 0021-9568. ([ACS Publications](#))
- MERCHUK, J. C.; ANDREWS, B. A.; ASENJO, J. A. Aqueous two-phase systems for protein separation: Studies on phase inversion. *Journal of Chromatography B: Biomedical Sciences and Applications*, v. 711, n. 1-2, p. 285-293, 1998. ISSN 0378-4347. ([ScienceDirect](#))
- TANG, X. et al. The study of phase behavior of aqueous two-phase system containing [Cnmim] BF 4 (n=2, 3, 4)+(NH₄)₂SO₄ + H₂O at different temperatures. *Fluid Phase Equilibria*, v. 383, p. 100-107, 2014. ISSN 0378-3812. ([ScienceDirect](#))
- GONZALEZ-TELLO, P. et al. Liquid-Liquid Equilibrium in the System Poly(ethylene glycol) + MgSO₄ + H₂O at 298 K. *Journal of Chemical & Engineering Data*, v. 41, n. 6, p. 1333-1336, 1996/01/01 1996. ISSN 0021-9568. ([ACS Publications](#))
- CHEN, Y. et al. Liquid-liquid equilibria of aqueous biphasic systems composed of 1-butyl-3-methyl imidazolium tetrafluoroborate+ sucrose/maltose+ water. *Journal of Chemical & Engineering Data*, v. 55, n. 9, p. 3612-3616, 2010. ISSN 0021-9568. ([ACS Publications](#))

See Also

- [AQSys.default](#)
- [AQSys.plot](#)
- [AQSys.LevArmRule](#)
- [AQSys.Othmer](#)
- [AQSys.Bancroft](#)

Examples

```
# Populating variable dataSET with binodal data
dataSET <- peg4kslt[ , 1:2]
# Fitting dataSET using Merchuk's function
AQSys(dataSET)
```

AQSys.CritPoint *ATPS Critical Point Calculation*

Description

This function implements methods available in current literature to calculate an ATPS critical point based on its experimental data.

Usage

```
## S3 method for class 'CritPoint'
AQSys(dataSET, tldata, method, modelName = "merchuk",
      slope = NULL, NP = 100, xmax = 30, xlabel = "", ylabel = "",
      Order = "xy", ext = FALSE, ...)
```

Arguments

dataSET	- Binodal Experimental data that will be used in the nonlinear fit. [type:data.frame]
tldata	- A data.frame with two columns containing a set of Tieline's Slopes (S) and its bottom-rich component composition in the bottom phase (XB). [type:data.frame]
method	- Binodal Experimental data that will be used in the nonlinear fit. [type:string] "algebraic" - Uses the critical point own definition to set up constraints and solve a system of equations. Still in development. "numerical" - A number of tie-lines are calculated successively until TLL is close to zero and concentration of components are numerically equal. A constant slope is assumed. "polynomial" - Calculate the intercept point between the chosen mathematical description and a third order polynomial fitting the tie-lines mid-points
modelName	- Mathematical descriptor that will be used for non-linear fitting. Use AQSys-List() to list the available equations. [type:string]
slope	The method assumes all tielines for a given ATPS are parallel, thus only one slope is required. [type:double]

NP	Number of points used to build the fitted curve. Default is 100. [type:integer]
xmax	Maximum value for the Horizontal axis' value (bottom-rich component). [type:double]
xlbl	Plot's Horizontal axis label. [type:string]
ylbl	Plot's Vertical axis label. [type:string]
Order	Defines how the data is organized in the Worksheet. Use "xy" whether the first column corresponds to the lower phase fraction and "yx" whether the opposite. [type:string]
ext	- False: Return only XC and YC. True: return an extended output result, including phase diagram plot and an data.frame including the calculated data. [type:boolean]
...	Additional optional arguments. None are used at present.

Details

The Critical Point is one in which both the composition and volume of the phases become equal, and the tie-line length (TLL) tends to zero. Thus, the methods here implemented the methods described by KAUL, A (2000) to calculate a theoretical critical point.

Value

(XC,YC) - The function returns Tieline's Critical Point Composition

References

KAUL, A. The Phase Diagram. In: HATTI-KAUL, R. (Ed.). Aqueous Two-Phase Systems: Methods and Protocols: Humana Press, v.11, 2000. cap. 2, p.11-21. (Methods in Biotechnology). ISBN 978-0-89603-541-6. ([ACS Publications](#))

Examples

```
## Not run:
AQSys.CritPoint(dataSET, tldata)

## End(Not run)
```

AQSys.data

Dataset and Fitted Function plot

Description

The function returns a plot after fitting a dataset to the mathematical descriptor chosen by the user.

Usage

```
## S3 method for class 'data'
AQSys(dataSET, modelName = "merchuk", Order = "xy",
      xmax = "", ymax = "", ...)
```

Arguments

dataSET	- Binodal Experimental data that will be used in the nonlinear fit. It might hold multiple systems stacked side-by-side. [type:data.frame]
modelName	- Character String specifying the nonlinear empirical equation to fit data. [type:String] The default method uses Merchuk's equation. Other mathematical descriptors can be listed using AQSysList().
Order	Defines how the data is organized in the Worksheet. Use "xy" whether the first column corresponds to the lower phase fraction and "yx" whether the opposite. [type:String]
xmax	Maximum value for the Horizontal axis' value - optional [type:double]
ymax	Maximum value for the Vertical axis' value - optional [type:double]
...	Additional optional arguments. None are used at present.

Details

This version uses the plot function and return a regular orthogonal plot.

Value

return a data.frame with data fitted using the chosen mathematical descriptor.

Examples

```
# Populating variable dataSET with binodal data
dataSET <- peg4ks1t[ , 1:2]
# Fitting dataSET using Merchuk's function
data <- AQSys.data(dataSET, Order = "xy")
```

AQSys.LevArmRule

Lever-Arm Rule - tie-line's Composition Calculation

Description

Merchuk et al. described a very straightforward method to calculate the concentration of each component in the tieline giving only its global composition and phase's properties (such as volume and density). Here this method is implemented and generalized for multiple mathematical descriptors.

Usage

```
## S3 method for class 'LevArmRule'
AQSys(dataSET, modelName = "merchuk", Xm, Ym,
      Vt = NULL, Vb = NULL, dyt = NULL, dyb = NULL, WT = NULL,
      WB = NULL, byW = TRUE, Order = "xy", ...)
```

Arguments

dataSET	- Binodal Experimental data that will be used in the nonlinear fit
modelName	- Character String specifying the nonlinear empirical equation to fit data. The default method uses Merchuk's equation. Other mathematical descriptors can be listed using AQSysList().
Xm	- Component X's concentration in the tieline's global composition.
Ym	- Component Y's concentration in the tieline's global composition.
Vt	- Tieline's TOP phase volume.
Vb	- Tieline's BOTTOM phase volume.
dyt	- Tieline's TOP phase density
dyb	- Tieline's BOTTOM phase density
WT	- ATPS upper phase weight
WB	- ATPS bottom phase weight
byW	- Use weight (TRUE) or volume and density (FALSE) during lever arm rule calculation.
Order	Defines how the data is organized in the Worksheet. Use "xy" whether the first column corresponds to the lower phase fraction and "yx" whether the opposite.
...	Additional optional arguments. None are used at present.

Details

Using any implemented binodal data mathematical descriptor, the global composition of a chosen tieline and its phases properties.

Value

The function returns the Critical Point (X,Y), Tieline Length (TLL), Tieline's Equivolume point (xVRe2o,yVRe2o), and Tieline's Slope.

References

MERCHUK, J. C.; ANDREWS, B. A.; ASENJO, J. A. Aqueous two-phase systems for protein separation: Studies on phase inversion. *Journal of Chromatography B: Biomedical Sciences and Applications*, v. 711, n. 1-2, p. 285-293, 1998. ISSN 0378-4347. ([ScienceDirect](#))

Examples

```
## Not run:
AQSys.LevArmRule(dataSET, Xm, Ym, Vt, Vb, dyt, dyb, WT, WB, byW = FALSE)

## End(Not run)
```

AQSys.plot

*Dataset and Fitted Function plot***Description**

The function returns a plot after fitting a dataset to the mathematical descriptor chosen by the user.

Usage

```
## S3 method for class 'plot'
AQSys(dataSET, xlbl = "", ylbl = "", main = NULL,
      col = "blue", type = "p", cex = 1, cexlab = 1, cexaxis = 1,
      cexmain = 1, cexsub = 1, modelName = "merchuk", NP = 100,
      xmax = "", ymax = "", Order = "xy", save = FALSE, HR = FALSE,
      filename = NULL, wdir = NULL, silent = FALSE, ...)
```

Arguments

dataSET	- Binodal Experimental data that will be used in the nonlinear fit. It might hold multiple systems stacked side-by-side. [type:data.frame]
xlbl	Plot's Horizontal axis label.
ylbl	Plot's Vertical axis label.
main	Legacy from plot package. For more details, see plot.default
col	Legacy from plot package. For more details, see plot.default
type	Legacy from plot package. For more details, see plot.default
cex	Legacy from plot package. For more details, see plot.default
cexlab	Legacy from plot package. For more details, see plot.default
cexaxis	Legacy from plot package. For more details, see plot.default
cexmain	Legacy from plot package. For more details, see plot.default
cexsub	Legacy from plot package. For more details, see plot.default
modelName	- Character String specifying the nonlinear empirical equation to fit data. The default method uses Merchuk's equation. Other possibilities can be seen in AQSysList() .
NP	Number of points used to build the fitted curve. Default is 100. [type:Integer]
xmax	Maximum value for the Horizontal axis' value
ymax	Maximum value for the Vertical axis' value
Order	Defines how the data is organized in the Worksheet. Use "xy" whether the first column corresponds to the lower phase fraction and "yx" whether the opposite.
save	Save the generated plot in the disk using path and filename provided by the user. [type:Booulean]
HR	Adjust Plot's text to be compatible with High Resolution size [type:Booulean]

filename	Filename provided by the user to save a given plot. [type:String]
wdir	The directory in which the plot file will be saved. [type:String]
silent	save plot file without actually showing it to the user. [type:Boolean]
...	Additional optional arguments. None are used at present.

Details

This version uses the plot function and return a regular orthogonal plot.

Value

A plot containing the experimental data, the correspondent curve for the binodal in study and the curve's raw XY data.

Examples

```
#Populating variable dataSET with binodal data
dataSET <- peg4kslt[, 1:2]
# Plot dataSET using Merchuk's function
#
AQSys.plot(dataSET)
#
```

AQSysBancroft

Bancroft's Potential Equation - tie-line's correlation

Description

Bancroft's equation to correlate tie-line's data.

Usage

```
AQSysBancroft(dataSET, ...)
```

Arguments

dataSET	- Tieline Experimental data that will be used in the nonlinear fit
...	Additional optional arguments. None are used at present.

Value

Parameters k1, r and Statistical data

References

TUBIO, G. et al. Liquid-liquid equilibrium of the Ucon 50-HB5100/sodium citrate aqueous two-phase systems. Separation and Purification Technology, v. 65, n. 1, p. 3-8, 2009. ISSN 1383-5866. ([ScienceDirect](#))

Examples

```
# dataSET is a data.frame which contains series of Tieline's mass fraction
# (upper-rich component, bottom-rich component and water)
# Each column in the data.frame represents a series of one component mass fraction
# For example, an empty data.frame for four tielines can be obtaining using:
dataSET <- matrix(NA,nrow=4,ncol=6)
# Variables order must follows the sequence presented below:
# "mfXt","mfYt","mfXb","mfYb","mfWt","mfWb"
# In which: mf stands for mass fraction; X and Y for the component
# rich in bottom and upper phase, respectively; t or b for top and
# bottom phases and W for water.
# Then you just need to load the data.frame in the function:
## Not run:
AQSysBancroft(dataSET, Order = "xy")

## End(Not run)
```

AQSysCurve

This functions plot a curve based in the chosen model and its parameters.

Description

The function returns a plot after using the parameters and model given by the user.

Usage

```
AQSysCurve(modelName, modelPars, seriesNames = NULL, xlbl = "",
  ylbl = "", col = "black", type = "p", cex = 1, cexlab = 1,
  cexaxis = 1, cexmain = 1, cexsub = 1, xmax = 35, HR = FALSE,
  NP = 100, filename = NULL, wdir = NULL, save = FALSE,
  silent = FALSE, ...)
```

Arguments

modelName	Equation to be used: merchuk, murugesan [type:string]
modelPars	Model's parameters [type::data.frame]
seriesNames	A list of sequential names which will identify each system provided by the user in the dataSET variable. [type:List]
xlbl	Plot's Horizontal axis label.
ylbl	Plot's Vertical axis label.
col	Legacy from plot package. For more details, see plot.default
type	1-character string giving the type of plot desired. The following values are possible, for details, see plot : "p" for points, "l" for lines, "b" for both points and lines, "c" for empty points joined by lines, "o" for overplotted points and lines, "s" and "S" for stair steps and "h" for histogram-like vertical lines. Finally, "n" does not produce any points or lines.

cex	Legacy from plot package. For more details, see plot.default
cexlab	Legacy from plot package. For more details, see plot.default
cexaxis	Legacy from plot package. For more details, see plot.default
cexmain	Legacy from plot package. For more details, see plot.default
cexsub	Legacy from plot package. For more details, see plot.default
xmax	Maximum value for the Horizontal axis' value (bottom-rich component) [type:double]
HR	Adjust Plot's text to be compatible with High Resolution size [type:Logical]
NP	Number of points used to build the fitted curve. Default is 100. [type:Integer]
filename	Filename provided by the user to save a given plot. [type:String]
wdir	The directory in which the plot file will be saved. [type:String]
save	Save the generated plot in the disk using path and filename provided by the user. [type:Logical]
silent	save plot file without actually showing it to the user. [type:Logical]
...	other graphical parameters (see par and section 'Details' below).

Details

The function owns predefined set of equations that can be seen below and must be used, with adequated parameters, to return a plot which represent the chosen model.

Value

A plot using the input model within the chosen interval and the curve's raw XY data. If no interval is selected, $x_{max} = 0.4$.

Examples

```
## Not run:
AQSysCurve("murugesan", data.frame(90.389, -34.897, 2.924), col = "red")

## End(Not run)
```

AQSysDB

AQSysDB

Description

Import DB data from an Excel Worksheet and process it through mathematical descriptors to output a highly structured variable comparable to a Database and which hold a list of references, chemicals and parameters for any implemented mathematical descriptors.

Usage

```
AQSysDB(path)
```


Arguments

path String containing the full path to the XLS or XLSX file.

Examples

```
## Not run:
AQSysDB("C:/data.xlsx")

## End(Not run)
```

AQSysDOE

AQSysDOE

Description

The function uses a ATPS characterization data to build a Design Of Experiments (DOE) matrix based on Tie-Line Length (TLL) and Volume Ratio. see [AQSysEval](#) for more details.

Usage

```
AQSysDOE(dataSET, db = LLSR::llsr_data, slope = NULL, xmax = NULL,
          modelName = "merchuk", nTL = 3, nPoints = 3, tol = 1e-05)
```

Arguments

dataSET - Binodal Experimental data that will be used in the nonlinear fit.

db A highly structure db containing data from previously analysed data. LLSR database is used by default but user may input his own db if formatted properly.

slope The method assumes all tielines for a given ATPS are parallel, thus only one slope is required. [type:double]

xmax Maximum value for the Horizontal axis' value (bottom-rich component). [type:double]

modelName Character String specifying the nonlinear empirical equation to fit data. The default method uses Merchuk's equation. Other mathematical descriptors can be listed using AQSysList(). [type:string]

nTL Number of tielines plotted for a given ATPS. Default is 3. [type:Integer]

nPoints Number of points chosen for a given tieline. Default is 3. [type:Integer]

tol limit of tolerance to reach to assume convergence. Default is 1e-5. [type:Integer]

Examples

```
# dataSET is a data.frame which contains series of Tieline's mass fraction and information
# from both components and #' # extraction conditions (T, pH). The function perform a system
# characterizaion based on data stored in LLSR's database (or provided by the user)
# and then calculate a DOE based on the input.
## Not run:
dataSET <- AQSearch.Binodal(db.uid='56b53a50f500c502fa4a65d197fc6d84')
ans <- AQSysDOE(dataSET2, nTL = 5, nPoints = 5)
View(ans$DOE)

## End(Not run)
```

AQSysEval

AQSysEval

Description

The function perform a full ATPS characterization (parameters, tie-line boundaries and critical point), generating a brief report.

Usage

```
AQSysEval(dataSET, db = LLSR::llsr_data, xmax = NULL, ymax = NULL,
  NP = 100, slope = NULL, modelName = "merchuk",
  convrgnceLines = FALSE, nTL = 3, nPoints = 3, tol = 1e-05,
  xlabel = "", ylabel = "", seriesNames = NULL, save = FALSE,
  HR = FALSE, autoname = FALSE, wdir = NULL, silent = TRUE)
```

Arguments

dataSET	- Binodal Experimental data that will be used in the nonlinear fit. [type:data.frame]
db	A highly structure db containing data from previously analised data. LLSR database is used by default but user may input his own db if formatted properly.
xmax	Maximum value for the Horizontal axis' value (bottom-rich component). [type:double]
ymax	Maximum value for the vertical axis' value (bottom-rich component). [type:double]
NP	Number of points used to build the fitted curve. Default is 100. [type:Integer]
slope	The method assumes all tielines for a given ATPS are parallel, thus only one slope is required. [type:double]
modelName	Character String specifying the nonlinear empirical equation to fit data. The default method uses Merchuk's equation. Other mathematical descriptors can be listed using AQSysList(). [type:string]
convrgnceLines	Magnify Plot's text to be compatible with High Resolution size [type:Logical]
nTL	Number of tielines plotted for a given ATPS. Default is 3. [type:Integer]
nPoints	Number of points chosen for a given tieline. Default is 3. [type:Integer]

tol	limit of tolerance to reach to assume convergence. Default is 1e-5. [type:Integer]
xlbl	Plot's Horizontal axis label. [type:String]
ylbl	Plot's Vertical axis label. [type:String]
seriesNames	Number of points used to build the fitted curve. Default is 100. [type:Integer]
save	Save the generated plot in the disk using path and filename provided by the user. Default is FALSE. [type:Logical]
HR	Magnify Plot's text to be compatible with High Resolution size [type:Logical]
autoname	Number of points used to build the fitted curve. Default is FALSE. [type:Logical]
wdir	The directory in which the plot file will be saved. [type:String]
silent	save plot file without actually showing it to the user. Default is FALSE. [type:Logical]

References

KAUL, A. The Phase Diagram. In: HATTI-KAUL, R. (Ed.). Aqueous Two-Phase Systems: Methods and Protocols: Humana Press, v.11, 2000. cap. 2, p.11-21. (Methods in Biotechnology). ISBN 978-0-89603-541-6. ([SpringerLink](#))

Examples

```
## Not run:
dataSET <- AQSearch.Binodal(db.uid='56b53a50f500c502fa4a65d197fc6d84')
xLabel <- "Ammonium Sulphate"
yLabel <- "Poly(ethylene glycol) 2000"
EvalData <- AQSysEval(dataSET2 , xlbl = xLabel, ylbl = yLabel)

## End(Not run)
```

AQSysList

Aqueous Systems Descriptors already implemented

Description

The function returns a list of all mathematical descriptors available at the time.

Usage

```
AQSysList(npars = FALSE)
```

Arguments

npars Logic option to return a List variable containing the number of required parameters for each equation.

 AQSysOthmer

Othmer's Equation - Tieline's correlation

Description

Othmer's equation to correlate tieline's data applying the lever's rule.

Usage

```
AQSysOthmer(dataSET, ...)
```

Arguments

```
dataSET      - Tieline Experimental data that will be used in the nonlinear fit
...          Additional optional arguments. None are used at present.
```

Value

Parameters A, B and Statistical data

References

OTHMER, D.; TOBIAS, P. Liquid-Liquid Extraction Data - The Line Correlation. *Industrial & Engineering Chemistry*, v. 34, n. 6, p. 693-696, 1942/06/01 1942. ISSN 0019-7866. ([ACS Publications](#))

Examples

```
# dataSET is a data.frame which contains series of Tieline's mass fraction
# (upper-rich component, bottom-rich component and water)
# Each column in the data.frame represents a series of one component mass fraction
# For example, an empty data.frame for four tielines can be obtaining using:
dataSET<-matrix(NA,nrow=4,ncol=6)
# Variables order must follows the sequence presented below:
# "mfXt", "mfYt", "mfXb", "mfYb", "mfWt", "mfWb"
# In which: mf stands for mass fraction; X and Y for the component
# rich in bottom and upper phase, respectively; t or b for top and
# bottom phases.
# Then you just need to load the data.frame in the function:
## Not run:
AQSysOthmer(dataSET, Order = "xy")

## End(Not run)
```

 AQSysPlot

AQSysPlot

Description

This functions plot binodal data as a curve in a pre-defined high quality theme ready for publication.

Usage

```
AQSysPlot(dataSET, Order = "xy", xlbl = "", ylbl = "",
  seriesNames = NULL, save = FALSE, filename = NULL, HR = FALSE,
  wdir = NULL, silent = FALSE)
```

Arguments

dataSET	- Binodal Experimental data that will be used in the nonlinear fit. It might hold multiple systems stacked side-by-side. [type:data.frame]
Order	Defines how the data is organized in the Worksheet. Use "xy" whether the first column corresponds to the lower phase fraction and "yx" whether the opposite. [type:string]
xlbl	Plot's Horizontal axis label.
ylbl	Plot's Vertical axis label.
seriesNames	A list of sequential names which will identify each system provided by the user in the dataSET variable. [type:List]
save	Save the generated plot in the disk using path and filename provided by the user. Default is False. [type:Logical]
filename	A filename provided by the user to save a given plot. No default is provided. [type:String]
HR	Adjust Plot's text to be compatible with High Resolution size [type:Logical]
wdir	The directory in which the plot file will be saved. [type:String]
silent	save plot file without actually showing it to the user. Default is FALSE. [type:Logical]

Details

The function have a predefined set of ggplot2 features adjusted to return a high quality picture. More suitable for plotting fitted data, once binodal data usually determined through cloudy-phase point will look irregular.

Value

The plot is returned as a ggplot2 object that can be manipulated accordingly.

Examples

```
# Populating variable dataSET with binodal data
dataSET <- peg4ks1t[ , 1:2]
# Fitting dataSET using Merchuk's function
data <- AQSys.data(dataSET, Order = "xy")
AQSysPlot(data)
```

export_data

LLSR Data Exporter

Description

The function saves a copy of a specified variable to a file in the folder pointed by the user.

Usage

```
export_data(localData = NULL)
```

Arguments

localData A variable existing in R environment and that will be saved locally.

export_template

LLSR Template Exporter

Description

The function makes a copy of LLSR's template file and copy it to the folder pointed by the user.

Usage

```
export_template()
```

llsr_data	<i>LLSR's database</i>
-----------	------------------------

Description

A database is a highly structured collection of data generally stored and accessed from a computer system and stores raw data and parameters for all analysed ATPS phase diagrams.

Format

multi-level data.frame()

db.ref Table from LLSR's database in which the references for all used manuscripts are stored.

db.sys Table from LLSR's database in which parameters for all implemented mathematical descriptors are stored. Statistic data is also available.

db.cas Table from LLSR's database in which information regarded all chemicals (such as name and CAS number) used in the collected data.

db.data Table from LLSR's database in which raw experimental data is tabulated. The data was used to calculate all properties made available in this package.

db.tielines Table from LLSR's database in which raw experimental data, used to calculate tielines compositions and slopes, are stored. ...

Source

<https://github.com/diegofcoelho/LLSR/>

Examples

```
#
XYdt <- llsr_data[["db.data"]][, 1:2]
Xdt <- llsr_data[["db.data"]][, 1]
Ydt <- llsr_data[["db.data"]][, 2]
```

peg4ks1t	<i>Dataset of experimental binodal data of an ATPS</i>
----------	--

Description

A dataset containing the experimental binodal data for a PEG/SALT Aqueous Two-Phases System (ATPS)

Format

multi-level data.frame()

XC Ammonium Sulphate mass fraction

YC Poly(ethylene glycol) mass fraction ...

Examples

```
#  
XYdt <- peg4kslt[,1:2]  
#  
Xdt<-peg4kslt[,1]  
#  
Ydt<-peg4kslt[,1]
```


Index

AQSearch, [2](#)
AQSearch.Binodal, [3](#)
AQSearch.Parameter, [4](#)
AQSearch.Slope, [5](#)
AQSearch.Tieline, [6](#)
AQSys, [7](#)
AQSys.CritPoint, [9](#)
AQSys.data, [10](#)
AQSys.default, [9](#)
AQSys.LevArmRule, [9](#), [11](#)
AQSys.plot, [9](#), [13](#)
AQSysBancroft, [9](#), [14](#)
AQSysCurve, [15](#)
AQSysDB, [16](#)
AQSysDOE, [17](#)
AQSysEval, [17](#), [18](#)
AQSysList, [19](#)
AQSysOthmer, [9](#), [20](#)
AQSysPlot, [21](#)

export_data, [22](#)
export_template, [22](#)

graphical parameters, [16](#)

llsr_data, [23](#)

par, [16](#)
peg4kslt, [23](#)
plot, [15](#)
plot.default, [13](#), [15](#), [16](#)