

Package ‘googleAnalyticsR’

November 4, 2019

Type Package

Version 0.7.1

Title Google Analytics API into R

Description Interact with the Google Analytics

APIs <<https://developers.google.com/analytics/>>, including the Core Reporting API (v3 and v4), Management API, User Activity API and Multi-Channel Funnel API.

URL <http://code.markedmondson.me/googleAnalyticsR/>

BugReports <https://github.com/MarkEdmondson1234/googleAnalyticsR/issues>

Depends R (>= 3.3.0)

Imports assertthat (>= 0.2.0), dplyr (>= 0.8.0), googleAuthR (>= 1.1.1), httr (>= 1.3.1), jsonlite (>= 1.5), magrittr (>= 1.5), memoise, methods, purrr (>= 0.2.2), rlang (>= 0.1.0), stats, tibble (>= 2.0.1), tidyr (>= 1.0.0), utils

Suggests bigQueryR (>= 0.3.1), covr, formatR, ganalytics, googleCloudStorageR (>= 0.2.0), htmlwidgets, httptest (>= 3.2.2), knitr, miniUI (>= 0.1.1), rmarkdown, shiny (>= 0.13.2)

License MIT + file LICENSE

LazyData TRUE

RoxygenNote 6.1.1

NeedsCompilation no

Author Mark Edmondson [aut, cre] (<<https://orcid.org/0000-0002-8434-3881>>),
Artem Klevtsov [ctb],
Johann deBoer [ctb],
David Watkins [ctb],
Olivia Brode-Roger [ctb],
Jas Sohi [ctb],
Zoran Selinger [ctb],
Octavian Corlade [ctb]

Maintainer Mark Edmondson <m@sunholo.com>

Repository CRAN

Date/Publication 2019-11-04 10:10:02 UTC

R topics documented:

authDropdown	4
authDropdownUI	5
dim_filter	5
fetch_google_analytics_4	7
fetch_google_analytics_4_slow	8
filter_clause_ga4	9
ga_accounts	10
ga_account_list	11
ga_adwords	12
ga_adwords_add_linkid	12
ga_adwords_delete_linkid	13
ga_adwords_list	14
ga_aggregate	15
ga_allowed_metric_dim	16
ga_auth	16
ga_cache_call	18
ga_clientid_activity	19
ga_clientid_activity_unnest	20
ga_clientid_deletion	22
ga_clientid_hash	23
ga_custom_datasource	24
ga_custom_upload	25
ga_custom_upload_delete	26
ga_custom_upload_file	27
ga_custom_upload_list	28
ga_custom_vars	29
ga_custom_vars_create	30
ga_custom_vars_list	31
ga_custom_vars_patch	32
ga_experiment	33
ga_experiment_list	34
ga_filter	34
ga_filter_add	35
ga_filter_apply_to_view	37
ga_filter_delete	38
ga_filter_list	38
ga_filter_update	39
ga_filter_update_filter_link	40
ga_filter_view	41
ga_filter_view_list	42
ga_goal	43
ga_goal_add	43
ga_goal_list	46
ga_goal_update	46
ga_meta	48
ga_model	48

ga_model_edit	49
ga_model_example	49
ga_model_load	50
ga_model_make	50
ga_model_save	52
ga_model_tweet	53
ga_model_write	54
ga_remarketing_build	55
ga_remarketing_create	56
ga_remarketing_estimate	57
ga_remarketing_get	58
ga_remarketing_list	59
ga_segment_list	59
ga_unsampled	60
ga_unsampled_download	60
ga_unsampled_list	62
ga_users_add	63
ga_users_delete	64
ga_users_delete_linkid	65
ga_users_list	66
ga_users_update	67
ga_view	68
ga_view_list	69
ga_webproperty	70
ga_webproperty_list	71
googleAnalyticsR	71
google_analytics	72
google_analytics_3	74
google_analytics_bq	77
make_cohort_group	78
make_ga_4_req	80
meta	82
met_filter	83
multi_select	84
multi_selectUI	85
order_type	86
pivot_ga4	86
segmentBuilder	88
segmentBuilderUI	89
segment_define	90
segment_element	90
segment_ga4	91
segment_vector_sequence	94
segment_vector_simple	95

authDropdown	<i>authDropdown [Shiny Module]</i>
--------------	------------------------------------

Description

Shiny Module for use with [authDropdownUI](#)

Usage

```
authDropdown(input, output, session, ga.table, viewIdOnly = TRUE,  
             rmNA = TRUE)
```

Arguments

input	shiny input
output	shiny output
session	shiny session
ga.table	A table of GA tables
viewIdOnly	Default only returns the viewId, set to FALSE to return the row of ga.table satisfying the selections
rmNA	Will remove any rows that have NA listed for the columns. Set to FALSE to return all rows.

Details

Call via `shiny::callModule(authDropdown, "your_id")`

Value

GA View Id selected

See Also

Other Shiny modules: [authDropdownUI](#), [multi_selectUI](#), [multi_select](#)

authDropdownUI	<i>authDropdown UI [Shiny Module]</i>
----------------	---------------------------------------

Description

Makes a dropdown row for use for authentication.

Usage

```
authDropdownUI(id, width = NULL, inColumns = FALSE)
```

Arguments

id	Shiny id.
width	The width of the input
inColumns	whether to wrap selectInputs in width=4 columns. Shiny Module for use with authDropdown .

Value

Shiny UI

See Also

Other Shiny modules: [authDropdown](#), [multi_selectUI](#), [multi_select](#)

dim_filter	<i>Make a dimension filter object</i>
------------	---------------------------------------

Description

Make a dimension filter object

Usage

```
dim_filter(dimension, operator = c("REGEXP", "BEGINS_WITH", "ENDS_WITH",
  "PARTIAL", "EXACT", "NUMERIC_EQUAL", "NUMERIC_GREATER_THAN",
  "NUMERIC_LESS_THAN", "IN_LIST"), expressions, caseSensitive = FALSE,
  not = FALSE)
```

Arguments

dimension	dimension name to filter on.
operator	How to match the dimension.
expressions	What to match. A character vector if operator is "IN_LIST"
caseSensitive	Boolean.
not	Logical NOT operator. Boolean.

Value

An object of class `dim_fil_ga4` for use in `filter_clause_ga4`

See Also

Other filter functions: `filter_clause_ga4`, `met_filter`

Examples

```
## Not run:
library(googleAnalyticsR)

## authenticate,
## or use the RStudio Addin "Google API Auth" with analytics scopes set
ga_auth()

## get your accounts
account_list <- google_analytics_account_list()

## pick a profile with data to query

ga_id <- account_list[23,'viewId']

## create filters on metrics
mf <- met_filter("bounces", "GREATER_THAN", 0)
mf2 <- met_filter("sessions", "GREATER", 2)

## create filters on dimensions
df <- dim_filter("source", "BEGINS_WITH", "1", not = TRUE)
df2 <- dim_filter("source", "BEGINS_WITH", "a", not = TRUE)

## construct filter objects
fc2 <- filter_clause_ga4(list(df, df2), operator = "AND")
fc <- filter_clause_ga4(list(mf, mf2), operator = "AND")

## make v4 request
ga_data1 <- google_analytics_4(ga_id,
                              date_range = c("2015-07-30", "2015-10-01"),
                              dimensions=c('source', 'medium'),
                              metrics = c('sessions', 'bounces'),
                              met_filters = fc,
                              dim_filters = fc2,
                              filtersExpression = "ga:source!=(direct)")

## End(Not run)
```

`fetch_google_analytics_4`*Fetch multiple GAv4 requests*

Description

Fetch the GAv4 requests as created by [make_ga_4_req](#)

Usage

```
fetch_google_analytics_4(request_list, merge = FALSE,
  useResourceQuotas = NULL)
```

Arguments

<code>request_list</code>	A list of requests created by make_ga_4_req
<code>merge</code>	If TRUE then will rbind that list of data.frames
<code>useResourceQuotas</code>	If using GA360, access increased sampling limits. Default NULL, set to TRUE or FALSE if you have access to this feature.

Details

For same viewId, daterange, segments, samplingLevel and cohortGroup, v4 batches can be made

Value

A dataframe if one request, or a list of data.frames if multiple.

See Also

Other GAv4 fetch functions: [fetch_google_analytics_4_slow](#), [google_analytics](#), [make_ga_4_req](#)

Examples

```
## Not run:
library(googleAnalyticsR)

## authenticate,
## or use the RStudio Addin "Google API Auth" with analytics scopes set
ga_auth()

## get your accounts
account_list <- ga_account_list()

## pick a profile with data to query
```

```
ga_id <- account_list[23,'viewId']

ga_req1 <- make_ga_4_req(ga_id,
                        date_range = c("2015-07-30","2015-10-01"),
                        dimensions=c('source','medium'),
                        metrics = c('sessions'))

ga_req2 <- make_ga_4_req(ga_id,
                        date_range = c("2015-07-30","2015-10-01"),
                        dimensions=c('source','medium'),
                        metrics = c('users'))

fetch_google_analytics_4(list(ga_req1, ga_req2))

## End(Not run)
```

fetch_google_analytics_4_slow

Fetch GAv4 requests one at a time

Description

Due to large complicated queries causing the v4 API to timeout, this option is added to fetch via the more traditional one report per request

Usage

```
fetch_google_analytics_4_slow(request_list, max_rows, allRows = FALSE,
                              useResourceQuotas = NULL)
```

Arguments

request_list	A list of requests created by make_ga_4_req
max_rows	Number of rows requested (if not fetched)
allRows	Whether to fetch all available rows
useResourceQuotas	If using GA360, access increased sampling limits. Default NULL, set to TRUE or FALSE if you have access to this feature.

Value

A dataframe of all the requests

See Also

Other GAv4 fetch functions: [fetch_google_analytics_4](#), [google_analytics](#), [make_ga_4_req](#)

filter_clause_ga4 *Make a dimension or metric filter clause object*

Description

Make a dimension or metric filter clause object

Usage

```
filter_clause_ga4(filters, operator = c("OR", "AND"))
```

Arguments

filters a list of [dim_filter](#) or [met_filter](#). Only one type allowed.
operator combination of filter.

Details

If you have dimension and metric filters, make the clauses in two separate calls, then pass the objects to [make_ga_4_req](#)

Value

An object of class `dim_fil_ga4` or `met_fil_ga4` for use in [make_ga_4_req](#)

See Also

Other filter functions: [dim_filter](#), [met_filter](#)

Examples

```
## Not run:
library(googleAnalyticsR)

## authenticate,
## or use the RStudio Addin "Google API Auth" with analytics scopes set
ga_auth()

## get your accounts
account_list <- google_analytics_account_list()

## pick a profile with data to query

ga_id <- account_list[23, 'viewId']

## create filters on metrics
mf <- met_filter("bounces", "GREATER_THAN", 0)
mf2 <- met_filter("sessions", "GREATER", 2)
```

```
## create filters on dimensions
df <- dim_filter("source", "BEGINS_WITH", "1", not = TRUE)
df2 <- dim_filter("source", "BEGINS_WITH", "a", not = TRUE)

## construct filter objects
fc2 <- filter_clause_ga4(list(df, df2), operator = "AND")
fc <- filter_clause_ga4(list(mf, mf2), operator = "AND")

## make v4 request
ga_data1 <- google_analytics(ga_id,
                             date_range = c("2015-07-30", "2015-10-01"),
                             dimensions=c('source', 'medium'),
                             metrics = c('sessions', 'bounces'),
                             met_filters = fc,
                             dim_filters = fc2,
                             filtersExpression = "ga:source!=(direct)")

## End(Not run)
```

ga_accounts

List account metadata

Description

This gets a list of account meta data, that can be used in other management API functions.

Usage

```
ga_accounts()
```

Details

This gets the meta data associated with the accounts you have access to with your user. If you want all information such as web properties and viewIds, use [ga_account_list](#) instead.

Value

A data.frame with accountid, name, an R datetime object (POSIXct) when the account was created and last updated, and the effective permissions your user has for those accounts.

See Also

Other account structure functions: [ga_account_list](#), [ga_view_list](#), [ga_view](#), [ga_webproperty_list](#), [ga_webproperty](#)

Examples

```
## Not run:  
  
library(googleAnalyticsR)  
ga_auth()  
ga_accounts()  
  
## End(Not run)
```

ga_account_list	<i>Account summary for all accounts available to your user</i>
-----------------	--

Description

This is the recommended way to get all your account details for your user, including the web property and View IDs. The `$viewId` column contains the ID you need for the data fetching functions such as [google_analytics](#).

Usage

```
ga_account_list()
```

Details

Get a summary of all your accounts, web properties and views your authenticated user can see.

Value

a dataframe of all account, webproperty and view data

See Also

<https://developers.google.com/analytics/devguides/config/mgmt/v3/mgmtReference/management/accountSummaries/list>
Other account structure functions: [ga_accounts](#), [ga_view_list](#), [ga_view](#), [ga_webproperty_list](#), [ga_webproperty](#)

Examples

```
## Not run:  
  
library(googleAnalyticsR)  
ga_auth()  
al <- ga_account_list()  
al$viewId  
  
## End(Not run)
```

 ga_adwords

Get AdWords Link meta data

Description

Get AdWords Link meta data

Usage

```
ga_adwords(accountId, webPropertyId, webPropertyAdWordsLinkId)
```

Arguments

accountId	Account Id
webPropertyId	Web Property Id
webPropertyAdWordsLinkId	AdWords Link Id

Value

AdWords Meta data

See Also

Other Google Ad management functions: [ga_adwords_add_linkid](#), [ga_adwords_delete_linkid](#), [ga_adwords_list](#)

 ga_adwords_add_linkid

Creates a Google Analytics webProperty-Google Ads link

Description

Creates a link between and Adwords (Google ads) account and a Google Analytics property so that Adwords data can be accessed via Google Analytics and vice versa.

Usage

```
ga_adwords_add_linkid(adwordsAccountId, linkName, accountId, webPropertyId)
```

Arguments

adwordsAccountId	the customer id of the Adwords account visible within the Adwords account UI on the top right corner -or accessible via the Adwords API
linkName	a user defined way to call the link between the Adwords and Google Analytics accounts
accountId	Account Id
webPropertyId	Web Property Id

Value

confirmation message if successful

See Also

[Google documentation](#)

Other Google Ad management functions: [ga_adwords_delete_linkid](#), [ga_adwords_list](#), [ga_adwords](#)

Examples

```
## Not run:  
library(googleAnalyticsR)  
ga_auth()  
  
ga_adwords_add_linkid("280-234-7592", "Google Ads Link", "65973592", "UA-65973592-1")  
  
## End(Not run)
```

ga_adwords_delete_linkid

Deletes a Google Analytics webProperty-Google Ads link

Description

Removes a link between and Adwords (Google ads) account and a Google Analytics property

Usage

```
ga_adwords_delete_linkid(accountId, webPropertyId,  
  webPropertyAdWordsLinkId)
```

Arguments

accountId	Account Id
webPropertyId	Web Property Id
webPropertyAdWordsLinkId	webPropertyAdWordsLinkId

Value

HTTP Status Code 204 with empty response body, if successful

See Also

[Google documentation](#)

Other Google Ad management functions: [ga_adwords_add_linkid](#), [ga_adwords_list](#), [ga_adwords](#)

Examples

```
## Not run:

library(googleAnalyticsR)
ga_auth()

# get the ID of the Adwords- Google Analytics link that you want to delete
# ID corresponding to the webPropertyAdWordsLinkId field
ga_adwords_list(65973592, "UA-65973592-1")

ga_adwords_delete_linkid(65973592, "UA-65973592-1", "ezW2dyaiQcGheWRAo69nCw")

# check its gone
ga_adwords_list(65973592, "UA-65973592-1")

## End(Not run)
```

ga_adwords_list

List AdWords

Description

List AdWords

Usage

```
ga_adwords_list(accountId, webPropertyId)
```

Arguments

accountId	Account Id
webPropertyId	Web Property Id

Value

AdWords Links

See Also

Other Google Ad management functions: [ga_adwords_add_linkid](#), [ga_adwords_delete_linkid](#), [ga_adwords](#)

`ga_aggregate`*Aggregate a Google Analytics dataframe over inputted columns*

Description

A helper function to aggregate over dimensions

Usage

```
ga_aggregate(ga_data, agg_names = NULL,  
             mean_regex = "^avg|^percent|Rate$|^CPC$|^CTR$|^CPM$|^RPC$|^ROI$|^ROAS$|Per$")
```

Arguments

<code>ga_data</code>	A dataframe of data to aggregate
<code>agg_names</code>	The columns to aggregate over
<code>mean_regex</code>	The regex for column names to do mean() rather than sum()

Details

Will auto select metrics if they are numeric class columns. Will auto perform mean aggregation if metric names match `mean_regex` argument. If `agg_names` is NULL will aggregate over all

Examples

```
## Not run:  
  
# use `aggregateGAData` so you can on the fly create summary data  
ga_data <- google_analytics(81416156,  
                           date_range = c("10daysAgo", "yesterday"),  
                           metrics = "sessions", dimensions = c("hour", "date"))  
  
# if we want totals per hour over the dates:  
ga_aggregate(ga_data[,c("hour", "sessions")], agg_names = "hour")  
  
# it knows not to sum metrics that are rates:  
ga_aggregate(ga_data[,c("hour", "bounceRate")], agg_names = "hour")  
  
## End(Not run)
```

ga_allowed_metric_dim *Create named list of allowed GA metrics/dimensions*

Description

Create named list of allowed GA metrics/dimensions

Usage

```
ga_allowed_metric_dim(type = c("METRIC", "DIMENSION"),
  subType = c("all", "segment", "cohort"), callAPI = FALSE)
```

Arguments

type	Type of parameter to create
subType	to restrict to only those in this type
callAPI	This will update the meta table (Requires online authorization) This is useful to expand goalXCompletions to all the possibilities, as well as restricting to those that variables that work with your API call. Use internal meta table, but you have option to update to the latest version.

Value

A named list of parameters for use in API calls

ga_auth *Authenticate with Google Analytics OAuth2*

Description

A wrapper for [gar_auth](#) and [gar_auth_service](#)

Usage

```
ga_auth(token = NULL, email = NULL)
```

Arguments

token	An existing token or file location of a token to authenticate with
email	An existing cached email to authenticate with or TRUE to authenticate with only email available. If not set then you will get an interactive prompt asking you to choose which email to authenticate with.

Details

Run this function first time to authenticate with Google in your browser.

After initial authentication, your authentication details will be kept globally for use later, tied to your email, and the next time you authenticate you will be given a prompt to choose which email to authenticate from. Set `email="your@email.com"` to skip the interactive prompt.

Value

Invisibly, the token that has been saved to the session

Multiple accounts

You can authenticate with a new email for each account. Supply a different email to use those details for your session.

Service accounts

If you use the service account JSON, you will need to add the service account email to your Google Analytics users to see data e.g. `xxxx@yyyyyy.iam.gserviceaccount.com`

Auto-authentication

You can choose to auto-authenticate by creating a Google OAuth service account JSON file.

Specify an environment variable in R via a `.Renv` file or using `Sys.setenv` which points to the file location of your chosen authentication file. See [Startup](#)

Once you have set the environment variable `GA_AUTH_FILE` to a valid file location, the function will look there for authentication details upon loading the library meaning you will not need to call `ga_auth()` yourself as you would normally.

An example `.Renv` file is below:

```
GA_AUTH_FILE = "/Users/bob/auth/googleAnalyticsR.json"
```

`GA_AUTH_FILE` can be a service account JSON ending with file extension `.json`. Make sure to give the service account email access to your Google Analytics account as mentioned above.

Your own Google Project

By default the Google Project used is shared by all users, so you may find it runs out of API calls. To mitigate that, create your own Google Project and turn on the Analytics APIs.

The best way to do this is to use [gar_set_client](#) by downloading your JSON client credentials and setting them to be found on package startup via the `GAR_CLIENT_JSON` environment argument. See `?googleAuthR::gar_set_client` function help pages for details.

Or you can then copy your Google Cloud Project's client ID and client secret, to place in options or environment arguments (whichever is easiest)

The environment args are below. Similar to auto-authentication, you can place your entries in an `.Renv` file

```
GA_CLIENT_ID="XXXX" GA_CLIENT_SECRET="XXX" GA_WEB_CLIENT_ID="XXX" GA_WEB_CLIENT_SECRET="XXX"
```

Examples

```
## Not run:

# to use default package credentials (for testing)
library(googleAnalyticsR)
ga_auth()

# to use your own Google Cloud Project credentials
# go to GCP console and download client credentials JSON
# ideally set this in .Renviron file, not here but just for demonstration
Sys.setenv("GAR_CLIENT_JSON" = "location/of/file.json")
library(googleAnalyticsR)
# should now be able to log in via your own GCP project
ga_auth()

# reauthentication
# Once you have authenticated, set email to skip the interactive message
ga_auth(email = "my@email.com")

# or leave unset to bring up menu on which email to auth with
ga_auth()
# The googleAnalyticsR package is requesting access to your Google account.
# Select a pre-authorized account or enter '0' to obtain a new token.
# Press Esc/Ctrl + C to abort.
#1: my@email.com
#2: work@mybusiness.com
# you can set authentication for many emails, then switch between them e.g.
ga_auth(email = "my@email.com")
ga_account_list() # lists one set of accounts
ga_auth(email = "work@mybusiness.com")
ga_account_list() # lists second set of accounts

## End(Not run)
```

ga_cache_call

Setup caching of API calls

Description

Lets you cache API calls to disk

Usage

```
ga_cache_call(cache_location)
```

Arguments

cache_location If RAM will save to memory, or specify a file folder location

Details

By default this is turned on upon package load to RAM. Should you want to cache calls to a folder then run this function to specify where.

ga_clientid_activity *User Activity Request*

Description

Get activity on an individual user

Usage

```
ga_clientid_activity(ids, viewId, id_type = c("CLIENT_ID", "USER_ID"),
  activity_type = NULL, date_range = NULL)
```

Arguments

ids	The userId or clientId. You can send in a vector of them
viewId	The viewId
id_type	Whether its userId or clientId
activity_type	If specified, filters down response to the activity type. Choice between "PAGEVIEW", "SCREENVIEW", "GOAL"
date_range	A vector of start and end dates. If not used will default to a week.

Details

The User Activity API lets you query an individual user's movement through your website, by sending in the individual 'clientId' or 'userId'.

Bear in mind each call will count against your API quota, so fetching a large amount of client ids will be limited by that.

Use [ga_clientid_activity_unnest](#) to unnest deeply nested data in the hits data.

Value

A list of data.frames: \$sessions contains session level data. \$hits contains individual activity data

See Also

<https://developers.google.com/analytics/devguides/reporting/core/v4/rest/v4/userActivity/search>

Other clientid functions: [ga_clientid_activity_unnest](#), [ga_clientid_deletion](#), [ga_clientid_hash](#)

Examples

```
## Not run:

# access data for individual users
uar <- ga_clientid_activity(c("1106980347.1461227730", "476443645.1541099566"),
                           viewId = 81416156,
                           date_range = c("2019-01-01", "2019-02-01"))

# access clientIds for users who have transacted
viewId <- 106249469
date_range <- c("2019-01-01", "2019-02-01")
cids <- google_analytics(viewId,
                          date_range = date_range,
                          metrics = "sessions",
                          dimensions = "clientId",
                          met_filters = filter_clause_ga4(
                            list(met_filter("transactions",
                                             "GREATER_THAN",
                                             0)
                            )))
transactors <- ga_clientid_activity(cids$clientId,
                                    viewId = viewId,
                                    date_range = date_range)

# access the data.frames returned:

# the session level data for the users passed in
uar$sessions

# the hit level activity for the users passed in
uar$hits

# filter the response to only include certain activity types, such as goals:

only_goals <- ga_clientid_activity(c("1106980347.1461227730",
                                     "476443645.1541099566"),
                                   viewId = 81416156,
                                   date_range = c("2019-01-01", "2019-02-01"),
                                   activity_types = "GOAL")

## End(Not run)
```

ga_clientid_activity_unnest

Unnest user activity columns

Description

This helper function works with the output of user activity and parses out inner nested structure you may require.

Thanks to @jimmyg3g on GitHub for help with the ecommerce parsing.

Usage

```
ga_clientid_activity_unnest(hits, column = c("customDimension",  
      "ecommerce", "goals"))
```

Arguments

hits	The hits data.frame with the columns to expand
column	Which column to expand - one of "customDimension", "ecommerce", "goals"

Details

A function to help expand data out of nested columns returned by [ga_clientid_activity](#)

Value

An unnested data.frame tibble for all hits that matches the column

See Also

Other clientid functions: [ga_clientid_activity](#), [ga_clientid_deletion](#), [ga_clientid_hash](#)

Examples

```
## Not run:  
# access clientIds for users who have transacted  
viewId <- 106249469  
date_range <- c("2019-01-01", "2019-02-01")  
cids <- google_analytics(viewId,  
  date_range = date_range,  
  metrics = "sessions",  
  dimensions = "clientId",  
  met_filters = filter_clause_ga4(  
    list(met_filter("transactions",  
      "GREATER_THAN",  
      0)  
    )))  
  
transactors <- ga_clientid_activity(cids$clientId,  
  viewId = viewId,  
  date_range = date_range)  
  
# unnest ecommerce activity hits from users  
ga_clientid_activity_unnest(transactors$hits, "ecommerce")
```

```
# unnest goal activity hits from users
ga_clientid_activity_unnest(transactors$hits, "goals")

# unnest custom dimension activity hits from users
ga_clientid_activity_unnest(transactors$hits, "customDimension")

## End(Not run)
```

ga_clientid_deletion *Create or update a user deletion request*

Description

The Google Analytics User Deletion API allows customers to process deletions of data associated with a given user identifier.

Usage

```
ga_clientid_deletion(userId, propertyId, idType = c("CLIENT_ID",
  "USER_ID", "APP_INSTANCE_ID"), propertyType = c("ga", "firebase"))
```

Arguments

userId	A character vector of user ID's
propertyId	The Google Analytics Web property or Firebase ProjectId you are deleting the user from.
idType	Type of user. One of APP_INSTANCE_ID, CLIENT_ID or USER_ID.
propertyType	Firestore or Google Analytics

Details

The user explorer report in Google Analytics can give you the client.id you need to test.

A data deletion request can be applied to either a Google Analytics web property (specified by propertyType="ga") or Firebase application (propertyType="firebase"). A user whose data will be deleted can be specified by setting one of the identifiers the userId field. The type of the identifier must be specified inside idType field.

There is a quota of 500 queries per day per cloud project.

The API returns a User Deletion Request Resource with deletionRequestTime field set. This field is the point in time up to which all user data will be deleted. This means that all user data for the specified user identifier and Google Analytics property or Firebase project will be deleted up to this date and time - if the user with the same identifier returns after this date/time, they will reappear in reporting.

Value

a data.frame with a row for each userID you sent in, plus a column with its deletionRequestTime

See Also

<https://developers.google.com/analytics/devguides/config/userdeletion/v3/>

Other clientid functions: [ga_clientid_activity_unnest](#), [ga_clientid_activity](#), [ga_clientid_hash](#)

Examples

```
## Not run:

# make sure you are authenticated with user deletion scopes
options(googleAuthR.scopes.selected = "https://www.googleapis.com/auth/analytics.user.deletion")
ga_auth(new_user = TRUE)

# a vector of ids
ids <- c("1489547420.1526330722", "1138076389.1526568883")

# do the deletions
ga_clientid_deletion(ids, "UA-1234-2")
#           userId id_type property      deletionRequestTime
#1 1489547420.1526330722 CLIENT_ID UA-1234-2 2018-05-20T19:43:33.540Z
#2 1138076389.1526568883 CLIENT_ID UA-1234-2 2018-05-20T19:43:36.218Z

## End(Not run)
```

ga_clientid_hash	<i>Get hashed version of client id (also known as hashClientId, hashed-ClientId, or BigQuery's fullVisitorId)</i>
------------------	---

Description

Get hashed version of client id (also known as hashClientId, hashedClientId, or BigQuery's fullVisitorId)

Usage

```
ga_clientid_hash(webPropertyId, clientId)
```

Arguments

webPropertyId	Web Property Id
clientId	Client Id

Value

hashedClientId object list

See Also

Other clientid functions: [ga_clientid_activity_unnest](#), [ga_clientid_activity](#), [ga_clientid_deletion](#)

ga_custom_datasource *List Custom Data Sources*

Description

Get a list of custom data sources you have configured in Google Analytics web UI.

Usage

```
ga_custom_datasource(accountId, webPropertyId)
```

Arguments

accountId	Account Id
webPropertyId	Web Property Id

Details

You primarily need this to get the customDataSourceId for the uploads via [ga_custom_upload_file](#)

Value

Custom Data Source

See Also

Other custom datasource functions: [ga_custom_upload_delete](#), [ga_custom_upload_file](#), [ga_custom_upload_list](#), [ga_custom_upload](#)

ga_custom_upload	<i>Custom Data Source Upload Status</i>
------------------	---

Description

Get the status of a custom upload

Usage

```
ga_custom_upload(accountId, webPropertyId, customDataSourceId, uploadId,  
upload_object)
```

Arguments

accountId	Account Id
webPropertyId	Web Property Id
customDataSourceId	Custom data source Id
uploadId	upload Id
upload_object	A custom upload Id object. Supply this or the other arguments.

Details

You can supply either upload_object generated via function or [ga_custom_upload_file](#), or make an

Value

An object of class ga_custom_data_source_upload

See Also

Other custom datasource functions: [ga_custom_datasource](#), [ga_custom_upload_delete](#), [ga_custom_upload_file](#), [ga_custom_upload_list](#)

Examples

```
## Not run:  
  
upload_me <- data.frame(medium = "shinyapps",  
                        source = "referral",  
                        adCost = 1,  
                        date = "20160801")  
  
obj <- ga_custom_upload_file(47850439,  
                             "UA-4748043-2",  
                             "_jDsJHSFSU-uw038Bh8fUg",
```

```

                                upload_me)

## obj will initially have status = PENDING
obj
==Google Analytics Custom Data Source Upload==
Custom Data Source ID:  _jDsJHSFSU-uw038Bh8fUg
Account ID:             47850439
Web Property Id:       UA-4748043-2
Upload ID:             7yHLAkeLSiK1zveVTiWzWA
Status:                PENDING

## Send obj to ga_custom_upload() to check and renew status
obj <- ga_custom_upload(upload_object = obj)
obj

==Google Analytics Custom Data Source Upload==
Custom Data Source ID:  _jDsJHSFSU-uw038Bh8fUg
Account ID:             47850439
Web Property Id:       UA-4748043-2
Upload ID:             7yHLAkeLSiK1zveVTiWzWA
Status:                COMPLETED

## End(Not run)

```

ga_custom_upload_delete

Deletes custom upload files for a given ids vector

Description

Deletes custom upload files for a given ids vector

Usage

```
ga_custom_upload_delete(accountId, webPropertyId, customDataSourceId,
                        customDataImportUids)
```

Arguments

accountId	Account Id
webPropertyId	Web Property Id
customDataSourceId	Custom data source Id
customDataImportUids	vector of file upload ids.

See Also

<https://developers.google.com/analytics/devguides/config/mgmt/v3/mgmtReference/management/uploads/deleteUploadData>

Other custom datasource functions: [ga_custom_datasource](#), [ga_custom_upload_file](#), [ga_custom_upload_list](#), [ga_custom_upload](#)

ga_custom_upload_file *Upload data to Google Analytics*

Description

Upload external data up to 1GB to Google Analytics via the management API.

Usage

```
ga_custom_upload_file(accountId, webPropertyId, customDataSourceId, upload)
```

Arguments

accountId	Account Id
webPropertyId	Web Property Id
customDataSourceId	Custom data source Id
upload	An R data.frame or a file path location (character)

Details

You need to create a custom data source in the web UI first.

If you are uploading an R data frame, the function will prefix the column names with "ga:" for you if necessary.

After upload check the status by querying data sources using [ga_custom_upload](#) and examining the status field.

Currently only supports simple uploads (not resumable).

Value

An object of class `ga_custom_data_source_upload`

See Also

A guide for preparing the data is available: [from Google here](#).

The dev guide for this function: [Data Import Developer Guide](#)

Other custom datasource functions: [ga_custom_datasource](#), [ga_custom_upload_delete](#), [ga_custom_upload_list](#), [ga_custom_upload](#)

Examples

```
## Not run:

upload_me <- data.frame(medium = "shinyapps",
                        source = "referral",
                        adCost = 1,
                        date = "20160801")

obj <- ga_custom_upload_file(47850439,
                             "UA-4748043-2",
                             "_jDsJHSFSU-uw038Bh8fUg",
                             upload_me)

## obj will initially have status = PENDING
obj
==Google Analytics Custom Data Source Upload==
Custom Data Source ID:  _jDsJHSFSU-uw038Bh8fUg
Account ID:             47850439
Web Property Id:       UA-4748043-2
Upload ID:             7yHLAkeLSiK1zveVTiWzWA
Status:               PENDING

## Send obj to ga_custom_upload() to check and renew status
obj <- ga_custom_upload(upload_object = obj)
obj

==Google Analytics Custom Data Source Upload==
Custom Data Source ID:  _jDsJHSFSU-uw038Bh8fUg
Account ID:             47850439
Web Property Id:       UA-4748043-2
Upload ID:             7yHLAkeLSiK1zveVTiWzWA
Status:               COMPLETED

## End(Not run)
```

ga_custom_upload_list *List Custom Data Source Uploads*

Description

List Custom Data Source Uploads

Usage

```
ga_custom_upload_list(accountId, webPropertyId, customDataSourceId)
```

Arguments

accountId	Account Id
webPropertyId	Web Property Id
customDataSourceId	Custom data source Id

Value

Custom Data Source Uploads List

See Also

Other custom datasource functions: [ga_custom_datasource](#), [ga_custom_upload_delete](#), [ga_custom_upload_file](#), [ga_custom_upload](#)

ga_custom_vars	<i>Get Custom Dimensions or Metrics</i>
----------------	---

Description

Get Custom Dimensions or Metrics

Usage

```
ga_custom_vars(accountId, webPropertyId, type = c("customMetrics",
"customDimensions"), customId)
```

Arguments

accountId	Account Id
webPropertyId	Web Property Id
type	A customMetric or customDimension
customId	The customMetricId or customDimensionId

Value

Custom Metric or Dimension meta data

See Also

Other custom variable functions: [ga_custom_vars_create](#), [ga_custom_vars_list](#), [ga_custom_vars_patch](#)

ga_custom_vars_create *Create a custom dimension*

Description

Create a dimension by specifying its attributes.

Usage

```
ga_custom_vars_create(name, index, accountId, webPropertyId, active,  
  scope = c("HIT", "SESSION", "USER", "PRODUCT"))
```

Arguments

name	Name of custom dimension
index	Index of custom dimension - integer between 1 and 20 (200 for GA360)
accountId	AccountId of the custom dimension
webPropertyId	WebPropertyId of the custom dimension
active	TRUE or FALSE if custom dimension is active or not
scope	Scope of custom dimension - one of "HIT", "SESSION", "USER", "PRODUCT"

See Also

[Custom dimensions support article](#)

Other custom variable functions: [ga_custom_vars_list](#), [ga_custom_vars_patch](#), [ga_custom_vars](#)

Examples

```
## Not run:  
library(googleAnalyticsR)  
ga_auth()  
  
# create custom var  
ga_custom_vars_create("my_custom_dim",  
  index = 15,  
  accountId = 54019251,  
  webPropertyId = "UA-54019251-4",  
  scope = "HIT",  
  active = FALSE)  
  
# view custom dimension in list  
ga_custom_vars_list(54019251, webPropertyId = "UA-54019251-4", type = "customDimensions")  
  
## End(Not run)
```

ga_custom_vars_list *List Custom Dimensions or Metrics*

Description

List Custom Dimensions or Metrics

Usage

```
ga_custom_vars_list(accountId, webPropertyId,  
  type = c("customDimensions", "customMetrics"))
```

Arguments

accountId	Account Id
webPropertyId	Web Property Id
type	A customMetric or customDimension

Details

This function lists all the existing custom dimensions or metrics for the web property.

Value

Custom Metric or Dimension List

See Also

Other custom variable functions: [ga_custom_vars_create](#), [ga_custom_vars_patch](#), [ga_custom_vars](#)

Examples

```
## Not run:  
library(googleAnalyticsR)  
ga_auth()  
  
ga_custom_vars_list(54019251, webPropertyId = "UA-54019251-4", type = "customDimensions")  
ga_custom_vars_list(54019251, webPropertyId = "UA-54019251-4", type = "customMetrics")  
  
## End(Not run)
```

ga_custom_vars_patch *Modify a custom dimension*

Description

Modify existing custom dimensions

Usage

```
ga_custom_vars_patch(id, accountId, webPropertyId, name = NULL,  
  active = NULL, scope = NULL, ignoreCustomDataSourceLinks = FALSE)
```

Arguments

id	The id of the custom dimension
accountId	AccountId of the custom dimension
webPropertyId	WebPropertyId of the custom dimension
name	Name of custom dimension
active	TRUE or FALSE if custom dimension is active or not
scope	Scope of custom dimension - one of "HIT", "SESSION", "USER", "PRODUCT"
ignoreCustomDataSourceLinks	Force the update and ignore any warnings related to the custom dimension being linked to a custom data source / data set.

See Also

[Custom dimensions support article](#)

Other custom variable functions: [ga_custom_vars_create](#), [ga_custom_vars_list](#), [ga_custom_vars](#)

Examples

```
## Not run:  
library(googleAnalyticsR)  
ga_auth()  
  
# create custom var  
ga_custom_vars_create("my_custom_dim",  
  index = 7,  
  accountId = 54019251,  
  webPropertyId = "UA-54019251-4",  
  scope = "HIT",  
  active = FALSE)  
  
# view custom dimension in list  
ga_custom_vars_list(54019251, webPropertyId = "UA-54019251-4", type = "customDimensions")
```



```
# change a custom dimension
ga_custom_vars_patch("ga:dimension7",
                    accountId = 54019251,
                    webPropertyId = "UA-54019251-4",
                    name = "my_custom_dim2",
                    active = TRUE)

# view custom dimensions again to see change
ga_custom_vars_list(54019251, webPropertyId = "UA-54019251-4", type = "customDimensions")

## End(Not run)
```

ga_experiment	<i>Experiments Meta data</i>
---------------	------------------------------

Description

Experiments Meta data

Usage

```
ga_experiment(accountId, webPropertyId, profileId, experimentId)
```

Arguments

accountId	Account Id
webPropertyId	Web Property Id
profileId	Profile Id
experimentId	Experiment Id

Value

Experiment Meta Data

See Also

Other managementAPI functions: [ga_experiment_list](#), [ga_filter_add](#), [ga_filter_apply_to_view](#), [ga_filter_update_filter_link](#), [ga_filter_update](#), [ga_segment_list](#)

ga_experiment_list *List Experiments*

Description

List Experiments

Usage

```
ga_experiment_list(accountId, webPropertyId, profileId)
```

Arguments

accountId	Account Id
webPropertyId	Web Property Id
profileId	Profile Id

Value

Experiments List

See Also

Other managementAPI functions: [ga_experiment](#), [ga_filter_add](#), [ga_filter_apply_to_view](#), [ga_filter_update_filter_link](#), [ga_filter_update](#), [ga_segment_list](#)

ga_filter *Get specific filter for account*

Description

Get specific filter for account

Usage

```
ga_filter(accountId, filterId)
```

Arguments

accountId	Account Id
filterId	Filter Id

Value

filter list

See Also

Other filter management functions: [ga_filter_delete](#), [ga_filter_list](#), [ga_filter_view_list](#), [ga_filter_view](#)

ga_filter_add	<i>Create a new filter and add it to the view (optional).</i>
---------------	---

Description

Take a filter object and add and/or apply it so its live.

Usage

```
ga_filter_add(Filter, accountId, webPropertyId = NULL, viewId = NULL,
  linkFilter = FALSE)
```

Arguments

Filter	The Filter object to be added to the account or view. See examples.
accountId	Account Id of the account to add the Filter to
webPropertyId	Property Id of the property to add the Filter to
viewId	View Id of the view to add the Filter to
linkFilter	If TRUE will apply the Filter to the view. Needs propetyId and viewId to be set.

Details

If you don't set linkFilter=TRUE then the filter will only be created but not applied. You will find it listed in the admin panel Account > All Filters. You can then use [ga_filter_apply_to_view](#) to apply later on.

Value

The filterId created if linkFilter=FALSE or a Filter object if linkFilter=TRUE

See Also

<https://developers.google.com/analytics/devguides/config/mgmt/v3/mgmtReference/#Filters>

Other managementAPI functions: [ga_experiment_list](#), [ga_experiment](#), [ga_filter_apply_to_view](#), [ga_filter_update_filter_link](#), [ga_filter_update](#), [ga_segment_list](#)

Examples

```

## Not run:
## Create a filter object for adding an IP exclusion:
Filter <- list(
  name = 'Exclude Internal Traffic',
  type = 'EXCLUDE',
  excludeDetails = list(
    field = 'GEO_IP_ADDRESS',
    matchType = 'EQUAL',
    expressionValue = '199.04.123.1',
    caseSensitive = 'False'
  )
)

# create and add the filter to the view specified
my_filter <- ga_filter_add(Filter,
  accountId = 12345,
  webPropertyId = "UA-12345-1",
  viewId = 654321,
  linkFilter = TRUE)

# only create the filter, don't apply it to any view - returns filterId for use later
my_filter <- ga_filter_add(Filter,
  accountId = 12345,
  linkFilter = FALSE)

## Other examples of filters you can create below:
## Create a filter object for making campaign medium lowercase
Filter <- list(
  name = 'Lowercase Campaign Medium',
  type = 'LOWERCASE',
  lowercaseDetails = list(
    field = 'CAMPAIGN_MEDIUM'
  )
)

## Create a filter object to append hostname to URI
Filter <- list(
  name = 'Append hostname to URI',
  type = 'ADVANCED',
  advancedDetails = list(
    fieldA = 'PAGE_HOSTNAME',
    extractA = '(.*)',
    fieldARequired = 'True',
    fieldB = 'PAGE_REQUEST_URI',
    extractB = '(.*)',
    fieldBRequired = 'False',
    outputConstructor = '$A1$B1',
    outputToField = 'PAGE_REQUEST_URI',
    caseSensitive = 'False',
    overrideOutputField = 'True'
  )
)

```

```
    )
  )

  ## Create a filter object to add www hostname without it
  Filter <- list(
    name = 'Search and Replace www',
    type = 'SEARCH_AND_REPLACE',
    searchAndReplaceDetails = list(
      field = 'PAGE_HOSTNAME',
      searchString = '^exampleUSA\\.com$',
      replaceString = 'www.exampleUSA.com',
      caseSensitive = 'False'
    )
  )

  ## End(Not run)
```

ga_filter_apply_to_view

Apply an existing filter to view.

Description

Apply an existing filter to view.

Usage

```
ga_filter_apply_to_view(filterId, accountId, webPropertyId, viewId)
```

Arguments

filterId	The id of the filter to be added to profile/view
accountId	Account Id of the account that contains the filter
webPropertyId	Web property Id to create profile filter link for
viewId	Profile/view Id to create profile filter link for

Value

A profileFilterLink object

See Also

Other managementAPI functions: [ga_experiment_list](#), [ga_experiment](#), [ga_filter_add](#), [ga_filter_update_filter_l](#), [ga_filter_update](#), [ga_segment_list](#)

ga_filter_delete	<i>Delete a filter from account or remove from view.</i>
------------------	--

Description

Delete a filter from account or remove from view.

Usage

```
ga_filter_delete(accountId, webPropertyId = NULL, viewId = NULL,  
  filterId, removeFromView = FALSE)
```

Arguments

accountId	Account Id of the account that contains the filter
webPropertyId	Property Id of the property that contains the filter
viewId	View Id of the view that contains the filter
filterId	Filter Id of the filter to be deleted
removeFromView	Default if FALSE. If TRUE, deletes the filter from the view

Value

TRUE if successful

See Also

Other filter management functions: [ga_filter_list](#), [ga_filter_view_list](#), [ga_filter_view](#), [ga_filter](#)

ga_filter_list	<i>List filters for account</i>
----------------	---------------------------------

Description

List filters for account

Usage

```
ga_filter_list(accountId)
```

Arguments

accountId	Account Id
-----------	------------

Value

filter list

See Also

Other filter management functions: [ga_filter_delete](#), [ga_filter_view_list](#), [ga_filter_view](#), [ga_filter](#)

ga_filter_update	<i>Updates an existing filter.</i>
------------------	------------------------------------

Description

Updates an existing filter.

Usage

```
ga_filter_update(Filter, accountId, filterId, method = c("PUT", "PATCH"))
```

Arguments

Filter	The Filter object to be updated See examples from ga_filter_add()
accountId	Account Id of the account that contains the filter
filterId	The id of the filter to be modified
method	PUT by default. For patch semantics use PATCH

Value

A filterManagement object

See Also

<https://developers.google.com/analytics/devguides/config/mgmt/v3/mgmtReference/#Filters>

Other managementAPI functions: [ga_experiment_list](#), [ga_experiment](#), [ga_filter_add](#), [ga_filter_apply_to_view](#), [ga_filter_update_filter_link](#), [ga_segment_list](#)

Examples

```
## Not run:

# create a filter object
Filter <- list(
  name = 'googleAnalyticsR test1: Exclude Internal Traffic',
  type = 'EXCLUDE',
  excludeDetails = list(
    field = 'GEO_IP_ADDRESS',
```

```

        matchType = 'EQUAL',
        expressionValue = '199.04.123.1',
        caseSensitive = 'False'
    )
)
# add a filter (but don't link to a View)
filterId <- ga_filter_add(Filter,
    accountId = 123456,
    linkFilter = FALSE)

# change the name of the filter
change_name <- "googleAnalyticsR test2: Changed name via PATCH"

# using PATCH semantics, only need to construct what you want to change
filter_to_update <- list(name = test_name)

# update the filter using the filterId
ga_filter_update(filter_to_update, accountId2, filterId, method = "PATCH")

## End(Not run)

```

ga_filter_update_filter_link

Update an existing profile filter link. Patch semantics supported

Description

Update an existing profile filter link. Patch semantics supported

Usage

```
ga_filter_update_filter_link(viewFilterLink, accountId, webPropertyId,
    viewId, linkId, method = c("PUT", "PATCH"))
```

Arguments

viewFilterLink	The profileFilterLink object
accountId	Account Id of the account that contains the filter
webPropertyId	Web property Id to which the profile filter link belongs
viewId	View Id to which the profile filter link belongs
linkId	The id of the profile filter link to be updated
method	PUT by default. Supports patch semantics when set to PATCH

See Also

<https://developers.google.com/analytics/devguides/config/mgmt/v3/mgmtReference/management/profileFilterLinks>

Other managementAPI functions: [ga_experiment_list](#), [ga_experiment](#), [ga_filter_add](#), [ga_filter_apply_to_view](#), [ga_filter_update](#), [ga_segment_list](#)

Examples

```
## Not run:

# create a filter object
Filter <- list(
  name = 'googleAnalyticsR test: Exclude Internal Traffic',
  type = 'EXCLUDE',
  excludeDetails = list(
    field = 'GEO_IP_ADDRESS',
    matchType = 'EQUAL',
    expressionValue = '199.04.123.1',
    caseSensitive = 'False'
  )
)

# link Filter to a View
response <- ga_filter_add(Filter,
  accountId = 12345,
  webPropertyId = "UA-12345-1",
  viewId = 654321,
  linkFilter = TRUE)

# create Filter patch to move existing filter up to rank 1
viewFilterLink <- list(rank = 1)

# use the linkId given in response$id to update to new rank 1
response2 <- ga_filter_update_filter_link(viewFilterLink,
  accountId = 12345,
  webPropertyId = "UA-12345-1",
  viewId = 654321,
  linkId = response$id)

## End(Not run)
```

ga_filter_view

Get specific filter for view (profile)

Description

Get specific filter for view (profile)

Usage

```
ga_filter_view(accountId, webPropertyId, viewId, linkId)
```

Arguments

accountId	Account Id
webPropertyId	Web Property Id
viewId	Profile Id
linkId	Link Id

Value

filter list

See Also

Other filter management functions: [ga_filter_delete](#), [ga_filter_list](#), [ga_filter_view_list](#), [ga_filter](#)

ga_filter_view_list *List filters for view (profile)*

Description

List filters for view (profile)

Usage

```
ga_filter_view_list(accountId, webPropertyId, viewId)
```

Arguments

accountId	Account Id
webPropertyId	Web Property Id
viewId	Profile Id

Value

filter list

See Also

Other filter management functions: [ga_filter_delete](#), [ga_filter_list](#), [ga_filter_view](#), [ga_filter](#)

ga_goal	<i>Get goal</i>
---------	-----------------

Description

Get goal

Usage

```
ga_goal(accountId, webPropertyId, profileId, goalId)
```

Arguments

accountId	Account Id
webPropertyId	Web Property Id
profileId	Profile Id
goalId	Goal Id

Value

Goal meta data

See Also

Other goal management functions: [ga_goal_add](#), [ga_goal_list](#), [ga_goal_update](#)

ga_goal_add	<i>Create a new goal.</i>
-------------	---------------------------

Description

Create a new goal.

Usage

```
ga_goal_add(Goal, accountId, webPropertyId, viewId)
```

Arguments

Goal	The Goal object to be added to the view. See examples.
accountId	Account Id of the account to add the Goal to
webPropertyId	Property Id of the property to add the Goal to
viewId	View Id of the view to add the Goal to

Value

The Goal object

See Also

<https://developers.google.com/analytics/devguides/config/mgmt/v3/mgmtReference/#Goals>

Other goal management functions: [ga_goal_list](#), [ga_goal_update](#), [ga_goal](#)

Examples

```
## Not run:

## Create a Goal object based on destination:
Goal <- list(
  id = '17',
  active = TRUE,
  name = 'Checkout',
  type = 'URL_DESTINATION',
  urlDestinationDetails = list(
    url = '\\checkout\\thank_you',
    matchType = 'REGEX',
    caseSensitive = FALSE,
    firstStepRequired = FALSE,
    steps = list(
      list(
        number = 1,
        name = 'Product',
        url = '\\products\\'
      ),
      list(
        number = 2,
        name = 'Cart',
        url = '\\cart'
      ),
      list(
        number = 3,
        name = 'Contact',
        url = '\\checkout\\contact_information'
      ),
      list(
        number = 4,
        name = 'Shipping',
        url = '\\checkout\\shipping'
      ),
      list(
        number = 5,
        name = 'Payment',
        url = '\\checkout\\payment'
      ),
      list(
        number = 6,
```

```
        name = 'Processing',
        url = '\\\\checkout\\\\processing'
    )
  )
)

## Create a Goal object based on an event:
Goal <- list(
  id = '9',
  active = TRUE,
  name = 'PDF Download',
  type = 'EVENT',
  eventDetails = list(
    useEventValue = TRUE,
    eventConditions = list(
      list(
        type = 'CATEGORY',
        matchType = 'EXACT',
        expression = 'PDF Download'
      ),
      list(
        type = 'LABEL',
        matchType = 'EXACT',
        expression = 'January brochure'
      )
    )
  )
)

## Create a Goal object based on a number of pages visited in a session:
Goal <- list(
  id = '10',
  active = TRUE,
  name = 'Visited more than 3 pages',
  type = 'VISIT_NUM_PAGES',
  visitNumPagesDetails = list(
    comparisonType = 'GREATER_THAN',
    comparisonValue = 3
  )
)

## Create a Goal object based on the number of seconds spent on the site
Goal <- list(
  id = '11',
  active = TRUE,
  name = 'Stayed for more than 2 minutes',
  type = 'VISIT_TIME_ON_SITE',
  visitTimeOnSiteDetails = list(
    comparisonType = 'GREATER_THAN',
    comparisonValue = 120
  )
)
```

```
## End(Not run)
```

ga_goal_list	<i>List goals</i>
--------------	-------------------

Description

List goals

Usage

```
ga_goal_list(accountId, webPropertyId, profileId)
```

Arguments

accountId	Account Id
webPropertyId	Web Property Id
profileId	Profile Id

Value

Goal list

See Also

Other goal management functions: [ga_goal_add](#), [ga_goal_update](#), [ga_goal](#)

ga_goal_update	<i>Updates an existing goal.</i>
----------------	----------------------------------

Description

Updates an existing goal.

Usage

```
ga_goal_update(Goal, accountId, webPropertyId, viewId, goalId,  
method = c("PUT", "PATCH"))
```

Arguments

Goal	The Goal object to be updated See examples from ga_goal_add()
accountId	Account Id of the account in which to modify the Goal
webPropertyId	Property Id of the property in which to modify the Goal
viewId	View Id of the view in which to modify the Goal
goalId	The id of the goal to be modified
method	PUT by default. For patch semantics use PATCH

Value

A goalManagement object

See Also

<https://developers.google.com/analytics/devguides/config/mgmt/v3/mgmtReference/#Goals>

Other goal management functions: [ga_goal_add](#), [ga_goal_list](#), [ga_goal](#)

Examples

```
## Not run:

# Change the goal 11 to visits over 3 minutes
Goal <- list(
  active = TRUE,
  name = 'Stayed for more than 3 minutes',
  type = 'VISIT_TIME_ON_SITE',
  visitTimeOnSiteDetails = list(
    comparisonType = 'GREATER_THAN',
    comparisonValue = 180
  )
)
ga_goal_update(Goal, accountId, propertyId, viewId, 11)

# Change destination url for goal 17
Goal <- list(
  urlDestinationDetails = list(
    url = '\\checkout\\success'
  )
)

# Only the fields we're changing required because we're using PATCH method
ga_goal_update(Goal, accountId, propertyId, viewId, 17, method = "PATCH")

## End(Not run)
```

ga_meta	<i>Get current dimensions and metrics available in GA API.</i>
---------	--

Description

Get current dimensions and metrics available in GA API.

Usage

```
ga_meta()
```

Value

dataframe of dimensions and metrics available to use

See Also

<https://developers.google.com/analytics/devguides/reporting/metadata/v3/reference/metadata/columns/list>

ga_model	<i>Use a model function created by ga_model_make</i>
----------	--

Description

Use a model function created by ga_model_make

Usage

```
ga_model(viewId, model, load_libs = TRUE, ...)
```

Arguments

viewId	The GA viewId to operate on
model	A file location of a model object or a model object created by ga_model_make
load_libs	Whether to load the library requirements into your namespace
...	Other arguments to pass into the model as needed

See Also

Other GA modelling functions: [ga_model_edit](#), [ga_model_example](#), [ga_model_load](#), [ga_model_make](#), [ga_model_save](#), [ga_model_tweet](#), [ga_model_write](#)

ga_model_edit	<i>Edit a created ga_model</i>
---------------	--------------------------------

Description

Change features of a model by changing the functions within it.

Usage

```
ga_model_edit(model, data_f = NULL, required_columns = NULL,
              model_f = NULL, required_packages = NULL, description = NULL,
              outputShiny = NULL, renderShiny = NULL, output_f = NULL)
```

Arguments

model	The model to edit - if a filepath will load model and save back edited model to the same file
data_f	A function that gets the data
required_columns	What dimensions and metrics are required
model_f	A function that inputs data, and outputs a list of assets - must take data from result of data_f in first argument
required_packages	The packages needed for data_f and model_f to work
description	An optional description of what the model does
outputShiny	A shiny UI output function that will display the results renderShiny
renderShiny	A shiny render function that will create the output for outputShiny from output_f
output_f	A function that inputs the output from model_f, outputs a visualisation

See Also

Other GA modelling functions: [ga_model_example](#), [ga_model_load](#), [ga_model_make](#), [ga_model_save](#), [ga_model_tweet](#), [ga_model_write](#), [ga_model](#)

ga_model_example	<i>Load an example model</i>
------------------	------------------------------

Description

Load an example model

Usage

```
ga_model_example(name, location = "googleAnalyticsR")
```

Arguments

name	name of the model
location	location of model

See Also

Other GA modelling functions: [ga_model_edit](#), [ga_model_load](#), [ga_model_make](#), [ga_model_save](#), [ga_model_tweet](#), [ga_model_write](#), [ga_model](#)

ga_model_load	<i>Load a created model</i>
---------------	-----------------------------

Description

Load a created model

Usage

```
ga_model_load(filename = "my-model.gamr")
```

Arguments

filename	name to load model from
----------	-------------------------

See Also

Other GA modelling functions: [ga_model_edit](#), [ga_model_example](#), [ga_model_make](#), [ga_model_save](#), [ga_model_tweet](#), [ga_model_write](#), [ga_model](#)

ga_model_make	<i>Modelling function factory for Google Analytics data</i>
---------------	---

Description

Create `ga_model` objects for easy application of models to data

Usage

```
ga_model_make(data_f, required_columns, model_f,
  output_f = graphics::plot, required_packages = NULL,
  description = NULL, outputShiny = shiny::plotOutput,
  renderShiny = shiny::renderPlot)
```

Arguments

data_f	A function that gets the data
required_columns	What dimensions and metrics are required
model_f	A function that inputs data, and outputs a list of assets - must take data from result of data_f in first argument
output_f	A function that inputs the output from model_f, outputs a visualisation
required_packages	The packages needed for data_f and model_f to work
description	An optional description of what the model does
outputShiny	A shiny UI output function that will display the results renderShiny
renderShiny	A shiny render function that will create the output for outputShiny from output_f

Details

The passed functions should all have ... to make them flexible in what arguments can be added. Do not have the same argument names in both functions. The data_f function result will feed to model_f

Value

A ga_model object to pass to [ga_model](#)

See Also

Other GA modelling functions: [ga_model_edit](#), [ga_model_example](#), [ga_model_load](#), [ga_model_save](#), [ga_model_tweet](#), [ga_model_write](#), [ga_model](#)

Examples

```
## Not run:

get_model_data <- function(viewId,
                           date_range = c(Sys.Date()- 300, Sys.Date()),
                           ...){
  google_analytics(viewId,
                   date_range = date_range,
                   metrics = "sessions",
                   dimensions = "date",
                   max = -1)
}

decompose_sessions <- function(df, ...){
  decompose(ts(df$sessions, frequency = 7))
}

decomp_ga <- ga_model_make(get_model_data,
```

```
        required_columns = c("date", "sessions"),
        model_f = decompose_sessions,
        description = "Performs decomposition and creates plot")

# fetches data and outputs decomposition
ga_model(81416156, decomp_ga)

# save the model for later
model_location <- "inst/models/decomp_ga.gamr"
ga_model_save(decomp_ga, filename = model_location)

# can load model from file
ga_model(81416156, model_location)

# or load model to an object and use
model2 <- ga_model_load(model_location)

ga_model(81416156, model2)

# for shiny include functions for the UI and server rendering
decomp_ga <- ga_model_make(get_model_data,
        required_columns = c("date", "sessions"),
        model_f = decompose_sessions,
        output_f = graphics::plot,
        description = "Performs decomposition and creates a plot",
        outputShiny = shiny::plotOutput,
        renderShiny = shiny::renderPlot)

## End(Not run)
```

ga_model_save	<i>Save a created model</i>
---------------	-----------------------------

Description

Save a created model

Usage

```
ga_model_save(model, filename = "my-model.gamr")
```

Arguments

model	model to save
filename	name to save model under

See Also

Other GA modelling functions: [ga_model_edit](#), [ga_model_example](#), [ga_model_load](#), [ga_model_make](#), [ga_model_tweet](#), [ga_model_write](#), [ga_model](#)

ga_model_tweet

Upload an interactive visualisation so it can be embedded in a tweet

Description

Inspired by <https://datatitian.com/how-to-turn-your-ggplot2-visualization-into-an-interactive-tweet/> this uploads your model output into Google Cloud storage, in the right format to embed in a tweet

Usage

```
ga_model_tweet(model_output, twitter, title, bucket, image = "")
```

Arguments

model_output	A <code>ga_model_result</code> object created by ga_model
twitter	Your twitter handle e.g. @holomarked
title	Twitter preview card title text
bucket	The GCS bucket to upload to
image	An optional image to display before the visualition runs

Details

This should work with all model outputs that are using `library(htmlwidgets)`

If using `plotly`, you need an account to use `plotly_IMAGE` to generate the preview image.

If you don't use a preview image, a generic one will be supplied instead.

You need to authenticate with 'googleCloudStorageR' before running this function so it can upload the appropriate files and make them public.

<https://cards-dev.twitter.com/validator> is useful to test what it will look like on Twitter.

See Also

Other GA modelling functions: [ga_model_edit](#), [ga_model_example](#), [ga_model_load](#), [ga_model_make](#), [ga_model_save](#), [ga_model_write](#), [ga_model](#)

Examples

```
## Not run:
library(googleAnalyticsModelR)
library(googleAnalyticsR)
library(plotly)

# create your htmlwidget output - in this case plot.ly
output <- ga_time_normalised(81416156, interactive_plot = TRUE)

# if you have a plot.ly account, you can generate a static image
plotly_IMAGE(output$plot, out_file = "tweet.png")

# now upload - assumes auto-authentication with googleCloudStorage
library(googleCloudStorageR)
ga_model_tweet(output,
               "@HoloMarked",
               "Test2 ga_model twitter upload",
               bucket = "mark-edmondson-public-read",
               image = "tweet.png")

## End(Not run)
```

ga_model_write	<i>Write the ga_model functions to a file</i>
----------------	---

Description

Write the ga_model functions to a file

Usage

```
ga_model_write(model, filepath = "ga_model.R")
```

Arguments

model	The ga_model object to extract functions from to write
filepath	The filepath to write the functions to

See Also

Other GA modelling functions: [ga_model_edit](#), [ga_model_example](#), [ga_model_load](#), [ga_model_make](#), [ga_model_save](#), [ga_model_tweet](#), [ga_model](#)

ga_remarketing_build *Create a remarketing audience for creation*

Description

Create definitions to be used within [ga_remarketing_create](#)

Usage

```
ga_remarketing_build(segment, membershipDurationDays = NULL,  
  daysToLookBack = NULL, state_duration = c("TEMPORARY", "PERMANENT"))
```

Arguments

segment	The definition of the segment (v3 syntax)
membershipDurationDays	Number of days (in the range 1 to 540) a user remains in the audience.
daysToLookBack	The look-back window lets you specify a time frame for evaluating the behavior that qualifies users for your audience.
state_duration	If to be used in a state based audience, whether to make the segment temporary or permanent.

Details

The look-back window lets you specify a time frame for evaluating the behavior that qualifies users for your audience. For example, if your filters include users from Central Asia, and Transactions Greater than 2, and you set the look-back window to 14 days, then any user from Central Asia whose cumulative transactions exceed 2 during the last 14 days is added to the audience.

See Also

Other remarketing management functions: [ga_remarketing_create](#), [ga_remarketing_estimate](#), [ga_remarketing_get](#), [ga_remarketing_list](#)

Examples

```
## Not run:  
adword_list <- ga_adwords_list(123456, "UA-123456-1")  
  
adword_link <- ga_adword(adword_list$id[[1]])  
  
segment_list <- ga_segment_list()$items$definition  
  
my_remarketing1 <- ga_remarketing_build(segment_list[[1]],  
  state_duration = "TEMPORARY",  
  membershipDurationDays = 90,  
  daysToLookBack = 14)
```

```

my_remarketing2 <- ga_remarketing_build(segment_list[[2]],
  state_duration = "PERMANENT",
  membershipDurationDays = 7,
  daysToLookBack = 31)

# state based only can include exclusions
ga_remarketing_create(adwords_link = adword_link,
  include = my_remarketing1,
  exclude = my_remarketing2,
  audienceType = "STATE_BASED",
  name = "my_remarketing_seg1")

## End(Not run)

```

ga_remarketing_create *Create a new remarketing audience*

Description

Create a remarketing audiences built via [ga_remarketing_build](#)

Usage

```
ga_remarketing_create(adwordsLinkId, include, exclude = NULL,
  audienceType = c("SIMPLE", "STATE_BASED"), name = NULL)
```

Arguments

adwordsLinkId	The adwords link to add the remarketing audience to
include	A ga4_remarketing_segment object to include via ga_remarketing_build
exclude	If audienceType="STATE_BASED", a ga4_remarketing_segment object to exclude via ga_remarketing_build
audienceType	SIMPLE or STATE_BASED
name	An optional name, if not supplied one will be generated

Details

This builds and calls the API to create the remarketing audience based on the segments you have defined.

See Also

Other remarketing management functions: [ga_remarketing_build](#), [ga_remarketing_estimate](#), [ga_remarketing_get](#), [ga_remarketing_list](#)

Examples

```
## Not run:
adword_list <- ga_adwords_list(123456, "UA-123456-1")

adword_link <- ga_adword(adword_list$id[[1]])

segment_list <- ga_segment_list()$items$definition

my_remarketing1 <- ga_remarketing_build(segment_list[[1]],
  state_duration = "TEMPORARY",
  membershipDurationDays = 90,
  daysToLookBack = 14)

my_remarketing2 <- ga_remarketing_build(segment_list[[2]],
  state_duration = "PERMANENT",
  membershipDurationDays = 7,
  daysToLookBack = 31)

# state based only can include exclusions
ga_remarketing_create(adwords_link = adword_link,
  include = my_remarketing1,
  exclude = my_remarketing2,
  audienceType = "STATE_BASED",
  name = "my_remarketing_seg1")

## End(Not run)
```

ga_remarketing_estimate

Estimate number of users added to the segment yesterday

Description

Estimate number of users added to the segment yesterday

Usage

```
ga_remarketing_estimate(remarketingAudience)
```

Arguments

remarketingAudience

A remarketing audience object from [ga_remarketing_get](#)

Takes the segment definition from a remarketing audiences and runs it against the viewId to see current estimated users

The total audience size is this figure for every membershipDurationDay from yesterday

Value

data.frame

See Also

[About remarketing audiences](#)

Other remarketing management functions: [ga_remarketing_build](#), [ga_remarketing_create](#), [ga_remarketing_get](#), [ga_remarketing_list](#)

ga_remarketing_get	<i>Get a remarketing audience</i>
--------------------	-----------------------------------

Description

Get a remarketing audience

Usage

```
ga_remarketing_get(accountId, webPropertyId, remarketingAudienceId)
```

Arguments

accountId	Account Id
webPropertyId	Web Property Id
remarketingAudienceId	The ID of the remarketing audience to retrieve.

Value

Remarketing Audience object

See Also

[About remarketing audiences](#)

Other remarketing management functions: [ga_remarketing_build](#), [ga_remarketing_create](#), [ga_remarketing_estimate](#), [ga_remarketing_list](#)

ga_remarketing_list *List remarketing audiences*

Description

List remarketing audiences

Usage

```
ga_remarketing_list(accountId, webPropertyId)
```

Arguments

accountId	Account Id
webPropertyId	Web Property Id

Value

Remarketing audience list

See Also

[About remarketing audiences](#)

Other remarketing management functions: [ga_remarketing_build](#), [ga_remarketing_create](#), [ga_remarketing_estimate](#), [ga_remarketing_get](#)

ga_segment_list *Get segments user has access to*

Description

Get segments user has access to

Usage

```
ga_segment_list()
```

Value

Segment list

See Also

Other managementAPI functions: [ga_experiment_list](#), [ga_experiment](#), [ga_filter_add](#), [ga_filter_apply_to_view](#), [ga_filter_update_filter_link](#), [ga_filter_update](#)

ga_unsampled	<i>Get Unsampled Report Meta Data</i>
--------------	---------------------------------------

Description

Get Unsampled Report Meta Data

Usage

```
ga_unsampled(accountId, webPropertyId, profileId, unsampledReportId)
```

Arguments

accountId	Account Id
webPropertyId	Web Property Id
profileId	Profile Id
unsampledReportId	Unsampled Report Id

Value

Unsampled Report Meta Data

See Also

Other unsampled download functions: [ga_unsampled_download](#), [ga_unsampled_list](#)

ga_unsampled_download	<i>Download Unsampled Report from Google Drive. You must be authenticated with the same account that you setup the unsampled report. This means service account authentication is not supported.</i>
-----------------------	--

Description

Download Unsampled Report from Google Drive. You must be authenticated with the same account that you setup the unsampled report. This means service account authentication is not supported.

Usage

```
ga_unsampled_download(reportTitle, accountId, webPropertyId, profileId,  
downloadFile = TRUE)
```

Arguments

reportTitle	Title of Unsampled Report (case-sensitive)
accountId	Account Id
webPropertyId	Web Property Id
profileId	Profile Id
downloadFile	Default TRUE, whether to download, if FALSE returns a dataframe instead

Value

file location if downloadFile is TRUE, else a data.frame of download

See Also

Other unsampled download functions: [ga_unsampled_list](#), [ga_unsampled](#)

Examples

```
## Not run:

# get data.frame of unsampled reports you have available
unsample_list <- ga_unsampled_list(accountId = "12345",
                                   webPropertyId = "UA-12345-4",
                                   profileId = "129371234")

# loop through unsampled reports and download as a list of data.frames
dl <- lapply(unsample_list$title, ga_unsampled_download,
            accountId = "12345",
            webPropertyId = "UA-12345-4",
            profileId = "129371234",
            downloadFile = FALSE)

# inspect first data.frame
dl[[1]]

# download unsampled report to csv file
ga_unsampled_download("my_report_title",
                      accountId = "12345",
                      webPropertyId = "UA-12345-4",
                      profileId = "129371234")

## End(Not run)
```

ga_unsampled_list *List Unsamped Reports*

Description

List Unsamped Reports

Usage

```
ga_unsampled_list(accountId, webPropertyId, profileId)
```

Arguments

accountId	Account Id
webPropertyId	Web Property Id
profileId	Profile Id

Value

Unsamped Reports List

See Also

Other unsampled download functions: [ga_unsampled_download](#), [ga_unsampled](#)

Examples

```
## Not run:

# get data.frame of unsampled reports you have available
unsample_list <- ga_unsampled_list(accountId = "12345",
                                   webPropertyId = "UA-12345-4",
                                   profileId = "129371234")

# loop through unsampled reports and download as a list of data.frames
dl <- lapply(unsample_list$title, ga_unsampled_download,
            accountId = "12345",
            webPropertyId = "UA-12345-4",
            profileId = "129371234",
            downloadFile = FALSE)

# inspect first data.frame
dl[[1]]

# download unsampled report to csv file
ga_unsampled_download("my_report_title",
                      accountId = "12345",
                      webPropertyId = "UA-12345-4",
```

```
profileId = "129371234")
```

```
## End(Not run)
```

 ga_users_add

Create or update user access to Google Analytics

Description

If you supply more than one email, then batch processing will be applied. Batching has special rules that give you 30 operations for the cost of one API call against your quota. When batching you will only get a TRUE result on successful batch, but individual entries may have failed. Check via [ga_users_list](#) afterwards and try to add individual linkIds to get more descriptive error messages.

Usage

```
ga_users_add(email, permissions, accountId, webPropertyId = NULL,
             viewId = NULL)
```

Arguments

email	The email(s) of the user(s) to add. Has to have a Google account.
permissions	Which permissions to add as a vector - "MANAGE_USERS", "EDIT", "COLLABORATE", "READ_AND_ANALYZE"
accountId	Account Id
webPropertyId	Web Property Id - set to NULL to operate on account level only
viewId	viewId - set to NULL to operate on webProperty level only

Value

TRUE if successful

See Also

[Google help article on user permissions](#)

Other User management functions: [ga_users_delete_linkid](#), [ga_users_delete](#), [ga_users_list](#), [ga_users_update](#)

Examples

```
## Not run:
library(googleAnalyticsR)
ga_auth()

ga_users_add(c("the_email@company.com", "another_email@company.com"),
             permissions = "EDIT", accountId = 47480439)

## End(Not run)
```

ga_users_delete	<i>Delete all user access for an email</i>
-----------------	--

Description

This is a wrapper around calls to [ga_users_list](#) and [ga_users_delete_linkid](#). If you want more fine-grained control look at those functions.

The user email is deleted from all web properties and views underneath the accountId you provide.

Usage

```
ga_users_delete(email, accountId)
```

Arguments

email	The email of the user to delete
accountId	The accountId that the user will be deleted from including all web properties and Views underneath.

Details

This deletes a user via their email reference for all webproperties and views for the account given.

See Also

[Google Documentation](#)

Other User management functions: [ga_users_add](#), [ga_users_delete_linkid](#), [ga_users_list](#), [ga_users_update](#)

Examples

```
## Not run:

library(googleAnalyticsR)
ga_auth()
ga_users_delete("brian@agency.com", 12345678)

# multiple emails
ga_users_delete(c("brian@agency.com", "bill@benland.com"), 1234567)

## End(Not run)
```

ga_users_delete_linkid

Delete users access from account, webproperty or view level

Description

The linkId is in the form of the accountId/webPropertyId/viewId colon separated from a link unique Id.

Delete user access by supplying the linkId for that user at the level they have been given access. It won't work to delete user links at account level if they have been assigned at web property or view level - you will need to get the linkId for that level instead. e.g. a user needs permissions.local to be non-NULL to be deleted at that level. The parameter check will do this check before deletion and throw an error if they can not be deleted. Set this to check=FALSE to suppress this behaviour.

If you supply more than one linkId, then batch processing will be applied. Batching has special rules that give you 30 operations for the cost of one API call against your quota. When batching you will only get a TRUE result on successful batch, but individual linkIds may have failed. Check via [ga_users_list](#) afterwards and try to delete individual linkIds to get more descriptive error messages.

Usage

```
ga_users_delete_linkid(linkId, accountId, webPropertyId = NULL,
  viewId = NULL, check = TRUE)
```

Arguments

linkId	The linkId(s) that is available using ga_users_list e.g. 47480439:104185380183364788718
accountId	Account Id
webPropertyId	Web Property Id - set to NULL to operate on account level only
viewId	viewId - set to NULL to operate on webProperty level only
check	If the default TRUE will check that the user has user access at the level you are trying to delete them from - if not will throw an error.

Value

TRUE if the deletion is successful, an error if not.

See Also

[Google Documentation](#)

Other User management functions: [ga_users_add](#), [ga_users_delete](#), [ga_users_list](#), [ga_users_update](#)

Examples

```
## Not run:

library(googleAnalyticsR)
ga_auth()

# get the linkId for the user you want to delete
ga_users_list(47480439, webPropertyId = "UA-47480439-2", viewId = 81416156)
ga_users_delete_linkid("81416156:114834495587136933146",
  accountId = 47480439,
  webPropertyId = "UA-47480439-2",
  viewId = 81416156)

# check its gone
ga_users_list(47480439, webPropertyId = "UA-47480439-2", viewId = 81416156)

# can only delete at level user has access, the above deletion woud have failed if via:
ga_users_delete_linkid("47480439:114834495587136933146", 47480439)

## End(Not run)
```

ga_users_list

List Users

Description

Get a list of Account level user links, or if you supply the webPropertyId or viewId it will show user links at that level

Usage

```
ga_users_list(accountId, webPropertyId = "~all", viewId = "~all")
```

Arguments

accountId	Account Id
webPropertyId	Web Property Id - set to NULL to operate on account level only
viewId	viewId - set to NULL to operate on webProperty level only

Details

Will list users on an account, webproperty or view level

Value

A data.frame of user entity links including the linkId, email and permissions

See Also

[Account User Links Google Documentation](#)

Other User management functions: [ga_users_add](#), [ga_users_delete_linkid](#), [ga_users_delete](#), [ga_users_update](#)

Examples

```
## Not run:

library(googleAnalyticsR)
ga_auth()
ga_users_list(47480439)
ga_users_list(47480439, webPropertyId = "UA-47480439-2")
ga_users_list(47480439, webPropertyId = "UA-47480439-2", viewId = 81416156)

# use NULL to only list linkids for that level
ga_users_list(47480439, webPropertyId = NULL, viewId = NULL)

## End(Not run)
```

ga_users_update	<i>Update a user access in Google Analytics</i>
-----------------	---

Description

This is for altering existing user access.

Usage

```
ga_users_update(linkId, update_object, accountId, webPropertyId = NULL,
  viewId = NULL)
```

Arguments

linkId	The linkId to update
update_object	A list that will be turned into JSON via toJSON that represents the new configuration for this linkId
accountId	Account Id
webPropertyId	Web Property Id - set to NULL to operate on account level only
viewId	viewId - set to NULL to operate on webProperty level only

Value

The new user object that has been altered.

See Also

[Google help article on user permissions](#)

Other User management functions: [ga_users_add](#), [ga_users_delete_linkid](#), [ga_users_delete](#), [ga_users_list](#)

Examples

```
## Not run:

library(googleAnalyticsR)
ga_auth()

# the update to perform
o <- list(permissions = list(local = list("EDIT")))

ga_users_update("UA-123456-1:1111222233334444",
               update_object = o,
               accountId = 47480439,
               webPropertyId = "UA-123456-1")

## End(Not run)
```

ga_view

Get single View (Profile)

Description

Gets meta-data for a particular View/Profile

Usage

```
ga_view(accountId, webPropertyId, profileId)
```

Arguments

accountId	Account Id
webPropertyId	Web Property Id
profileId	Profile (View) Id

Value

A list of the Views meta-data.

See Also

Other account structure functions: [ga_account_list](#), [ga_accounts](#), [ga_view_list](#), [ga_webproperty_list](#), [ga_webproperty](#)

Examples

```
## Not run:  
  
library(googleAnalyticsR)  
ga_auth()  
ga_view(1058095, webPropertyId = "UA-1058095-1", profileId = 1855267)  
  
## End(Not run)
```

ga_view_list	<i>List View (Profile)</i>
--------------	----------------------------

Description

This gets the meta data associated with the Google Analytics Views for a particular accountId and webPropertyId. If you want all viewId information for all accounts you have access to, use [ga_account_list](#) instead.

Usage

```
ga_view_list(accountId, webPropertyId)
```

Arguments

accountId	Account Id
webPropertyId	Web Property Id e.g. UA-12345-1

Value

A data.frame of meta-data for the views

See Also

Other account structure functions: [ga_account_list](#), [ga_accounts](#), [ga_view](#), [ga_webproperty_list](#), [ga_webproperty](#)

Examples

```
## Not run:  
library(googleAnalyticsR)  
ga_auth()  
views <- ga_view_list(1058095, "UA-1058095-1")  
  
## End(Not run)
```

ga_webproperty	<i>Get a web property</i>
----------------	---------------------------

Description

Gets metadata for one particular web property

Usage

```
ga_webproperty(accountId, webPropertyId)
```

Arguments

accountId	Account Id
webPropertyId	Web Property Id e.g. UA-12345-1

Value

webproperty

See Also

Other account structure functions: [ga_account_list](#), [ga_accounts](#), [ga_view_list](#), [ga_view](#), [ga_webproperty_list](#)

Examples

```
## Not run:  
library(googleAnalyticsR)  
ga_auth()  
wp <- ga_webproperty(1058095, "UA-1058095-1")  
  
## End(Not run)
```

ga_webproperty_list *List web properties*

Description

This gets the meta data for web properties associated with a particular accountId. If you want all information available to your user, use [ga_account_list](#) instead.

Usage

```
ga_webproperty_list(accountId)
```

Arguments

accountId Account Id

Value

A data.frame of webproperty meta-data

See Also

Other account structure functions: [ga_account_list](#), [ga_accounts](#), [ga_view_list](#), [ga_view](#), [ga_webproperty](#)

Examples

```
## Not run:
library(googleAnalyticsR)
ga_auth()
aa <- ga_accounts()
wp <- ga_webproperty_list(aa$id[1])

## End(Not run)
```

googleAnalyticsR *Library for getting Google Analytics data into R*

Description

Follow the online documentation here: <https://code.markedmondson.me/googleAnalyticsR/>

Details

You may wish to set the below environment arguments for easier authentication

```
GA_CLIENT_ID GA_CLIENT_SECRET GA_WEB_CLIENT_ID GA_WEB_CLIENT_SECRET GA_AUTH_FILE
```

google_analytics *Get Google Analytics v4 data*

Description

Fetch Google Analytics data using the v4 API. For the v3 API use [google_analytics_3](#). See website help for lots of examples: [Google Analytics Reporting API v4 in R](#)

Usage

```
google_analytics(viewId, date_range = NULL, metrics = NULL,
  dimensions = NULL, dim_filters = NULL, met_filters = NULL,
  filtersExpression = NULL, order = NULL, segments = NULL,
  pivots = NULL, cohorts = NULL, max = 1000,
  samplingLevel = c("DEFAULT", "SMALL", "LARGE"), metricFormat = NULL,
  histogramBuckets = NULL, anti_sample = FALSE,
  anti_sample_batches = "auto", slow_fetch = FALSE,
  useResourceQuotas = NULL, rows_per_call = 10000L)
```

```
google_analytics_4(...)
```

Arguments

viewId	viewId of data to get.
date_range	character or date vector of format <code>c(start, end)</code> or for two date ranges: <code>c(start1, end1, start2, end2)</code>
metrics	Metric(s) to fetch as a character vector. You do not need to supply the "ga:" prefix. See meta for a list of dimensions and metrics the API supports. Also supports your own calculated metrics.
dimensions	Dimension(s) to fetch as a character vector. You do not need to supply the "ga:" prefix. See meta for a list of dimensions and metrics the API supports.
dim_filters	A filter_clause_ga4 wrapping dim_filter
met_filters	A filter_clause_ga4 wrapping met_filter
filtersExpression	A v3 API style simple filter string. Not used with other filters.
order	An order_type object
segments	List of segments as created by segment_ga4
pivots	Pivots of the data as created by pivot_ga4
cohorts	Cohorts created by make_cohort_group
max	Maximum number of rows to fetch. Defaults at 1000. Use -1 to fetch all results. Ignored when <code>anti_sample=TRUE</code> .
samplingLevel	Sample level
metricFormat	If supplying calculated metrics, specify the metric type

histogramBuckets	For numeric dimensions such as hour, a list of buckets of data. See details in make_ga_4_req
anti_sample	If TRUE will split up the call to avoid sampling.
anti_sample_batches	"auto" default, or set to number of days per batch. 1 = daily.
slow_fetch	For large, complicated API requests this bypasses some API hacks that may result in 500 errors. For smaller queries, leave this as FALSE for quicker data fetching.
useResourceQuotas	If using GA360, access increased sampling limits. Default NULL, set to TRUE or FALSE if you have access to this feature.
rows_per_call	Set how many rows are requested by the API per call, up to a maximum of 100000.
...	Arguments passed to google_analytics

Value

A Google Analytics data.frame, with attributes showing row totals, sampling etc.

Row requests

By default the API call will use v4 batching that splits requests into 5 separate calls of 10k rows each. This can go up to 100k, so this means up to 500k rows can be fetched per API call, however the API servers will fail with a 500 error if the query is too complicated as the processing time at Google's end gets too long. In this case, you may want to tweak the rows_per_call argument downwards, or fall back to using slow_fetch = FALSE which will send an API request one at a time. If fetching data via scheduled scripts this is recommended as the default.

Anti-sampling

anti_sample being TRUE ignores max as the API call is split over days to mitigate the sampling session limit, in which case a row limit won't work. Take the top rows of the result yourself instead e.g. `head(ga_data_unsampled, 50300)`

anti_sample being TRUE will also set `samplingLevel='LARGE'` to minimise the number of calls.

Resource Quotas

If you are on GA360 and have access to resource quotas, set the `useResourceQuotas=TRUE` and set the Google Cloud client ID to the project that has resource quotas activated, via [gar_set_client](#) or options.

Caching

By default local caching is turned on for v4 API requests. This means that making the same request as one this session will read from memory and not make an API call. You can also set the cache to disk via the [gar_cache_setup](#) function. This can be useful when running RMarkdown reports using data. To empty the cache use [gar_cache_empty](#).

See Also

Other GAv4 fetch functions: [fetch_google_analytics_4_slow](#), [fetch_google_analytics_4](#), [make_ga_4_req](#)

Examples

```
## Not run:
library(googleAnalyticsR)

## authenticate, or use the RStudio Addin "Google API Auth" with analytics scopes set
ga_auth()

## get your accounts
account_list <- ga_account_list()

## account_list will have a column called "viewId"
account_list$viewId

## View account_list and pick the viewId you want to extract data from
ga_id <- 123456

# examine the meta table to see metrics and dimensions you can query
meta

## simple query to test connection
google_analytics(ga_id,
                 date_range = c("2017-01-01", "2017-03-01"),
                 metrics = "sessions",
                 dimensions = "date")

## change the quotaUser to fetch under
google_analytics(1234567, date_range = c("30daysAgo", "yesterday"), metrics = "sessions")

options("googleAnalyticsR.quotaUser" = "test_user")
google_analytics(1234567, date_range = c("30daysAgo", "yesterday"), metrics = "sessions")

## End(Not run)
```

google_analytics_3 *Get Google Analytics v3 data (formerly google_analytics())*

Description

Legacy v3 API, for more modern API use [google_analytics](#).

Usage

```
google_analytics_3(id, start, end, metrics = c("sessions", "bounceRate"),
  dimensions = NULL, sort = NULL, filters = NULL, segment = NULL,
  samplingLevel = c("DEFAULT", "FASTER", "HIGHER_PRECISION", "WALK"),
  max_results = 100, multi_account_batching = FALSE, type = c("ga",
  "mcf"))
```

Arguments

id	A character vector of View Ids to fetch from.
start	Start date in YYYY-MM-DD format.
end	End date in YYYY-MM-DD format.
metrics	A character vector of metrics. With or without ga: prefix.
dimensions	A character vector of dimensions. With or without ga: prefix.
sort	How to sort the results, in form 'ga:sessions,-ga:bounceRate'
filters	Filters for the result, in form 'ga:sessions>0;ga:pagePath=~blah'
segment	How to segment.
samplingLevel	Choose "WALK" to mitigate against sampling.
max_results	Default 100. If greater than 10,000 then will batch GA calls.
multi_account_batching	If TRUE then multiple id's are fetched together. Not compatible with samplingLevel="WALK" or max_results>10000
type	ga = Google Analytics v3; mcf = Multi-Channel Funels.

Value

For one id a data.frame of data, with meta-data in attributes. For multiple id's, a list of dataframes.

See Also

<https://developers.google.com/analytics/devguides/reporting/core/v3/>

Examples

```
## Not run:

library(googleAnalyticsR)

## Authenticate in Google OAuth2
## this also sets options
ga_auth()

## if you need to re-authenticate use ga_auth(new_user=TRUE)
## if you have your own Google Dev console project keys,
## then don't run ga_auth() as that will set to the defaults.
## instead put your options here, and run googleAuthR::gar_auth()
```

```
## get account info, including View Ids
account_list <- ga_account_list()
ga_id <- account_list$viewId[1]

## get a list of what metrics and dimensions you can use

meta <- ga_meta()
head(meta)

## pick the account_list$viewId you want to see data for.
## metrics and dimensions can have or have not "ga:" prefix

gadata <- google_analytics_3(id = ga_id,
                             start="2015-08-01", end="2015-08-02",
                             metrics = c("sessions", "bounceRate"),
                             dimensions = c("source", "medium"))

## multi accounts, pass character vector of viewIds
## outputs a list of data.frames, named after the viewId
multi_gadata <- google_analytics_3(id = c("123456", "9876545", "765432"),
                                   start="2015-08-01", end="2015-08-02",
                                   metrics = c("sessions", "bounceRate"),
                                   dimensions = c("source", "medium"))

## if more than 10000 rows in results, auto batching
## example is setting lots of dimensions to try and create big sampled data
batch_gadata <- google_analytics_3(id = ga_id,
                                   start="2014-08-01", end="2015-08-02",
                                   metrics = c("sessions", "bounceRate"),
                                   dimensions = c("source", "medium",
                                                "landingPagePath",
                                                "hour", "minute"),
                                   max=99999999)

## mitigate sampling by setting samplingLevel="WALK"
## this will send lots and lots of calls to the Google API limits, beware
walk_gadata <- google_analytics_3(id = ga_id,
                                   start="2014-08-01", end="2015-08-02",
                                   metrics = c("sessions", "bounceRate"),
                                   dimensions = c("source", "medium", "landingPagePath"),
                                   max=99999999, samplingLevel="WALK")

## multi-channel funnels set type="mcf"
mcf_gadata <- google_analytics_3(id = ga_id,
                                   start="2015-08-01", end="2015-08-02",
                                   metrics = c("totalConversions"),
                                   dimensions = c("sourcePath"),
                                   type="mcf")

## reach meta-data via attr()
attr(gadata, "profileInfo")
```

```
attr(gadata, "dateRange")
```

```
## End(Not run)
```

google_analytics_bq *Get Google Analytics 360 BigQuery data*

Description

Turn a google_analytics style call into BigQuery SQL. Used with Google Analytics 360 BigQuery exports.

Usage

```
google_analytics_bq(projectId, datasetId, start = NULL, end = NULL,
  metrics = NULL, dimensions = NULL, sort = NULL, filters = NULL,
  max_results = 100, query = NULL, return_query_only = FALSE,
  bucket = NULL, download_file = NULL)
```

Arguments

projectId	The Google project Id where the BigQuery exports sit
datasetId	DatasetId of GA export. This should match the GA View ID
start	start date
end	end date
metrics	metrics to query
dimensions	dimensions to query
sort	metric to sort by
filters	filter results
max_results	How many results to fetch
query	If query is non-NULL then it will use that and ignore above
return_query_only	Only return the constructed query, don't call BigQuery
bucket	if over 100000 results, specify a Google Cloud bucket to send data to
download_file	Where to save asynch files. If NULL saves to current working directory.

Details

All data will be unsampled, and requests will cost money against your BigQuery quota.

Requires installation of bigQueryR and authentication under `ga_bq_auth()` or `googleAuthR::gar_auth()` with BigQuery scope set. View your projectIds upon authentication via [bqr_list_projects](#)

No segments for now.

Goals are not specified in BQ exports, so you need to look at how you define them and replicate per view e.g. unique pageviews or unique events.

Custom dimensions can be specified as session or hit level, so ignoring the setting in GA interface.

You can get a sample Google Analytics dataset in bigquery by following the instructions here: <https://support.google.com/analytics/answer/3416091?hl=en>

Value

data.frame of results

See Also

<https://support.google.com/analytics/answer/4419694?hl=en> <https://support.google.com/analytics/answer/3437719?hl=en>

make_cohort_group	<i>Create a cohort group</i>
-------------------	------------------------------

Description

Create a cohort group

Usage

```
make_cohort_group(cohorts, lifetimeValue = FALSE, cohort_types = NULL)
```

Arguments

cohorts	A named list of start/end date pairs
lifetimeValue	lifetimeValue TRUE or FALSE. Only works for webapps.
cohort_types	placeholder, does nothing as only FIRST_VISIT_DATE supported.

Details

Example: `list("cohort 1" = c("2015-08-01", "2015-08-01"), "cohort 2" = c("2015-07-01", "2015-07-01"))`

Value

A cohortGroup object

See Also

https://developers.google.com/analytics/devguides/reporting/core/v4/advanced#cohort_and_lifetime_value_ltv_dimensions_and_metrics

Other v4 cohort functions: [cohortGroup](#), [cohort_dimension_check](#), [cohort_metric_check](#), [cohort](#)

Examples

```
## Not run:
library(googleAnalyticsR)

## authenticate,
## or use the RStudio Addin "Google API Auth" with analytics scopes set
ga_auth()

## get your accounts
account_list <- google_analytics_account_list()

## pick a profile with data to query

ga_id <- account_list[23,'viewId']

## first make a cohort group

cohort4 <- make_cohort_group(list("cohort 1" = c("2015-08-01", "2015-08-01"),
                                "cohort 2" = c("2015-07-01", "2015-07-01")))

## then call cohort report. No date_range and must include metrics and dimensions
## from the cohort list
cohort_example <- google_analytics(ga_id,
                                   dimensions=c('cohort'),
                                   cohort = cohort4,
                                   metrics = c('cohortTotalUsers'))

### Lifetime Value report - just a variation of the cohort report
# with lifetimeValue = TRUE
### and ltv specific metrics
### The view MUST be an app view at the moment

## make a cohort group with lifetimeValue = TRUE

cohort_ltv <- make_cohort_group(list("cohort 1" = c("2018-12-01", "2018-12-31"),
                                    "cohort 2" = c("2019-01-01", "2019-01-31")),
                                lifetimeValue = TRUE)

## call a cohort report with ltv metrics

ltv_example <- google_analytics(ga_id,
```

```

dimensions = c('cohort', "acquisitionTrafficChannel"),
cohorts = cohort_ltv,
metrics = c("cohortGoalCompletionsPerUserWithLifetimeCriteria"))

```

```
## End(Not run)
```

make_ga_4_req

Make a Google Analytics v4 API fetch

Description

This function constructs the Google Analytics API v4 call to be called via [fetch_google_analytics_4](#)

Usage

```

make_ga_4_req(viewId, date_range = NULL, metrics = NULL,
  dimensions = NULL, dim_filters = NULL, met_filters = NULL,
  filtersExpression = NULL, order = NULL, segments = NULL,
  pivots = NULL, cohorts = NULL, pageToken = 0, pageSize = 1000,
  samplingLevel = c("DEFAULT", "SMALL", "LARGE"), metricFormat = NULL,
  histogramBuckets = NULL)

```

Arguments

viewId	viewId of data to get.
date_range	character or date vector of format <code>c(start, end)</code> or for two date ranges: <code>c(start1, end1, start2, end2)</code>
metrics	Metric(s) to fetch as a character vector. You do not need to supply the "ga:" prefix. See meta for a list of dimensions and metrics the API supports. Also supports your own calculated metrics.
dimensions	Dimension(s) to fetch as a character vector. You do not need to supply the "ga:" prefix. See meta for a list of dimensions and metrics the API supports.
dim_filters	A filter_clause_ga4 wrapping dim_filter
met_filters	A filter_clause_ga4 wrapping met_filter
filtersExpression	A v3 API style simple filter string. Not used with other filters.
order	An order_type object
segments	List of segments as created by segment_ga4
pivots	Pivots of the data as created by pivot_ga4
cohorts	Cohorts created by make_cohort_group
pageToken	Where to start the data fetch
pageSize	How many rows to fetch. Max 100000 each batch.
samplingLevel	Sample level

`metricFormat` If supplying calculated metrics, specify the metric type

`histogramBuckets` For numeric dimensions such as hour, a list of buckets of data. See details in [make_ga_4_req](#)

Metrics

Metrics support calculated metrics like `ga:users / ga:sessions` if you supply them in a named vector.

You must supply the correct `'ga:'` prefix unlike normal metrics

You can mix calculated and normal metrics like so:

```
customMetric <-c(sessionPerVisitor = "ga:sessions / ga:visitors", "bounceRate", "entrances")
```

You can also optionally supply a `metricFormat` parameter that must be the same length as the metrics. `metricFormat` can be: `METRIC_TYPE_UNSPECIFIED`, `INTEGER`, `FLOAT`, `CURRENCY`, `PERCENT`, `TIME`

All metrics are currently parsed to `as.numeric` when in R.

Dimensions

Supply a character vector of dimensions, with or without `ga:` prefix.

Optionally for numeric dimension types such as `ga:hour`, `ga:browserVersion`, `ga:sessionsToTransaction`, etc. supply histogram buckets suitable for histogram plots.

If non-empty, we place dimension values into buckets after string to `int64`. Dimension values that are not the string representation of an integral value will be converted to zero. The bucket values have to be in increasing order. Each bucket is closed on the lower end, and open on the upper end. The "first" bucket includes all values less than the first boundary, the "last" bucket includes all values up to infinity. Dimension values that fall in a bucket get transformed to a new dimension value. For example, if one gives a list of "0, 1, 3, 4, 7", then we return the following buckets: -

- bucket #1: values < 0, dimension value "<0"
- bucket #2: values in [0,1), dimension value "0"
- bucket #3: values in [1,3), dimension value "1-2"
- bucket #4: values in [3,4), dimension value "3"
- bucket #5: values in [4,7), dimension value "4-6"
- bucket #6: values >= 7, dimension value "7+"

See Also

Other GAv4 fetch functions: [fetch_google_analytics_4_slow](#), [fetch_google_analytics_4](#), [google_analytics](#)

Examples

```
## Not run:
library(googleAnalyticsR)

## authenticate,
```

```
## or use the RStudio Addin "Google API Auth" with analytics scopes set
ga_auth()

## get your accounts
account_list <- google_analytics_account_list()

## pick a profile with data to query

ga_id <- account_list[23,'viewId']

ga_req1 <- make_ga_4_req(ga_id,
                        date_range = c("2015-07-30","2015-10-01"),
                        dimensions=c('source','medium'),
                        metrics = c('sessions'))

ga_req2 <- make_ga_4_req(ga_id,
                        date_range = c("2015-07-30","2015-10-01"),
                        dimensions=c('source','medium'),
                        metrics = c('users'))

fetch_google_analytics_4(list(ga_req1, ga_req2))

## End(Not run)
```

meta

Google Analytics API metadata

Description

This is a local copy of the data provided by [ga_meta](#)

Usage

meta

Format

A data frame containing metric and dimensions that you can query the Reporting API with.

Details

Running your own call will be more up to date, but this is here in case.

It does not include the multi-channel or cohort variables.

Source

<https://developers.google.com/analytics/devguides/reporting/core/dimsmets>

met_filter	<i>Make a metric filter object</i>
------------	------------------------------------

Description

Make a metric filter object

Usage

```
met_filter(metric, operator = c("EQUAL", "LESS_THAN", "GREATER_THAN",  
  "IS_MISSING"), comparisonValue, not = FALSE)
```

Arguments

metric	metric name to filter on.
operator	How to match the dimension.
comparisonValue	What to match.
not	Logical NOT operator. Boolean.

Value

An object of class `met_fil_ga4` for use in [filter_clause_ga4](#)

See Also

Other filter functions: [dim_filter](#), [filter_clause_ga4](#)

Examples

```
## Not run:  
library(googleAnalyticsR)  
  
## authenticate,  
## or use the RStudio Addin "Google API Auth" with analytics scopes set  
ga_auth()  
  
## get your accounts  
account_list <- google_analytics_account_list()  
  
## pick a profile with data to query  
  
ga_id <- account_list[23, 'viewId']  
  
## create filters on metrics  
mf <- met_filter("bounces", "GREATER_THAN", 0)  
mf2 <- met_filter("sessions", "GREATER", 2)
```

```

## create filters on dimensions
df <- dim_filter("source", "BEGINS_WITH", "1", not = TRUE)
df2 <- dim_filter("source", "BEGINS_WITH", "a", not = TRUE)

## construct filter objects
fc2 <- filter_clause_ga4(list(df, df2), operator = "AND")
fc <- filter_clause_ga4(list(mf, mf2), operator = "AND")

## make v4 request
ga_data1 <- google_analytics_4(ga_id,
                               date_range = c("2015-07-30", "2015-10-01"),
                               dimensions=c('source', 'medium'),
                               metrics = c('sessions', 'bounces'),
                               met_filters = fc,
                               dim_filters = fc2,
                               filtersExpression = "ga:source!=(direct)")

## End(Not run)

```

multi_select

multi_select [Shiny Module]

Description

Shiny Module for use with [multi_selectUI](#)

Usage

```
multi_select(input, output, session, type = c("METRIC", "DIMENSION"),
            subType = c("all", "segment", "cohort"), default = NULL)
```

Arguments

input	shiny input
output	shiny output
session	shiny session
type	metric or dimension
subType	Limit selections to those relevant
default	The default selected choice. First element if NULL

Details

Call via `shiny::callModule(multi_select, "your_id")`

Value

the selected variable

See Also

Other Shiny modules: [authDropdownUI](#), [authDropdown](#), [multi_selectUI](#)

multi_selectUI	<i>multi_select UI [Shiny Module]</i>
----------------	---------------------------------------

Description

Shiny Module for use with [multi_select](#)

Usage

```
multi_selectUI(id, label = "Metric", multiple = TRUE, width = NULL)
```

Arguments

id	Shiny id
label	label
multiple	multiple select
width	width of select

Details

Create a Google Analytics variable selector

Value

Shiny UI

See Also

Other Shiny modules: [authDropdownUI](#), [authDropdown](#), [multi_select](#)

order_type	<i>Make an OrderType object</i>
------------	---------------------------------

Description

Make an OrderType object

Usage

```
order_type(field, sort_order = c("ASCENDING", "DESCENDING"),
  orderType = c("VALUE", "DELTA", "SMART", "HISTOGRAM_BUCKET",
    "DIMENSION_AS_INTEGER"))
```

Arguments

field	One field to sort by
sort_order	ASCENDING or DESCENDING
orderType	Type of ordering

Details

For multiple order sorting, create separate OrderType objects to pass

Value

A order_type_ga4 object for use in GAv4 fetch

pivot_ga4	<i>Make a pivot object</i>
-----------	----------------------------

Description

Make a pivot object

Usage

```
pivot_ga4(pivot_dim, metrics, dim_filter_clause = NULL, startGroup = 0,
  maxGroupCount = 5)
```

Arguments

pivot_dim	A character vector of dimensions
metrics	Metrics to aggregate and return.
dim_filter_clause	Only data included in filter included.
startGroup	which groups of k columns are included in response (0 indexed).
maxGroupCount	Maximum number of groups to return.

segmentBuilder *Create a Gav4 Segment Builder*

Description

Shiny Module for use with [segmentBuilderUI](#)

Usage

```
segmentBuilder(input, output, session)
```

Arguments

input	shiny input
output	shiny output
session	shiny session

Details

Call via `shiny::callModule(segmentBuilder, "your_id")`

Value

A segment definition

Examples

```
## Not run:

library(shiny)
library(googleAnalyticsR)

ui <- shinyUI(fluidPage(
  segmentBuilderUI("test1")
))

server <- shinyServer(function(input, output, session) {

  segment <- callModule(segmentBuilder, "test1")

  .. use segment() in further gav4 calls.

})

# Run the application
shinyApp(ui = ui, server = server)
```



```
## End(Not run)
```

segmentBuilderUI	<i>Create a GAv4 Segment Builder</i>
------------------	--------------------------------------

Description

Shiny Module for use with [segmentBuilder](#)

Usage

```
segmentBuilderUI(id)
```

Arguments

id Shiny id

Value

Shiny UI for use in app

Examples

```
## Not run:

library(shiny)
library(googleAnalyticsR)

ui <- shinyUI(fluidPage(
  segmentBuilderUI("test1")
))

server <- shinyServer(function(input, output, session) {

  segment <- callModule(segmentBuilder, "test1")

  .. use segment() in further gav4 calls.

})

# Run the application
shinyApp(ui = ui, server = server)

## End(Not run)
```

segment_define	<i>Make a segment definition</i>
----------------	----------------------------------

Description

Defines the segment to be a set of SegmentFilters which are combined together with a logical AND operation.

segment_define is in the hierarchy of segment creation, for which you will also need:

- [segment_define](#) : AND combination of segmentFilters
- [segment_vector_simple](#) or [segment_vector_sequence](#)
- [segment_element](#) that are combined in OR lists for segment_vectors_*

Usage

```
segment_define(segment_filters, not_vector = NULL)
```

Arguments

segment_filters	A list of segment_vector_simple and segment_vector_sequence
not_vector	Boolean applied to each segmentFilter step. If NULL, assumed FALSE

Value

segmentDefinition object for [segment_ga4](#)

See Also

Other v4 segment functions: [segment_element](#), [segment_ga4](#), [segment_vector_sequence](#), [segment_vector_simple](#)

segment_element	<i>Make a segment element</i>
-----------------	-------------------------------

Description

segment_element is the lowest hierarchy of segment creation, for which you will also need:

- [segment_define](#) : AND combination of segmentFilters
- [segment_vector_simple](#) or [segment_vector_sequence](#)
- [segment_element](#) that are combined in OR lists for segment_vectors_*

Usage

```
segment_element(name, operator = c("REGEXP", "BEGINS_WITH", "ENDS_WITH",
  "PARTIAL", "EXACT", "IN_LIST", "NUMERIC_LESS_THAN",
  "NUMERIC_GREATER_THAN", "NUMERIC_BETWEEN", "LESS_THAN", "GREATER_THAN",
  "EQUAL", "BETWEEN"), type = c("METRIC", "DIMENSION"), not = FALSE,
  expressions = NULL, caseSensitive = NULL,
  minComparisonValue = NULL, maxComparisonValue = NULL,
  scope = c("SESSION", "USER", "HIT", "PRODUCT"),
  comparisonValue = NULL, matchType = c("PRECEDES",
  "IMMEDIATELY_PRECEDES"))
```

Arguments

name	Name of the GA metric or dimension to segment on
operator	How name shall operate on expression or comparisonValue
type	A metric or dimension based segment element
not	Should the element be the negation of what is defined
expressions	[dim] What the name shall compare to
caseSensitive	[dim] Whether to be case sensitive
minComparisonValue	[dim] Minimum comparison values for BETWEEN
maxComparisonValue	Max comparison value for BETWEEN operator
scope	[met] Scope of the metric value
comparisonValue	[met] What the name shall compare to
matchType	If used in sequence segment, what behaviour

Value

An SegmentFilterClause object

See Also

Other v4 segment functions: [segment_define](#), [segment_ga4](#), [segment_vector_sequence](#), [segment_vector_simple](#)

segment_ga4

Make a segment object for use

Description

A Segment is a subset of the Analytics data. For example, of the entire set of users, one Segment might be users from a particular country or city.

Usage

```
segment_ga4(name, segment_id = NULL, user_segment = NULL,
            session_segment = NULL)
```

Arguments

name	The name of the segment for the reports.
segment_id	The segment ID of a built in or custom segment e.g. gaid::-3
user_segment	A list of segment_define's that apply to users
session_segment	A list of segment_define's that apply to sessions

Details

segment_ga4 is the top hierarchy of segment creation, for which you will also need:

- [segment_define](#) : AND combination of segmentFilters
- [segment_vector_simple](#) or [segment_vector_sequence](#)
- [segment_element](#) that are combined in OR lists for segment_vectors_*

Value

a segmentFilter object. You can pass a list of these to the request.

See Also

Other v4 segment functions: [segment_define](#), [segment_element](#), [segment_vector_sequence](#), [segment_vector_simple](#)

Examples

```
## Not run:
library(googleAnalyticsR)

## authenticate,
## or use the RStudio Addin "Google API Auth" with analytics scopes set
ga_auth()

## get your accounts
account_list <- google_analytics_account_list()

## pick a profile with data to query

ga_id <- account_list[23,'viewId']

## make a segment element
se <- segment_element("sessions",
```

```
        operator = "GREATER_THAN",
        type = "METRIC",
        comparisonValue = 1,
        scope = "USER")

se2 <- segment_element("medium",
                      operator = "EXACT",
                      type = "DIMENSION",
                      expressions = "organic")

## choose between segment_vector_simple or segment_vector_sequence
## Elements can be combined into clauses, which can then be
## combined into OR filter clauses
sv_simple <- segment_vector_simple(list(list(se)))

sv_simple2 <- segment_vector_simple(list(list(se2)))

## Each segment vector can then be combined into a logical AND
seg_defined <- segment_define(list(sv_simple, sv_simple2))

## if only one AND definition, you can leave out wrapper list()
seg_defined_one <- segment_define(sv_simple)

## Each segment definition can apply to users, sessions or both.
## You can pass a list of several segments

segment4 <- segment_ga4("simple", user_segment = seg_defined)
## Add the segments to the segments param

segment_example <- google_analytics(ga_id,
                                   c("2015-07-30", "2015-10-01"),
                                   dimensions=c('source', 'medium', 'segment'),
                                   segments = segment4,
                                   metrics = c('sessions', 'bounces')
                                   )

## Sequence segment

se2 <- segment_element("medium",
                      operator = "EXACT",
                      type = "DIMENSION",
                      expressions = "organic")

se3 <- segment_element("medium",
                      operator = "EXACT",
                      type = "DIMENSION",
                      not = TRUE,
                      expressions = "organic")
```

```

## step sequence
## users who arrived via organic then via referral
sv_sequence <- segment_vector_sequence(list(list(se2),
                                           list(se3)))

seq_defined2 <- segment_define(list(sv_sequence))

segment4_seq <- segment_ga4("sequence", user_segment = seq_defined2)

## Add the segments to the segments param

segment_seq_example <- google_analytics(ga_id,
                                       c("2016-04-01", "2016-05-01"),
                                       dimensions=c('source', 'segment'),
                                       segments = segment4_seq,
                                       metrics = c('sessions', 'bounces')
                                       )

## End(Not run)

```

segment_vector_sequence

Make sequenceSegment

Description

segment_vector_sequence is in the hierarchy of segment creation, for which you will also need:

- [segment_define](#) : AND combination of segmentFilters
- [segment_vector_simple](#) or [segment_vector_sequence](#)
- [segment_element](#) that are combined in OR lists for segment_vectors_*

Usage

```
segment_vector_sequence(segment_elements, firstStepMatch = FALSE)
```

Arguments

```
segment_elements
    a list of OR lists of segment elements
firstStepMatch FALSE default
```

See Also

Other v4 segment functions: [segment_define](#), [segment_element](#), [segment_ga4](#), [segment_vector_simple](#)

segment_vector_simple *Make a simple segment vector*

Description

segment_vector_simple is in the hierarchy of segment creation, for which you will also need:

- [segment_define](#) : AND combination of segmentFilters
- [segment_vector_simple](#) or [segment_vector_sequence](#)
- [segment_element](#) that are combined in OR lists for segment_vectors_*

Usage

```
segment_vector_simple(segment_elements)
```

Arguments

segment_elements
A list of OR lists of [segment_element](#)

Value

A segment vector you can put in a list for use in [segment_ga4](#)

See Also

Other v4 segment functions: [segment_define](#), [segment_element](#), [segment_ga4](#), [segment_vector_sequence](#)

Index

*Topic **datasets**

- meta, 82
- authDropdown, 4, 5, 85
- authDropdownUI, 4, 5, 85
- bqr_list_projects, 78
- cohort, 79
- cohort_dimension_check, 79
- cohort_metric_check, 79
- cohortGroup, 79
- dim_filter, 5, 9, 72, 80, 83
- fetch_google_analytics_4, 7, 8, 74, 80, 81
- fetch_google_analytics_4_slow, 7, 8, 74, 81
- filter_clause_ga4, 6, 9, 72, 80, 83, 87
- ga_account_list, 10, 11, 69–71
- ga_accounts, 10, 11, 69–71
- ga_adwords, 12, 13, 14
- ga_adwords_add_linkid, 12, 12, 13, 14
- ga_adwords_delete_linkid, 12, 13, 13, 14
- ga_adwords_list, 12, 13, 14
- ga_aggregate, 15
- ga_allowed_metric_dim, 16
- ga_auth, 16
- ga_cache_call, 18
- ga_clientid_activity, 19, 21, 23, 24
- ga_clientid_activity_unnest, 19, 20, 23, 24
- ga_clientid_deletion, 19, 21, 22, 24
- ga_clientid_hash, 19, 21, 23, 23
- ga_custom_datasource, 24, 25, 27, 29
- ga_custom_upload, 24, 25, 27, 29
- ga_custom_upload_delete, 24, 25, 26, 27, 29
- ga_custom_upload_file, 24, 25, 27, 27, 29
- ga_custom_upload_list, 24, 25, 27, 28
- ga_custom_vars, 29, 30–32
- ga_custom_vars_create, 29, 30, 31, 32
- ga_custom_vars_list, 29, 30, 31, 32
- ga_custom_vars_patch, 29–31, 32
- ga_experiment, 33, 34, 35, 37, 39, 41, 59
- ga_experiment_list, 33, 34, 35, 37, 39, 41, 59
- ga_filter, 34, 38, 39, 42
- ga_filter_add, 33, 34, 35, 37, 39, 41, 59
- ga_filter_apply_to_view, 33–35, 37, 39, 41, 59
- ga_filter_delete, 35, 38, 39, 42
- ga_filter_list, 35, 38, 38, 42
- ga_filter_update, 33–35, 37, 39, 41, 59
- ga_filter_update_filter_link, 33–35, 37, 39, 40, 59
- ga_filter_view, 35, 38, 39, 41, 42
- ga_filter_view_list, 35, 38, 39, 42, 42
- ga_goal, 43, 44, 46, 47
- ga_goal_add, 43, 43, 46, 47
- ga_goal_list, 43, 44, 46, 47
- ga_goal_update, 43, 44, 46, 46
- ga_meta, 48, 82
- ga_model, 48, 49–51, 53, 54
- ga_model_edit, 48, 49, 50, 51, 53, 54
- ga_model_example, 48, 49, 49, 50, 51, 53, 54
- ga_model_load, 48–50, 50, 51, 53, 54
- ga_model_make, 48–50, 50, 53, 54
- ga_model_save, 48–51, 52, 53, 54
- ga_model_tweet, 48–51, 53, 53, 54
- ga_model_write, 48–51, 53, 54
- ga_remarketing_build, 55, 56, 58, 59
- ga_remarketing_create, 55, 56, 58, 59
- ga_remarketing_estimate, 55, 56, 57, 58, 59
- ga_remarketing_get, 55–58, 58, 59
- ga_remarketing_list, 55, 56, 58, 59
- ga_segment_list, 33–35, 37, 39, 41, 59
- ga_unsampled, 60, 61, 62

ga_unsampled_download, 60, 60, 62
ga_unsampled_list, 60, 61, 62
ga_users_add, 63, 64, 66–68
ga_users_delete, 63, 64, 66–68
ga_users_delete_linkid, 63, 64, 65, 67, 68
ga_users_list, 63–66, 66, 68
ga_users_update, 63, 64, 66, 67, 67
ga_view, 10, 11, 68, 69–71
ga_view_list, 10, 11, 69, 69, 70, 71
ga_webproperty, 10, 11, 69, 70, 71
ga_webproperty_list, 10, 11, 69, 70, 71
gar_auth, 16
gar_auth_service, 16
gar_cache_empty, 73
gar_cache_setup, 73
gar_set_client, 17, 73
google_analytics, 7, 8, 11, 72, 73, 74, 81
google_analytics_3, 72, 74
google_analytics_4 (google_analytics),
72
google_analytics_bq, 77
googleAnalyticsR, 71
googleAnalyticsR-package
(googleAnalyticsR), 71

make_cohort_group, 72, 78, 80
make_ga_4_req, 7–9, 73, 74, 80, 81
met_filter, 6, 9, 72, 80, 83
meta, 72, 80, 82
multi_select, 4, 5, 84, 85
multi_selectUI, 4, 5, 84, 85, 85

order_type, 72, 80, 86

pivot_ga4, 72, 80, 86

segment_define, 90, 90, 91, 92, 94, 95
segment_element, 90, 90, 92, 94, 95
segment_ga4, 72, 80, 90, 91, 91, 94, 95
segment_vector_sequence, 90–92, 94, 94,
95
segment_vector_simple, 90–92, 94, 95, 95
segmentBuilder, 88, 89
segmentBuilderUI, 88, 89
Startup, 17
Sys.setenv, 17

toJSON, 67