

Package ‘samc’

January 8, 2020

Type Package

Title Spatial Absorbing Markov Chains

Version 1.0.4

Date 2020-01-06

Description An implementation of the framework described in “Toward a unified framework for connectivity that disentangles movement and mortality in space and time” by Fletcher et al. (2019) <doi:10.1111/ele.13333>. Incorporates both resistance and absorption with spatial absorbing Markov chains (SAMC) to provide several short-term and long-term predictions for metrics related to connectivity in landscapes.

License GPL (>= 3)

URL <https://andrewmarx.github.io/samc>

BugReports <https://github.com/andrewmarx/samc/issues>

Encoding UTF-8

LazyData true

Depends R (>= 3.3.0)

Imports methods, gdistance, Matrix, raster

RoxygenNote 6.1.1

Suggests knitr, rmarkdown, testthat, ggplot2, png, viridis, gifski, ganimate

VignetteBuilder knitr

Collate 'RcppExports.R' 'samc-class.R' 'check.R' 'data.R' 'visitation.R' 'dispersal.R' 'distribution.R' 'map.R' 'mortality.R' 'samc.R' 'survival.R'

LinkingTo Rcpp (>= 1.0.1), RcppEigen (>= 0.3.3.5.0)

NeedsCompilation yes

Author Andrew Marx [aut, cre, cph] (<<https://orcid.org/0000-0002-7456-1631>>), Robert Fletcher [ctb] (<<https://orcid.org/0000-0003-1717-5707>>), Miguel Acevedo [ctb] (<<https://orcid.org/0000-0002-8289-1497>>), Jorge Sefair [ctb] (<<https://orcid.org/0000-0002-5887-8938>>), Chao Wang [ctb] (<<https://orcid.org/0000-0003-2706-5122>>)

Maintainer Andrew Marx <andrewjmarx@ufl.edu>

Repository CRAN

Date/Publication 2020-01-08 07:00:03 UTC

R topics documented:

check	2
dispersal	4
distribution	7
ex_abs_data	10
ex_occ_data	10
ex_res_data	11
map	11
mortality	13
samc	16
samc-class	19
survival	19
visitation	21

Index	24
--------------	-----------

check	<i>Check landscape data</i>
-------	-----------------------------

Description

Check that landscape inputs have valid values and matching properties.

Usage

```
check(a, b)
```

```
## S4 method for signature 'RasterLayer,missing'
check(a)
```

```
## S4 method for signature 'matrix,missing'
check(a)
```

```
## S4 method for signature 'RasterLayer,RasterLayer'
check(a, b)
```

```
## S4 method for signature 'matrix,matrix'
check(a, b)
```

```
## S4 method for signature 'samc,RasterLayer'
check(a, b)
```

```
## S4 method for signature 'samc,matrix'
check(a, b)
```

Arguments

a A [samc-class](#), [matrix](#), or [RasterLayer-class](#) object
 b A [matrix](#) or [RasterLayer-class](#) object

Details

This function is used to ensure that landscape inputs (resistance, absorption, fidelity, and occupancy) have valid values and the same properties. This includes checking the CRS (if using [RasterLayer](#) inputs), dimensions, and locations of cells with NA data. It can be used to directly compare two matrices or two [RasterLayers](#), or it can be used to check a [samc-class](#) object against a matrix or [RasterLayer](#).

The function returns TRUE if the inputs have matching properties. Otherwise, it will stop execution and print the error message generated by the `compareRaster()` function from the `raster` package. This error will provide some details about the difference between the two inputs.

Note that the package assumes the different landscape inputs will be the same type, either matrices or [RasterLayers](#). Mixing [RasterLayer](#) data and matrix data is not supported.

Value

See *Details* section.

Examples

```
# "Load" the data. In this case we are using data built into the package.
# In practice, users will likely load raster data using the raster() function
# from the raster package.
res_data <- samc::ex_res_data
abs_data <- samc::ex_abs_data
occ_data <- samc::ex_occ_data

# Make sure our data meets the basic input requirements of the package using
# the check() function.
check(res_data, abs_data)
check(res_data, occ_data)

# Create a `samc-class` object with the resistance and absorption data using
# the samc() function. We use the recipricol of the arithmetic mean for
# calculating the transition matrix. Note, the input data here are matrices,
# not RasterLayers. If using RasterLayers, the latlon parameter must be set.
samc_obj <- samc(res_data, abs_data, tr_fun = function(x) 1/mean(x))

# Convert the occupancy data to probability of occurrence
```

```

occ_prob_data <- occ_data / sum(occ_data, na.rm = TRUE)

# Calculate short- and long-term metrics using the analytical functions
short_mort <- mortality(samc_obj, occ_prob_data, time = 50)
short_dist <- distribution(samc_obj, origin = 3, time = 50)
long_disp <- dispersal(samc_obj, occ_prob_data)
visit <- visitation(samc_obj, dest = 4)
surv <- survival(samc_obj)

# Use the map() function to turn vector results into RasterLayer objects.
short_mort_map <- map(samc_obj, short_mort)
short_dist_map <- map(samc_obj, short_dist)
long_disp_map <- map(samc_obj, long_disp)
visit_map <- map(samc_obj, visit)
surv_map <- map(samc_obj, surv)

```

dispersal

Calculate dispersal metrics

Description

Calculates the probability of individuals visiting locations

Usage

```

dispersal(samc, occ, origin, dest, time)

## S4 method for signature 'samc,missing,missing,numeric,numeric'
dispersal(samc, dest,
          time)

## S4 method for signature 'samc,RasterLayer,missing,numeric,numeric'
dispersal(samc, occ,
          dest, time)

## S4 method for signature 'samc,matrix,missing,numeric,numeric'
dispersal(samc, occ, dest,
          time)

## S4 method for signature 'samc,missing,missing,missing,missing'
dispersal(samc)

## S4 method for signature 'samc,missing,numeric,missing,missing'
dispersal(samc, origin)

## S4 method for signature 'samc,missing,missing,numeric,missing'

```

```

dispersal(samc, dest)

## S4 method for signature 'samc,missing,numeric,numeric,missing'
dispersal(samc, origin,
          dest)

## S4 method for signature 'samc,RasterLayer,missing,missing,missing'
dispersal(samc, occ)

## S4 method for signature 'samc,matrix,missing,missing,missing'
dispersal(samc, occ)

## S4 method for signature 'samc,RasterLayer,missing,numeric,missing'
dispersal(samc, occ,
          dest)

## S4 method for signature 'samc,matrix,missing,numeric,missing'
dispersal(samc, occ, dest)

```

Arguments

samc	A samc-class object. This should be output from the samc function.
occ	A RasterLayer-class or matrix . The input type must match the input type used to create the samc-class object, and must have the same properties as the rest of the landscape data. See the check function for more details.
origin	A positive integer representing a cell in the landscape, excluding NA cells. Corresponds to row i of matrix P in the samc-class object.
dest	A positive integer representing a cell in the landscape, excluding NA cells. Corresponds to column j of matrix P in the samc-class object.
time	A positive integer representing time steps

Details

$$\tilde{D}_{jt} = (\sum_{n=0}^{t-1} \tilde{Q}^n) \tilde{q}_j$$

- **dispersal(samc, dest, time)**

The result is a vector where each element corresponds to a cell in the landscape, and can be mapped back to the landscape using the [map](#) function. Element k is the probability of ever visiting a given destination, if starting at any other location, within t or fewer time steps.

$$\psi^T \tilde{D}_{jt}$$

- **dispersal(samc, occ, dest, time)**

The result is a numeric that is the unconditional probability of visiting a given destination within t or fewer time steps.

$$D = (F - I) \text{diag}(F)^{-1}$$

- **dispersal(samc)**
The result is a matrix where element (i,j) is the probability that location j is visited when starting in location i .
The returned matrix will always be dense and cannot be optimized. Must enable override to use.
- **dispersal(samc, origin)**
This function has not been optimized yet, and will not run.
- **dispersal(samc, dest)**
The result is a vector where each element corresponds to a cell in the landscape, and can be mapped back to the landscape using the `map` function. Element i is the probability that the destination is visited when starting in location i .
- **dispersal(samc, origin, dest)**
The result is a numeric value that is the probability that an individual starting at the origin visits the destination.

$\psi^T D$

- **dispersal(samc, occ)**
The result is a vector where each element corresponds to a cell in the landscape, and can be mapped back to the landscape using the `map` function. Element j is the unconditional probability distribution of ever visiting location j , regardless of the initial location.
- **dispersal(samc, occ, dest)**
The result is a numeric value that is the unconditional probability distribution of ever visiting a given destination, regardless of the initial location.

Value

A matrix, a vector, or a numeric

Performance

Any relevant performance information about this function can be found in the performance vignette: `vignette("performance", package = "samc")`

Examples

```
# "Load" the data. In this case we are using data built into the package.
# In practice, users will likely load raster data using the raster() function
# from the raster package.
res_data <- samc::ex_res_data
abs_data <- samc::ex_abs_data
occ_data <- samc::ex_occ_data

# Make sure our data meets the basic input requirements of the package using
# the check() function.
check(res_data, abs_data)
check(res_data, occ_data)
```

```

# Create a `samc-class` object with the resistance and absorption data using
# the samc() function. We use the reciprocal of the arithmetic mean for
# calculating the transition matrix. Note, the input data here are matrices,
# not RasterLayers. If using RasterLayers, the latlon parameter must be set.
samc_obj <- samc(res_data, abs_data, tr_fun = function(x) 1/mean(x))

# Convert the occupancy data to probability of occurrence
occ_prob_data <- occ_data / sum(occ_data, na.rm = TRUE)

# Calculate short- and long-term metrics using the analytical functions
short_mort <- mortality(samc_obj, occ_prob_data, time = 50)
short_dist <- distribution(samc_obj, origin = 3, time = 50)
long_disp <- dispersal(samc_obj, occ_prob_data)
visit <- visitation(samc_obj, dest = 4)
surv <- survival(samc_obj)

# Use the map() function to turn vector results into RasterLayer objects.
short_mort_map <- map(samc_obj, short_mort)
short_dist_map <- map(samc_obj, short_dist)
long_disp_map <- map(samc_obj, long_disp)
visit_map <- map(samc_obj, visit)
surv_map <- map(samc_obj, surv)

```

distribution

Calculate distribution metrics

Description

Calculate the probability of finding an individual at a given location at a specific time.

Usage

```

distribution(samc, occ, origin, dest, time)

## S4 method for signature 'samc,missing,missing,missing,numeric'
distribution(samc, time)

## S4 method for signature 'samc,missing,numeric,missing,numeric'
distribution(samc, origin,
             time)

## S4 method for signature 'samc,missing,missing,numeric,numeric'
distribution(samc, dest,
             time)

```

```
## S4 method for signature 'samc,missing,numeric,numeric,numeric'
distribution(samc, origin,
            dest, time)

## S4 method for signature 'samc,RasterLayer,missing,missing,numeric'
distribution(samc,
            occ, time)

## S4 method for signature 'samc,matrix,missing,missing,numeric'
distribution(samc, occ,
            time)
```

Arguments

samc	A samc-class object. This should be output from the samc function.
occ	A RasterLayer-class or matrix . The input type must match the input type used to create the samc-class object, and must have the same properties as the rest of the landscape data. See the check function for more details.
origin	A positive integer representing a cell in the landscape, excluding NA cells. Corresponds to row i of matrix P in the samc-class object.
dest	A positive integer representing a cell in the landscape, excluding NA cells. Corresponds to column j of matrix P in the samc-class object.
time	A positive integer representing time steps

Details

Q^t

- **distribution(samc, time)**

The result is a matrix where element (i,j) is the probability of being at location j after t time steps if starting at location i .

The returned matrix will always be dense and cannot be optimized. Must enable `override` to use.

- **distribution(samc, origin, time)**

The result is a vector where element j is the probability of being at location j after t time steps if starting at a given origin.

- **distribution(samc, dest, time)**

The result is a vector where element i is the probability of being at a given destination after t time steps if starting at location i .

- **distribution(samc, origin, dest, time)**

The result is a numeric value that is the probability of being at a given destination after t time steps when beginning at a given origin.

$\psi^T Q^t$

- **distribution(samc, occ, time)**

The result is a vector where each element corresponds to a cell in the landscape, and can be mapped back to the landscape using the `map` function. Element i is the unconditional probability of finding an individual (or expected number of individuals) in location i after t time steps.

Value

A vector

Performance

Any relevant performance information about this function can be found in the performance vignette: `vignette("performance", package = "samc")`

Examples

```
# "Load" the data. In this case we are using data built into the package.
# In practice, users will likely load raster data using the raster() function
# from the raster package.
res_data <- samc::ex_res_data
abs_data <- samc::ex_abs_data
occ_data <- samc::ex_occ_data

# Make sure our data meets the basic input requirements of the package using
# the check() function.
check(res_data, abs_data)
check(res_data, occ_data)

# Create a `samc-class` object with the resistance and absorption data using
# the samc() function. We use the reciprocal of the arithmetic mean for
# calculating the transition matrix. Note, the input data here are matrices,
# not RasterLayers. If using RasterLayers, the latlon parameter must be set.
samc_obj <- samc(res_data, abs_data, tr_fun = function(x) 1/mean(x))

# Convert the occupancy data to probability of occurrence
occ_prob_data <- occ_data / sum(occ_data, na.rm = TRUE)

# Calculate short- and long-term metrics using the analytical functions
short_mort <- mortality(samc_obj, occ_prob_data, time = 50)
short_dist <- distribution(samc_obj, origin = 3, time = 50)
long_disp <- dispersal(samc_obj, occ_prob_data)
visit <- visitation(samc_obj, dest = 4)
surv <- survival(samc_obj)

# Use the map() function to turn vector results into RasterLayer objects.
short_mort_map <- map(samc_obj, short_mort)
```

```
short_dist_map <- map(samc_obj, short_dist)
long_disp_map <- map(samc_obj, long_disp)
visit_map <- map(samc_obj, visit)
surv_map <- map(samc_obj, surv)
```

ex_abs_data

Example absorption data

Description

A fabricated dataset containing landscape absorption probability values.

Usage

```
ex_abs_data
```

Format

A matrix with 34 rows and 202 columns.

Source

Fletcher et al (2019) <doi:10.1111/ele.13333>

ex_occ_data

Example occupancy data

Description

A fabricated dataset containing landscape occupancy values.

Usage

```
ex_occ_data
```

Format

A matrix with 34 rows and 202 columns.

Source

Fletcher et al (2019) <doi:10.1111/ele.13333>

ex_res_data	<i>Example resistance data</i>
-------------	--------------------------------

Description

A fabricated dataset containing landscape resistance values.

Usage

```
ex_res_data
```

Format

A matrix with 34 rows and 202 columns.

Source

Fletcher et al (2019) <doi:10.1111/ele.13333>

map	<i>Map vector data</i>
-----	------------------------

Description

Map vector data to a RasterLayer

Usage

```
map(samc, vec)

## S4 method for signature 'samc,vector'
map(samc, vec)
```

Arguments

samc	Spatial absorbing Markov chain object. This should be output from the samc() function.
vec	Vector data to fill into the map.

Details

This is a convenience function to ensure that vector data is properly mapped back to the original landscape data. The reason this is needed is that the package supports both matrices and RasterLayers, which differ in the order that data is read and written (R matrices are column-major order, whereas the raster package uses row-major order). Internally, the package uses only a single order, regardless of the original data. This can cause issues with mapping vector results if care is not taken, and this function is provided to simplify the process. It also correctly maps results for landscape data that has NA cells, which are another potential source of error if not careful.

The only requirement of the `vec` input is that the number of elements in it matches the number of non-NA cells in the landscape data that was used to create the `samc` object.

Value

A RasterLayer object

Examples

```
# "Load" the data. In this case we are using data built into the package.
# In practice, users will likely load raster data using the raster() function
# from the raster package.
res_data <- samc::ex_res_data
abs_data <- samc::ex_abs_data
occ_data <- samc::ex_occ_data

# Make sure our data meets the basic input requirements of the package using
# the check() function.
check(res_data, abs_data)
check(res_data, occ_data)

# Create a `samc-class` object with the resistance and absorption data using
# the samc() function. We use the recipricol of the arithmetic mean for
# calculating the transition matrix. Note, the input data here are matrices,
# not RasterLayers. If using RasterLayers, the latlon parameter must be set.
samc_obj <- samc(res_data, abs_data, tr_fun = function(x) 1/mean(x))

# Convert the occupancy data to probability of occurrence
occ_prob_data <- occ_data / sum(occ_data, na.rm = TRUE)

# Calculate short- and long-term metrics using the analytical functions
short_mort <- mortality(samc_obj, occ_prob_data, time = 50)
short_dist <- distribution(samc_obj, origin = 3, time = 50)
long_disp <- dispersal(samc_obj, occ_prob_data)
visit <- visitation(samc_obj, dest = 4)
surv <- survival(samc_obj)

# Use the map() function to turn vector results into RasterLayer objects.
```

```

short_mort_map <- map(samc_obj, short_mort)
short_dist_map <- map(samc_obj, short_dist)
long_disp_map <- map(samc_obj, long_disp)
visit_map <- map(samc_obj, visit)
surv_map <- map(samc_obj, surv)

```

mortality	<i>Calculate mortality metrics</i>
-----------	------------------------------------

Description

Calculates the probability of experiencing mortality at specific locations.

Usage

```

mortality(samc, occ, origin, dest, time)

## S4 method for signature 'samc,missing,missing,missing,numeric'
mortality(samc, time)

## S4 method for signature 'samc,missing,numeric,missing,numeric'
mortality(samc, origin,
          time)

## S4 method for signature 'samc,missing,missing,numeric,numeric'
mortality(samc, dest,
          time)

## S4 method for signature 'samc,missing,numeric,numeric,numeric'
mortality(samc, origin,
          dest, time)

## S4 method for signature 'samc,RasterLayer,missing,missing,numeric'
mortality(samc, occ,
          time)

## S4 method for signature 'samc,matrix,missing,missing,numeric'
mortality(samc, occ, time)

## S4 method for signature 'samc,missing,missing,missing,missing'
mortality(samc)

## S4 method for signature 'samc,missing,numeric,missing,missing'
mortality(samc, origin)

## S4 method for signature 'samc,missing,missing,numeric,missing'
mortality(samc, dest)

```

```
## S4 method for signature 'samc,missing,numeric,numeric,missing'
mortality(samc, origin,
          dest)

## S4 method for signature 'samc,RasterLayer,missing,missing,missing'
mortality(samc, occ)

## S4 method for signature 'samc,matrix,missing,missing,missing'
mortality(samc, occ)
```

Arguments

samc	A samc-class object. This should be output from the samc function.
occ	A RasterLayer-class or matrix . The input type must match the input type used to create the samc-class object, and must have the same properties as the rest of the landscape data. See the check function for more details.
origin	A positive integer representing a cell in the landscape, excluding NA cells. Corresponds to row i of matrix P in the samc-class object.
dest	A positive integer representing a cell in the landscape, excluding NA cells. Corresponds to column j of matrix P in the samc-class object.
time	A positive integer representing time steps

Details

$$\tilde{B}_t = (\sum_{n=0}^{t-1} Q^n) \tilde{R}$$

- **mortality(samc, time)**

The result is a matrix where element (i,j) is the probability of experiencing mortality at location j within t or fewer steps if starting at location i .

The returned matrix will always be dense and cannot be optimized. Must enable `override` to use.

- **mortality(samc, origin, time)**

The result is a vector where each element corresponds to a cell in the landscape, and can be mapped back to the landscape using the [map](#) function. Element j is the probability of experiencing mortality at location j within t or fewer steps if starting at a given origin.

- **mortality(samc, dest, time)**

The result is a vector where each element corresponds to a cell in the landscape, and can be mapped back to the landscape using the [map](#) function. Element i is the probability of experiencing mortality at a given destination within t or fewer steps if starting at location i .

- **mortality(samc, origin, dest, time)**

The result is a numeric value that is the probability of experiencing mortality at a given destination within t or fewer steps if starting at a given origin.

$$\psi^T \tilde{B}_t$$

- **mortality(samc, occ, time)**

The result is a vector where each element corresponds to a cell in the landscape, and can be mapped back to the landscape using the `map` function. Element j is the unconditional probability of experiencing mortality at location j within t or fewer time steps.

$$B = F \tilde{R}$$

- **mortality(samc)**

The result is a matrix where element (i,j) is the probability of experiencing mortality at location j if starting at location i .

The returned matrix will always be dense and cannot be optimized. Must enable `override` to use.

- **mortality(samc, origin)**

The result is a vector where each element corresponds to a cell in the landscape, and can be mapped back to the landscape using the `map` function. Element j is the probability of experiencing mortality at location j if starting at a given origin.

- **mortality(samc, dest)**

The result is a vector where each element corresponds to a cell in the landscape, and can be mapped back to the landscape using the `map` function. Element i is the probability of experiencing mortality at a given destination if starting at location i .

- **mortality(samc, origin, dest)**

The result is a numeric value that is the probability of experiencing mortality at a given destination if starting at a given origin

$$\psi^T B$$

- **mortality(samc, occ)**

The result is a vector where each element corresponds to a cell in the landscape, and can be mapped back to the landscape using the `map` function. Element j is the unconditional probability of experiencing mortality at location j , regardless of the initial state.

Value

A matrix, vector, or numeric

Performance

Any relevant performance information about this function can be found in the performance vignette: `vignette("performance", package = "samc")`

Examples

```
# "Load" the data. In this case we are using data built into the package.
# In practice, users will likely load raster data using the raster() function
# from the raster package.
res_data <- samc::ex_res_data
abs_data <- samc::ex_abs_data
occ_data <- samc::ex_occ_data
```

```

# Make sure our data meets the basic input requirements of the package using
# the check() function.
check(res_data, abs_data)
check(res_data, occ_data)

# Create a `samc-class` object with the resistance and absorption data using
# the samc() function. We use the recipricol of the arithmetic mean for
# calculating the transition matrix. Note, the input data here are matrices,
# not RasterLayers. If using RasterLayers, the latlon parameter must be set.
samc_obj <- samc(res_data, abs_data, tr_fun = function(x) 1/mean(x))

# Convert the occupancy data to probability of occurrence
occ_prob_data <- occ_data / sum(occ_data, na.rm = TRUE)

# Calculate short- and long-term metrics using the analytical functions
short_mort <- mortality(samc_obj, occ_prob_data, time = 50)
short_dist <- distribution(samc_obj, origin = 3, time = 50)
long_disp <- dispersal(samc_obj, occ_prob_data)
visit <- visitation(samc_obj, dest = 4)
surv <- survival(samc_obj)

# Use the map() function to turn vector results into RasterLayer objects.
short_mort_map <- map(samc_obj, short_mort)
short_dist_map <- map(samc_obj, short_dist)
long_disp_map <- map(samc_obj, long_disp)
visit_map <- map(samc_obj, visit)
surv_map <- map(samc_obj, surv)

```

samc

Create an samc object

Description

Create an samc object that contains the absorbing Markov chain data

Usage

```
samc(resistance, absorption, fidelity, latlon, tr_fun, ...)
```

```

## S4 method for signature
## 'RasterLayer,RasterLayer,RasterLayer,logical`,`function`'
samc(resistance,
      absorption, fidelity, latlon, tr_fun, override = FALSE)

```



```

## S4 method for signature 'RasterLayer,RasterLayer,missing,logical,`function`'
samc(resistance,
      absorption, latlon, tr_fun, override = FALSE)

## S4 method for signature 'matrix,matrix,matrix,missing,`function`'
samc(resistance,
      absorption, fidelity, tr_fun, override = FALSE)

## S4 method for signature 'matrix,matrix,missing,missing,`function`'
samc(resistance,
      absorption, tr_fun, override = FALSE)

```

Arguments

resistance	A RasterLayer-class or matrix
absorption	A RasterLayer-class or matrix
fidelity	A RasterLayer-class or matrix
latlon	Logical (TRUE or FALSE) indicating whether the rasters use latitude/longitude
tr_fun	A function to calculate the transition values in the transition function
...	Placeholder
override	Optional flag to prevent accidentally running memory intensive functions. Defaults to FALSE

Details

This function is used to create a [samc-class](#) object from landscape data. Some of the inputs are mandatory, whereas others are optional. The different landscape data inputs must be the same type (a matrix or [RasterLayer](#)), and have identical properties, including dimensions, location of NA cells, and CRS (if using [RasterLayers](#)).

The resistance and absorption inputs are always mandatory, whereas the fidelity input is optional. If the fidelity input is not provided, then it is assumed that there is no site fidelity (i.e., individuals will always move to an adjacent cell each time step).

The latlon parameter is required if the landscape data inputs are [RasterLayer](#) objects. The package does not attempt to determine this automatically, and it does not assume a default. Users must set it to TRUE if they are using latitude and longitude data.

The tr_fun parameter is mandatory. It is used when calculating the values for the transition matrix. Internally, this is passed to the [transition](#) function in the [gdistance](#) package to create the transition matrix.

The override parameter is optional. To prevent users from unintentionally running memory intensive versions of functions that could make their systems non-responsive or crash software, it is set to FALSE by default. For various reasons, it can be set to TRUE. In particular, a user might do this if they are using a very small landscape dataset, or perhaps for a moderately sized dataset if they have access to a system with exceptionally large amounts of RAM. Before setting this to TRUE, users should read the [Performance vignette/ article](#) to understand the expected memory requirements. They should also consider starting with a scaled down version of their data and then gradually scaling

back up while monitoring their memory usage as a means to gauge what is reasonable for their system.

Value

A spatial absorbing Markov chain object

Examples

```
# "Load" the data. In this case we are using data built into the package.
# In practice, users will likely load raster data using the raster() function
# from the raster package.
res_data <- samc::ex_res_data
abs_data <- samc::ex_abs_data
occ_data <- samc::ex_occ_data

# Make sure our data meets the basic input requirements of the package using
# the check() function.
check(res_data, abs_data)
check(res_data, occ_data)

# Create a `samc-class` object with the resistance and absorption data using
# the samc() function. We use the reciprocal of the arithmetic mean for
# calculating the transition matrix. Note, the input data here are matrices,
# not RasterLayers. If using RasterLayers, the latlon parameter must be set.
samc_obj <- samc(res_data, abs_data, tr_fun = function(x) 1/mean(x))

# Convert the occupancy data to probability of occurrence
occ_prob_data <- occ_data / sum(occ_data, na.rm = TRUE)

# Calculate short- and long-term metrics using the analytical functions
short_mort <- mortality(samc_obj, occ_prob_data, time = 50)
short_dist <- distribution(samc_obj, origin = 3, time = 50)
long_disp <- dispersal(samc_obj, occ_prob_data)
visit <- visitation(samc_obj, dest = 4)
surv <- survival(samc_obj)

# Use the map() function to turn vector results into RasterLayer objects.
short_mort_map <- map(samc_obj, short_mort)
short_dist_map <- map(samc_obj, short_dist)
long_disp_map <- map(samc_obj, long_disp)
visit_map <- map(samc_obj, visit)
surv_map <- map(samc_obj, surv)
```

samc-class	<i>samc class</i>
------------	-------------------

Description

S4 class to manage SAMC data.

Details

The samc class is used to help ensure that the package is used correctly and to minimize the possibility for users to accidentally produce nonsensical results that may not be obviously incorrect. This class contains the p matrix necessary for all the calculations in the package, and enforces its type so that users are less likely to inadvertently alter it in a way that will cause issues in calculations.

The class also contains a RasterLayer object derived from the input data. This object is used for checking inputs and mapping vector data in other functions.

Finally, an override flag is used to help ensure that users do not accidentally run memory intensive versions of functions that can cause their systems to become non-responsive or for software to crash.

The `samc` function is used to create `samc-class` objects.

Slots

p The transition probability matrix P .

map Used to verify landscape inputs and mapping of vector data.

override Used to prevent accidental use of memory intensive functions.

survival	<i>Calculate survival metrics</i>
----------	-----------------------------------

Description

Calculates the expected amount of time that individuals survive in the landscape.

Usage

```
survival(samc, occ)

## S4 method for signature 'samc,missing'
survival(samc)

## S4 method for signature 'samc,RasterLayer'
survival(samc, occ)

## S4 method for signature 'samc,matrix'
survival(samc, occ)
```

Arguments

samc	A <code>samc-class</code> object. This should be output from the <code>samc</code> function.
occ	A <code>RasterLayer-class</code> or <code>matrix</code> . The input type must match the input type used to create the <code>samc-class</code> object, and must have the same properties as the rest of the landscape data. See the <code>check</code> function for more details.

Details

$$z = (I - Q)^{-1} \cdot 1 = F \cdot 1$$

- **survival(samc)**

The result is a vector where each element corresponds to a cell in the landscape, and can be mapped back to the landscape using the `map` function. The value of element i is the expected amount of time that individuals survive when starting at location j .

$$\psi^T z$$

- **survival(samc, occ)**

The result is a numeric that represents the expected time that any individual stays in the landscape before death, regardless of the initial location.

Value

A vector or a numeric

Performance

Any relevant performance information about this function can be found in the performance vignette: `vignette("performance", package = "samc")`

Examples

```
# "Load" the data. In this case we are using data built into the package.
# In practice, users will likely load raster data using the raster() function
# from the raster package.
res_data <- samc::ex_res_data
abs_data <- samc::ex_abs_data
occ_data <- samc::ex_occ_data

# Make sure our data meets the basic input requirements of the package using
# the check() function.
check(res_data, abs_data)
check(res_data, occ_data)

# Create a `samc-class` object with the resistance and absorption data using
# the samc() function. We use the recipicol of the arithmetic mean for
# calculating the transition matrix. Note, the input data here are matrices,
# not RasterLayers. If using RasterLayers, the latlon parameter must be set.
samc_obj <- samc(res_data, abs_data, tr_fun = function(x) 1/mean(x))
```

```

# Convert the occupancy data to probability of occurrence
occ_prob_data <- occ_data / sum(occ_data, na.rm = TRUE)

# Calculate short- and long-term metrics using the analytical functions
short_mort <- mortality(samc_obj, occ_prob_data, time = 50)
short_dist <- distribution(samc_obj, origin = 3, time = 50)
long_disp <- dispersal(samc_obj, occ_prob_data)
visit <- visitation(samc_obj, dest = 4)
surv <- survival(samc_obj)

# Use the map() function to turn vector results into RasterLayer objects.
short_mort_map <- map(samc_obj, short_mort)
short_dist_map <- map(samc_obj, short_dist)
long_disp_map <- map(samc_obj, long_disp)
visit_map <- map(samc_obj, visit)
surv_map <- map(samc_obj, surv)

```

visitation

Calculate visitation metrics

Description

Calculates the number of times that individuals from each location visit each location in the landscape before death.

Usage

```

visitation(samc, origin, dest)

## S4 method for signature 'samc,missing,missing'
visitation(samc)

## S4 method for signature 'samc,numeric,missing'
visitation(samc, origin)

## S4 method for signature 'samc,missing,numeric'
visitation(samc, dest)

## S4 method for signature 'samc,numeric,numeric'
visitation(samc, origin, dest)

```

Arguments

samc A [samc-class](#) object. This should be output from the [samc](#) function.

origin	A positive integer representing a cell in the landscape, excluding NA cells. Corresponds to row i of matrix P in the <code>samc-class</code> object.
dest	A positive integer representing a cell in the landscape, excluding NA cells. Corresponds to column j of matrix P in the <code>samc-class</code> object.

Details

$$F = (I - Q)^{-1}$$

- **visitation(samc)**

The result is a matrix where element (i,j) is the expected number of times an individual that starts in i uses j before it dies.

The returned matrix will always be dense and cannot be optimized. Must enable `override` to use.

- **visitation(samc, origin)**

The result is a vector where each element corresponds to a cell in the landscape, and can be mapped back to the landscape using the `map` function. Element j is the number of times that an individual starting at the origin visits location j before it dies.

- **visitation(samc, dest)**

The result is a vector where each element corresponds to a cell in the landscape, and can be mapped back to the landscape using the `map` function. Element i is the number of times that an individual starting at location i visits the destination before it dies.

- **visitation(samc, origin, dest)**

The result is a numeric value that is the expected number of times an individual starting at the origin visits the destination before it dies.

Value

A matrix, a vector, or a numeric

Performance

Any relevant performance information about this function can be found in the performance vignette: `vignette("performance", package = "samc")`

Examples

```
# "Load" the data. In this case we are using data built into the package.
# In practice, users will likely load raster data using the raster() function
# from the raster package.
res_data <- samc::ex_res_data
abs_data <- samc::ex_abs_data
occ_data <- samc::ex_occ_data

# Make sure our data meets the basic input requirements of the package using
# the check() function.
check(res_data, abs_data)
check(res_data, occ_data)
```

```
# Create a `samc-class` object with the resistance and absorption data using
# the samc() function. We use the recipricol of the arithmetic mean for
# calculating the transition matrix. Note, the input data here are matrices,
# not RasterLayers. If using RasterLayers, the latlon parameter must be set.
samc_obj <- samc(res_data, abs_data, tr_fun = function(x) 1/mean(x))

# Convert the occupancy data to probability of occurrence
occ_prob_data <- occ_data / sum(occ_data, na.rm = TRUE)

# Calculate short- and long-term metrics using the analytical functions
short_mort <- mortality(samc_obj, occ_prob_data, time = 50)
short_dist <- distribution(samc_obj, origin = 3, time = 50)
long_disp <- dispersal(samc_obj, occ_prob_data)
visit <- visitation(samc_obj, dest = 4)
surv <- survival(samc_obj)

# Use the map() function to turn vector results into RasterLayer objects.
short_mort_map <- map(samc_obj, short_mort)
short_dist_map <- map(samc_obj, short_dist)
long_disp_map <- map(samc_obj, long_disp)
visit_map <- map(samc_obj, visit)
surv_map <- map(samc_obj, surv)
```

Index

*Topic **datasets**

- ex_abs_data, 10
- ex_occ_data, 10
- ex_res_data, 11

- check, 2, 5, 8, 14, 20
- check, matrix, matrix-method (check), 2
- check, matrix, missing-method (check), 2
- check, RasterLayer, missing-method (check), 2
- check, RasterLayer, RasterLayer-method (check), 2
- check, samc, matrix-method (check), 2
- check, samc, RasterLayer-method (check), 2

- dispersal, 4
- dispersal, samc, matrix, missing, missing, missing-method (dispersal), 4
- dispersal, samc, matrix, missing, numeric, missing-method (dispersal), 4
- dispersal, samc, matrix, missing, numeric, numeric-method (dispersal), 4
- dispersal, samc, missing, missing, missing, missing-method (dispersal), 4
- dispersal, samc, missing, missing, numeric, missing-method (dispersal), 4
- dispersal, samc, missing, missing, numeric, numeric-method (dispersal), 4
- dispersal, samc, missing, numeric, missing, missing-method (dispersal), 4
- dispersal, samc, missing, numeric, numeric, missing-method (dispersal), 4
- dispersal, samc, RasterLayer, missing, missing, missing-method (dispersal), 4
- dispersal, samc, RasterLayer, missing, numeric, missing-method (dispersal), 4
- dispersal, samc, RasterLayer, missing, numeric, numeric-method (dispersal), 4
- distribution, 7
- distribution, samc, matrix, missing, missing, numeric-method (distribution), 7
- distribution, samc, missing, missing, missing, numeric-method (distribution), 7
- distribution, samc, missing, missing, numeric, numeric-method (distribution), 7
- distribution, samc, missing, numeric, missing, numeric-method (distribution), 7
- distribution, samc, missing, numeric, numeric, numeric-method (distribution), 7
- distribution, samc, RasterLayer, missing, missing, numeric-method (distribution), 7

- ex_abs_data, 10
- ex_occ_data, 10
- ex_res_data, 11

- map, 5, 6, 9, 11, 14, 15, 20, 22
- map, samc, vector-method (map), 11
- matrix, 3, 5, 8, 14, 17, 20
- metability, 13
- mortality, samc, matrix, missing, missing, missing-method (mortality), 13
- mortality, samc, matrix, missing, missing, numeric-method (mortality), 13
- mortality, samc, missing, missing, missing, missing-method (mortality), 13
- mortality, samc, missing, missing, missing, numeric-method (mortality), 13
- mortality, samc, missing, missing, numeric, missing-method (mortality), 13
- mortality, samc, missing, missing, numeric, numeric-method (mortality), 13
- mortality, samc, missing, numeric, missing, missing-method (mortality), 13
- mortality, samc, missing, numeric, missing, numeric-method (mortality), 13
- mortality, samc, missing, numeric, numeric, missing-method (mortality), 13

mortality, samc, missing, numeric, numeric, numeric-method
(mortality), 13

mortality, samc, RasterLayer, missing, missing, missing-method
(mortality), 13

mortality, samc, RasterLayer, missing, missing, numeric-method
(mortality), 13

samc, 5, 8, 14, 16, 19–21

samc, matrix, matrix, matrix, missing, function-method
(samc), 16

samc, matrix, matrix, missing, missing, function-method
(samc), 16

samc, RasterLayer, RasterLayer, missing, logical, function-method
(samc), 16

samc, RasterLayer, RasterLayer, RasterLayer, logical, function-method
(samc), 16

samc-class, 19

survival, 19

survival, samc, matrix-method (survival),
19

survival, samc, missing-method
(survival), 19

survival, samc, RasterLayer-method
(survival), 19

transition, 17

visitation, 21

visitation, samc, missing, missing-method
(visitation), 21

visitation, samc, missing, numeric-method
(visitation), 21

visitation, samc, numeric, missing-method
(visitation), 21

visitation, samc, numeric, numeric-method
(visitation), 21