

Package ‘tidylog’

April 17, 2020

Type Package

Title Logging for 'dplyr' and 'tidyr' Functions

Version 1.0.1

Description Provides feedback about 'dplyr' and 'tidyr' operations.

License MIT + file LICENSE

Imports dplyr, tidyr, glue, clisymbols

Suggests testthat, covr, forcats

Encoding UTF-8

LazyData true

URL <https://github.com/elbersb/tidylog/>

BugReports <https://github.com/elbersb/tidylog/issues>

RoxygenNote 7.0.2

NeedsCompilation no

Author Benjamin Elbers [aut, cre] (<<https://orcid.org/0000-0001-5392-3448>>),
Damiano Oldoni [ctb] (<<https://orcid.org/0000-0003-3445-7562>>)

Maintainer Benjamin Elbers <elbersb@gmail.com>

Repository CRAN

Date/Publication 2020-04-17 13:10:02 UTC

R topics documented:

add_count	3
add_tally	3
anti_join	4
count	4
distinct	5
distinct_all	5
distinct_at	6
distinct_if	6
drop_na	7

fill	7
filter	8
filter_all	8
filter_at	9
filter_if	9
full_join	10
gather	10
group_by	11
group_by_all	11
group_by_at	12
group_by_if	12
inner_join	13
left_join	13
mutate	14
mutate_all	14
mutate_at	15
mutate_if	15
pivot_longer	16
pivot_wider	16
rename	17
rename_all	17
rename_at	18
rename_if	18
replace_na	19
right_join	19
sample_frac	20
sample_n	20
select	21
select_all	21
select_at	22
select_if	22
semi_join	23
slice	23
spread	24
summarise	24
summarise_all	25
summarise_at	25
summarise_if	26
summarize	26
summarize_all	27
summarize_at	27
summarize_if	28
tally	28
tidylog	29
top_frac	29
top_n	30
transmute	30
transmute_all	31

<i>add_count</i>	3
transmute_at	31
transmute_if	32
uncount	32
ungroup	33

Index 34

add_count *Wrapper around dplyr::add_count that prints information about the operation*

Description

Wrapper around `dplyr::add_count` that prints information about the operation

Usage

```
add_count(x, ...)
```

Arguments

`x` see [add_count](#)
`...` see [add_count](#)

Value

see [add_count](#)

add_tally *Wrapper around dplyr::add_tally that prints information about the operation*

Description

Wrapper around `dplyr::add_tally` that prints information about the operation

Usage

```
add_tally(x, ...)
```

Arguments

`x` see [add_tally](#)
`...` see [add_tally](#)

Value

see [add_tally](#)

anti_join	<i>Wrapper around dplyr::anti_join that prints information about the operation</i>
-----------	--

Description

Wrapper around dplyr::anti_join that prints information about the operation

Usage

```
anti_join(x, y, by, ...)
```

Arguments

x	see anti_join
y	see anti_join
by	see anti_join
...	see anti_join

Value

see [anti_join](#)

count	<i>Wrapper around dplyr::count that prints information about the operation</i>
-------	--

Description

Wrapper around dplyr::count that prints information about the operation

Usage

```
count(x, ...)
```

Arguments

x	see count
...	see count

Value

see [count](#)

distinct	<i>Wrapper around <code>dplyr::distinct</code> that prints information about the operation</i>
----------	--

Description

Wrapper around `dplyr::distinct` that prints information about the operation

Usage

```
distinct(.data, ...)
```

Arguments

.data	see distinct
...	see distinct

Value

see [distinct](#)

distinct_all	<i>Wrapper around <code>dplyr::distinct_all</code> that prints information about the operation</i>
--------------	--

Description

Wrapper around `dplyr::distinct_all` that prints information about the operation

Usage

```
distinct_all(.tbl, ...)
```

Arguments

.tbl	see distinct_all
...	see distinct_all

Value

see [distinct_all](#)

distinct_at	<i>Wrapper around dplyr::distinct_at that prints information about the operation</i>
-------------	--

Description

Wrapper around dplyr::distinct_at that prints information about the operation

Usage

```
distinct_at(.tbl, ...)
```

Arguments

.tbl	see distinct_at
...	see distinct_at

Value

see [distinct_at](#)

distinct_if	<i>Wrapper around dplyr::distinct_if that prints information about the operation</i>
-------------	--

Description

Wrapper around dplyr::distinct_if that prints information about the operation

Usage

```
distinct_if(.tbl, ...)
```

Arguments

.tbl	see distinct_if
...	see distinct_if

Value

see [distinct_if](#)

drop_na	<i>Wrapper around tidy::drop_na that prints information about the operation</i>
---------	---

Description

Wrapper around tidy::drop_na that prints information about the operation

Usage

```
drop_na(data, ...)
```

Arguments

data	see drop_na
...	see drop_na

Value

see [drop_na](#)

fill	<i>Wrapper around tidy::fill that prints information about the operation</i>
------	--

Description

Wrapper around tidy::fill that prints information about the operation

Usage

```
fill(data, ...)
```

Arguments

data	see fill
...	see fill

Value

see [fill](#)

filter	<i>Wrapper around dplyr::filter that prints information about the operation</i>
--------	---

Description

Wrapper around dplyr::filter that prints information about the operation

Usage

```
filter(.data, ...)
```

Arguments

.data	see filter
...	see filter

Value

see [filter](#)

filter_all	<i>Wrapper around dplyr::filter_all that prints information about the operation</i>
------------	---

Description

Wrapper around dplyr::filter_all that prints information about the operation

Usage

```
filter_all(.tbl, ...)
```

Arguments

.tbl	see filter_all
...	see filter_all

Value

see [filter_all](#)

filter_at	<i>Wrapper around dplyr::filter_at that prints information about the operation</i>
-----------	--

Description

Wrapper around dplyr::filter_at that prints information about the operation

Usage

```
filter_at(.tbl, ...)
```

Arguments

.tbl	see filter_at
...	see filter_at

Value

see [filter_at](#)

filter_if	<i>Wrapper around dplyr::filter_if that prints information about the operation</i>
-----------	--

Description

Wrapper around dplyr::filter_if that prints information about the operation

Usage

```
filter_if(.tbl, ...)
```

Arguments

.tbl	see filter_if
...	see filter_if

Value

see [filter_if](#)

full_join	<i>Wrapper around dplyr::full_join that prints information about the operation</i>
-----------	--

Description

Wrapper around dplyr::full_join that prints information about the operation

Usage

```
full_join(x, y, by, ...)
```

Arguments

x	see full_join
y	see full_join
by	see full_join
...	see full_join

Value

see [full_join](#)

gather	<i>Wrapper around tidyr::gather that prints information about the operation</i>
--------	---

Description

Wrapper around tidyr::gather that prints information about the operation

Usage

```
gather(data, ...)
```

Arguments

data	see gather
...	see gather

Value

see [gather](#)

group_by	<i>Wrapper around dplyr::group_by that prints information about the operation</i>
----------	---

Description

Wrapper around dplyr::group_by that prints information about the operation

Usage

```
group_by(.data, ...)
```

Arguments

.data	see group_by
...	see group_by

Value

see [group_by](#)

group_by_all	<i>Wrapper around dplyr::group_by_all that prints information about the operation</i>
--------------	---

Description

Wrapper around dplyr::group_by_all that prints information about the operation

Usage

```
group_by_all(.tbl, ...)
```

Arguments

.tbl	see group_by_all
...	see group_by_all

Value

see [group_by_all](#)

group_by_at	<i>Wrapper around dplyr::group_by_at that prints information about the operation</i>
-------------	--

Description

Wrapper around dplyr::group_by_at that prints information about the operation

Usage

```
group_by_at(.tbl, ...)
```

Arguments

.tbl	see group_by_at
...	see group_by_at

Value

see [group_by_at](#)

group_by_if	<i>Wrapper around dplyr::group_by_if that prints information about the operation</i>
-------------	--

Description

Wrapper around dplyr::group_by_if that prints information about the operation

Usage

```
group_by_if(.tbl, ...)
```

Arguments

.tbl	see group_by_if
...	see group_by_if

Value

see [group_by_if](#)

inner_join	<i>Wrapper around dplyr::inner_join that prints information about the operation</i>
------------	---

Description

Wrapper around dplyr::inner_join that prints information about the operation

Usage

```
inner_join(x, y, by, ...)
```

Arguments

x	see inner_join
y	see inner_join
by	see inner_join
...	see inner_join

Value

see [inner_join](#)

left_join	<i>Wrapper around dplyr::left_join that prints information about the operation</i>
-----------	--

Description

Wrapper around dplyr::left_join that prints information about the operation

Usage

```
left_join(x, y, by, ...)
```

Arguments

x	see left_join
y	see left_join
by	see left_join
...	see left_join

Value

see [left_join](#)

mutate	<i>Wrapper around dplyr::mutate that prints information about the operation</i>
--------	---

Description

Wrapper around dplyr::mutate that prints information about the operation

Usage

```
mutate(.data, ...)
```

Arguments

.data	see mutate
...	see mutate

Value

see [mutate](#)

mutate_all	<i>Wrapper around dplyr::mutate_all that prints information about the operation</i>
------------	---

Description

Wrapper around dplyr::mutate_all that prints information about the operation

Usage

```
mutate_all(.tbl, ...)
```

Arguments

.tbl	see mutate_all
...	see mutate_all

Value

see [mutate_all](#)

mutate_at	<i>Wrapper around dplyr::mutate_at that prints information about the operation</i>
-----------	--

Description

Wrapper around dplyr::mutate_at that prints information about the operation

Usage

```
mutate_at(.tbl, ...)
```

Arguments

.tbl	see mutate_at
...	see mutate_at

Value

see [mutate_at](#)

mutate_if	<i>Wrapper around dplyr::mutate_if that prints information about the operation</i>
-----------	--

Description

Wrapper around dplyr::mutate_if that prints information about the operation

Usage

```
mutate_if(.tbl, ...)
```

Arguments

.tbl	see mutate_if
...	see mutate_if

Value

see [mutate_if](#)

<code>pivot_longer</code>	<i>Wrapper around <code>tidyr::pivot_longer</code> that prints information about the operation</i>
---------------------------	--

Description

Wrapper around `tidyr::pivot_longer` that prints information about the operation

Usage

```
pivot_longer(data, ...)
```

Arguments

<code>data</code>	see pivot_longer
<code>...</code>	see pivot_longer

Value

see [pivot_longer](#)

<code>pivot_wider</code>	<i>Wrapper around <code>tidyr::pivot_wider</code> that prints information about the operation</i>
--------------------------	---

Description

Wrapper around `tidyr::pivot_wider` that prints information about the operation

Usage

```
pivot_wider(data, ...)
```

Arguments

<code>data</code>	see pivot_wider
<code>...</code>	see pivot_wider

Value

see [pivot_wider](#)

rename	<i>Wrapper around dplyr::rename that prints information about the operation</i>
--------	---

Description

Wrapper around dplyr::rename that prints information about the operation

Usage

```
rename(.data, ...)
```

Arguments

.data	see rename
...	see rename

Value

see [rename](#)

rename_all	<i>Wrapper around dplyr::rename_all that prints information about the operation</i>
------------	---

Description

Wrapper around dplyr::rename_all that prints information about the operation

Usage

```
rename_all(.tbl, ...)
```

Arguments

.tbl	see rename_all
...	see rename_all

Value

see [rename_all](#)

rename_at	<i>Wrapper around dplyr::rename_at that prints information about the operation</i>
-----------	--

Description

Wrapper around dplyr::rename_at that prints information about the operation

Usage

```
rename_at(.tbl, ...)
```

Arguments

.tbl	see rename_at
...	see rename_at

Value

see [rename_at](#)

rename_if	<i>Wrapper around dplyr::rename_if that prints information about the operation</i>
-----------	--

Description

Wrapper around dplyr::rename_if that prints information about the operation

Usage

```
rename_if(.tbl, ...)
```

Arguments

.tbl	see rename_if
...	see rename_if

Value

see [rename_if](#)

replace_na	<i>Wrapper around tidyr::replace_na that prints information about the operation</i>
------------	---

Description

Wrapper around tidyr::replace_na that prints information about the operation

Usage

```
replace_na(data, ...)
```

Arguments

data	see replace_na
...	see replace_na

Value

see [replace_na](#)

right_join	<i>Wrapper around dplyr::right_join that prints information about the operation</i>
------------	---

Description

Wrapper around dplyr::right_join that prints information about the operation

Usage

```
right_join(x, y, by, ...)
```

Arguments

x	see right_join
y	see right_join
by	see right_join
...	see right_join

Value

see [right_join](#)

sample_frac	<i>Wrapper around dplyr::sample_frac that prints information about the operation</i>
-------------	--

Description

Wrapper around dplyr::sample_frac that prints information about the operation

Usage

```
sample_frac(tbl, ...)
```

Arguments

tbl	see sample_frac
...	see sample_frac

Value

see [sample_frac](#)

sample_n	<i>Wrapper around dplyr::sample_n that prints information about the operation</i>
----------	---

Description

Wrapper around dplyr::sample_n that prints information about the operation

Usage

```
sample_n(tbl, ...)
```

Arguments

tbl	see sample_n
...	see sample_n

Value

see [sample_n](#)

select	<i>Wrapper around <code>dplyr::select</code> that prints information about the operation</i>
--------	--

Description

Wrapper around `dplyr::select` that prints information about the operation

Usage

```
select(.data, ...)
```

Arguments

.data	see select
...	see select

Value

see [select](#)

select_all	<i>Wrapper around <code>dplyr::select_all</code> that prints information about the operation</i>
------------	--

Description

Wrapper around `dplyr::select_all` that prints information about the operation

Usage

```
select_all(.tbl, ...)
```

Arguments

.tbl	see select_all
...	see select_all

Value

see [select_all](#)

select_at	<i>Wrapper around dplyr::select_at that prints information about the operation</i>
-----------	--

Description

Wrapper around dplyr::select_at that prints information about the operation

Usage

```
select_at(.tbl, ...)
```

Arguments

.tbl	see select_at
...	see select_at

Value

see [select_at](#)

select_if	<i>Wrapper around dplyr::select_if that prints information about the operation</i>
-----------	--

Description

Wrapper around dplyr::select_if that prints information about the operation

Usage

```
select_if(.tbl, ...)
```

Arguments

.tbl	see select_if
...	see select_if

Value

see [select_if](#)

semi_join	<i>Wrapper around dplyr::semi_join that prints information about the operation</i>
-----------	--

Description

Wrapper around dplyr::semi_join that prints information about the operation

Usage

```
semi_join(x, y, by, ...)
```

Arguments

x	see semi_join
y	see semi_join
by	see semi_join
...	see semi_join

Value

see [semi_join](#)

slice	<i>Wrapper around dplyr::slice that prints information about the operation</i>
-------	--

Description

Wrapper around dplyr::slice that prints information about the operation

Usage

```
slice(.data, ...)
```

Arguments

.data	see slice
...	see slice

Value

see [slice](#)

spread	<i>Wrapper around tidyr::spread that prints information about the operation</i>
--------	---

Description

Wrapper around tidyr::spread that prints information about the operation

Usage

```
spread(data, ...)
```

Arguments

data	see spread
...	see spread

Value

see [spread](#)

summarise	<i>Wrapper around dplyr::summarise that prints information about the operation</i>
-----------	--

Description

Wrapper around dplyr::summarise that prints information about the operation

Usage

```
summarise(.data, ...)
```

Arguments

.data	see summarise
...	see summarise

Value

see [summarise](#)

summarise_all	<i>Wrapper around <code>dplyr::summarise_all</code> that prints information about the operation</i>
---------------	---

Description

Wrapper around `dplyr::summarise_all` that prints information about the operation

Usage

```
summarise_all(.tbl, ...)
```

Arguments

<code>.tbl</code>	see summarise_all
<code>...</code>	see summarise_all

Value

see [summarise_all](#)

summarise_at	<i>Wrapper around <code>dplyr::summarise_at</code> that prints information about the operation</i>
--------------	--

Description

Wrapper around `dplyr::summarise_at` that prints information about the operation

Usage

```
summarise_at(.tbl, ...)
```

Arguments

<code>.tbl</code>	see summarise_at
<code>...</code>	see summarise_at

Value

see [summarise_at](#)

summarise_if	<i>Wrapper around <code>dplyr::summarise_if</code> that prints information about the operation</i>
--------------	--

Description

Wrapper around `dplyr::summarise_if` that prints information about the operation

Usage

```
summarise_if(.tbl, ...)
```

Arguments

<code>.tbl</code>	see summarise_if
<code>...</code>	see summarise_if

Value

see [summarise_if](#)

summarize	<i>Wrapper around <code>dplyr::summarize</code> that prints information about the operation</i>
-----------	---

Description

Wrapper around `dplyr::summarize` that prints information about the operation

Usage

```
summarize(.data, ...)
```

Arguments

<code>.data</code>	see summarize
<code>...</code>	see summarize

Value

see [summarize](#)

summarize_all	<i>Wrapper around <code>dplyr::summarize_all</code> that prints information about the operation</i>
---------------	---

Description

Wrapper around `dplyr::summarize_all` that prints information about the operation

Usage

```
summarize_all(.tbl, ...)
```

Arguments

<code>.tbl</code>	see summarize_all
<code>...</code>	see summarize_all

Value

see [summarize_all](#)

summarize_at	<i>Wrapper around <code>dplyr::summarize_at</code> that prints information about the operation</i>
--------------	--

Description

Wrapper around `dplyr::summarize_at` that prints information about the operation

Usage

```
summarize_at(.tbl, ...)
```

Arguments

<code>.tbl</code>	see summarize_at
<code>...</code>	see summarize_at

Value

see [summarize_at](#)

summarize_if	<i>Wrapper around <code>dplyr::summarize_if</code> that prints information about the operation</i>
--------------	--

Description

Wrapper around `dplyr::summarize_if` that prints information about the operation

Usage

```
summarize_if(.tbl, ...)
```

Arguments

<code>.tbl</code>	see summarize_if
<code>...</code>	see summarize_if

Value

see [summarize_if](#)

tally	<i>Wrapper around <code>dplyr::tally</code> that prints information about the operation</i>
-------	---

Description

Wrapper around `dplyr::tally` that prints information about the operation

Usage

```
tally(x, ...)
```

Arguments

<code>x</code>	see tally
<code>...</code>	see tally

Value

see [tally](#)

tidylog	<i>outputs some information about the data frame/tbl</i>
---------	--

Description

outputs some information about the data frame/tbl

Usage

```
tidylog(.data)
```

Arguments

.data a tbl/data frame

Value

same as .data

Examples

```
tidylog(mtcars)
#> tidylog: data.frame with 32 rows and 11 columns
```

top_frac	<i>Wrapper around dplyr::top_frac that prints information about the operation</i>
----------	---

Description

Wrapper around dplyr::top_frac that prints information about the operation

Usage

```
top_frac(x, ...)
```

Arguments

x see [top_frac](#)
... see [top_frac](#)

Value

see [top_frac](#)

top_n	<i>Wrapper around dplyr::top_n that prints information about the operation</i>
-------	--

Description

Wrapper around dplyr::top_n that prints information about the operation

Usage

```
top_n(x, ...)
```

Arguments

x	see top_n
...	see top_n

Value

see [top_n](#)

transmute	<i>Wrapper around dplyr::transmute that prints information about the operation</i>
-----------	--

Description

Wrapper around dplyr::transmute that prints information about the operation

Usage

```
transmute(.data, ...)
```

Arguments

.data	see transmute
...	see transmute

Value

see [transmute](#)

transmute_all	<i>Wrapper around dplyr::transmute_all that prints information about the operation</i>
---------------	--

Description

Wrapper around dplyr::transmute_all that prints information about the operation

Usage

```
transmute_all(.tbl, ...)
```

Arguments

.tbl	see transmute_all
...	see transmute_all

Value

see [transmute_all](#)

transmute_at	<i>Wrapper around dplyr::transmute_at that prints information about the operation</i>
--------------	---

Description

Wrapper around dplyr::transmute_at that prints information about the operation

Usage

```
transmute_at(.tbl, ...)
```

Arguments

.tbl	see transmute_at
...	see transmute_at

Value

see [transmute_at](#)

transmute_if	<i>Wrapper around dplyr::transmute_if that prints information about the operation</i>
--------------	---

Description

Wrapper around dplyr::transmute_if that prints information about the operation

Usage

```
transmute_if(.tbl, ...)
```

Arguments

.tbl	see transmute_if
...	see transmute_if

Value

see [transmute_if](#)

uncount	<i>Wrapper around tidyr::uncount that prints information about the operation</i>
---------	--

Description

Wrapper around tidyr::uncount that prints information about the operation

Usage

```
uncount(data, ...)
```

Arguments

data	see uncount
...	see uncount

Value

see [uncount](#)

ungroup	<i>Wrapper around <code>dplyr::ungroup</code> that prints information about the operation</i>
---------	---

Description

Wrapper around `dplyr::ungroup` that prints information about the operation

Usage

```
ungroup(x, ...)
```

Arguments

x	see ungroup
...	see ungroup

Value

see [ungroup](#)

Index

add_count, [3, 3](#)
add_tally, [3, 3](#)
anti_join, [4, 4](#)

count, [4, 4](#)

distinct, [5, 5](#)
distinct_all, [5, 5](#)
distinct_at, [6, 6](#)
distinct_if, [6, 6](#)
drop_na, [7, 7](#)

fill, [7, 7](#)
filter, [8, 8](#)
filter_all, [8, 8](#)
filter_at, [9, 9](#)
filter_if, [9, 9](#)
full_join, [10, 10](#)

gather, [10, 10](#)
group_by, [11, 11](#)
group_by_all, [11, 11](#)
group_by_at, [12, 12](#)
group_by_if, [12, 12](#)

inner_join, [13, 13](#)

left_join, [13, 13](#)

mutate, [14, 14](#)
mutate_all, [14, 14](#)
mutate_at, [15, 15](#)
mutate_if, [15, 15](#)

pivot_longer, [16, 16](#)
pivot_wider, [16, 16](#)

rename, [17, 17](#)
rename_all, [17, 17](#)
rename_at, [18, 18](#)
rename_if, [18, 18](#)

replace_na, [19, 19](#)
right_join, [19, 19](#)

sample_frac, [20, 20](#)
sample_n, [20, 20](#)
select, [21, 21](#)
select_all, [21, 21](#)
select_at, [22, 22](#)
select_if, [22, 22](#)
semi_join, [23, 23](#)
slice, [23, 23](#)
spread, [24, 24](#)
summarise, [24, 24](#)
summarise_all, [25, 25](#)
summarise_at, [25, 25](#)
summarise_if, [26, 26](#)
summarize, [26, 26](#)
summarize_all, [27, 27](#)
summarize_at, [27, 27](#)
summarize_if, [28, 28](#)

tally, [28, 28](#)
tidylog, [29](#)
top_frac, [29, 29](#)
top_n, [30, 30](#)
transmute, [30, 30](#)
transmute_all, [31, 31](#)
transmute_at, [31, 31](#)
transmute_if, [32, 32](#)

uncount, [32, 32](#)
ungroup, [33, 33](#)