

Package ‘Ropj’

March 14, 2020

Type Package

Title Import Origin(R) Project Files

Version 0.3

Date 2020-03-14

Description Read the data from Origin(R) project files (*.opj)
<<https://www.originlab.com/doc/User-Guide/Origin-File-Types>>.
No write support is planned.

License GPL (>= 3)

Imports Rcpp (>= 0.12.9)

LinkingTo Rcpp

URL <https://github.com/aitap/Ropj>

BugReports <https://github.com/aitap/Ropj/issues>

NeedsCompilation yes

Author Miquel Garriga [aut, cph],
Stefan Gerlach [aut, cph],
Ion Vasilief [aut, cph],
Alex Kargovsky [aut, cph],
Knut Franke [ctb, cph],
Alexander Semke [ctb, cph],
Tilman Benkert [ctb, cph],
Kasper Peeters [ctb, cph],
Russell Standish [ctb, cph],
Ivan Krylov [cre, cph]

Maintainer Ivan Krylov <krylov.r00t@gmail.com>

Repository CRAN

Date/Publication 2020-03-14 20:10:07 UTC

R topics documented:

| | |
|--------------|---|
| Ropj-package | 2 |
| read.opj | 3 |

| | |
|--------------|---------------------------------------|
| Ropj-package | <i>Import Origin(R) Project Files</i> |
|--------------|---------------------------------------|

Description

Read the data from Origin(R) project files (*.opj') <<https://www.originlab.com/doc/User-Guide/Origin-File-Types>>. No write support is planned.

Details

The DESCRIPTION file:

```
Package:      Ropj
Type:        Package
Title:       Import Origin(R) Project Files
Version:     0.3
Date:        2020-03-14
Authors@R:   c(person('Miquel', 'Garriga', email = 'gbmiquel@gmail.com', role = c('aut', 'cph')), person('Stefan', 'Gerlach', email = 'stefan.gerlach@originlab.com', role = c('aut', 'cph')), person('Ion', 'Vasilief', email = 'ion.vasilief@originlab.com', role = c('aut', 'cph')), person('Alex', 'Kargovsky', email = 'alex.kargovsky@originlab.com', role = c('aut', 'cph')), person('Knut', 'Froese', email = 'knut.froese@originlab.com', role = c('aut', 'cph'))
Description: Read the data from Origin(R) project files (*.opj') <https://www.originlab.com/doc/User-Guide/Origin-File-Types>
License:     GPL (>= 3)
Imports:     Rcpp (>= 0.12.9)
LinkingTo:   Rcpp
URL:         https://github.com/aitap/Ropj
BugReports:  https://github.com/aitap/Ropj/issues
Author:      Miquel Garriga [aut, cph], Stefan Gerlach [aut, cph], Ion Vasilief [aut, cph], Alex Kargovsky [aut, cph], Knut Froese [aut, cph]
Maintainer:  Ivan Krylov <krylov.r00t@gmail.com>
```

Index of help topics:

```
Ropj-package      Import Origin(R) Project Files
read.opj          Parse Origin(R) project file into a list of
                  objects
```

This package exports a single function, `read.opj`, that tries to read an OPJ file and return a list of objects that it consists of.

No write support seems to be planned in the foreseeable future.

References

<https://sourceforge.net/projects/liborigin/>: the liborigin implementation used by this package. Seems to be maintained as of 2019.

Examples

```
## Not run: x <- read.opj('data.opj')
```

| | |
|----------|--|
| read.opj | <i>Parse Origin(R) project file into a list of objects</i> |
|----------|--|

Description

This function parses an OPJ file into a list of objects it consists of. Items understood by `read.opj` include spreadsheets, matrices, and notes.

Usage

```
read.opj(file, encoding = 'latin1', tree = FALSE, ...)
```

Arguments

| | |
|-----------------------|---|
| <code>file</code> | Path to the OPJ file to parse. Only file paths are supported, not R connections. |
| <code>encoding</code> | Encoding of the strings inside the file being opened. This should correspond to the ANSI code page of Windows installation used to produce the file. The default of 'latin1' is usually safe to use. See <code>iconvlist()</code> for the full list of encodings supported by your R installation. |
| <code>tree</code> | Control the structure of the returned list. When FALSE (default), returned list is flat and its unique names correspond to the short names of the objects, while the <code>comment</code> attribute contains their long names and comments. When TRUE, the list itself becomes a recursive data structure containing the tree of the objects, making it possible to access objects by their paths in that tree. |
| <code>...</code> | The rest of the arguments is passed to <code>as.data.frame</code> when converting spreadsheets from lists columns, making it possible to set <code>stringsAsFactors</code> and other parameters as needed. |

Value

A named `list` containing objects stored in the file.

- Spreadsheets are presented as `data.frames`, with additional `attributes`:
 - `comment` contains the fields Long name, Units, and Comment, joined by `\r\n`, if present. Due to a possible bug in `liborigin`, these values are sometimes followed by `@` and some text that wasn't present in the original document. (In versions prior to v0.2-2 it was called `comments`, which should be still supported until v1.0.)
 - `commands` contains the formula that was used to create the values of the column (e.g. `col(A) * 2 + 1`).
- Multi-sheet spreadsheets are stored as named lists of `data.frames` described above.
- Matrices are presented as `lists` of `matrix` objects containing numeric data. `dimnames` are also assigned. The list also has attributes:
 - `commands` contains the formula that was used to compute the values in the matrix.
- Notes are stored as plain strings.

When `tree = FALSE`, the list is flat, its names are short names of the objects, and the `comment` attribute of the list contains the long names of the objects stored in the file.

When `tree = TRUE`, the list names are long names (if available) and the list itself represents the folder structure of the project.

Note

While Origin(R) and its scripting language seem to rely on the *short* names of the objects being unique across a project, neither *long* names nor *folder* names are guaranteed to avoid collisions. Tree-like lists returned by `read.opj(..., tree = TRUE)` might be easier to navigate interactively but present problems if someone gives one or many folders or objects the same long name.

Examples

```
x <- read.opj(system.file('test.opj', package = 'Ropj'))
head(x$Book2, 7)
comment(x$Book2)
attr(x$Book2, 'commands')
with(x$Book1, head(Sheet2 - Sheet1))
x$MBook1$MSheet1[1:4,1:4]
x$Note1

## Not run:
# encoding names aren't guaranteed to be supported across all platforms
x <- read.opj(system.file('test.opj', package = 'Ropj'), 'WINDOWS-1251')
x$cyrillic

## End(Not run)

str(read.opj(system.file('tree.opj', package = 'Ropj'), tree = TRUE))
```

Index

*Topic **IO**

read.opj, 3

*Topic **file**

read.opj, 3

*Topic **package**

Ropj-package, 2

as.data.frame, 3

attributes, 3

comment, 3, 4

data.frame, 3

dimnames, 3

iconvlist, 3

list, 3

matrix, 3

read.opj, 3

Ropj (Ropj-package), 2

Ropj-package, 2