

Package ‘getLattes’

June 11, 2021

Type Package

Title Import and Process Data from the 'Lattes' Curriculum Platform

Version 0.2.0

Maintainer Roney Fraga Souza <roneyfraga@gmail.com>

Description Tool for import and process data from 'Lattes' curriculum platform (<<http://lattes.cnpq.br/>>). The Brazilian government keeps an extensive base of curricula for academics from all over the country, with over 5 million registrations. The academic life of the Brazilian researcher, or related to Brazilian universities, is documented in 'Lattes'. Some information that can be obtained: professional formation, research area, publications, academics advisories, projects, etc. 'getLattes' package allows work with 'Lattes' data exported to XML format.

License GPL-3

Encoding UTF-8

RoxygenNote 7.1.1

URL <https://github.com/roneyfraga/getLattes>

BugReports <https://github.com/roneyfraga/getLattes/issues>

Suggests knitr, rmarkdown

VignetteBuilder knitr

Imports xml2, dplyr, tibble, pipeR, rlang, janitor, purrr

Depends R (>= 4.1.0)

NeedsCompilation no

Author Roney Fraga Souza [aut, cre] (<<https://orcid.org/0000-0001-5750-489X>>),
Winicius Sabino [aut]

Repository CRAN

Date/Publication 2021-06-11 08:40:05 UTC

R topics documented:

getAreasAtuacao	2
getArtigosPublicados	3
getAtuacoesProfissionais	4
getBancasDoutorado	5
getBancasGraduacao	6
getBancasMestrado	7
getCapitulosLivros	8
getDadosGerais	9
getEnderecoProfissional	10
getEventosCongressos	11
getFormacaoDoutorado	12
getFormacaoGraduacao	13
getFormacaoMestrado	14
getId	15
getIdiomias	16
getLinhaPesquisa	17
getLivrosPublicados	18
getOrganizacaoEventos	19
getOrientacoesDoutorado	20
getOrientacoesMestrado	21
getOrientacoesPosDoutorado	22
getOutrasProducoesTecnicas	23
getParticipacaoProjeto	24
getPatentes	25
getProducaoTecnica	26
Index	27

getAreasAtuacao	<i>getAreasAtuacao</i>
-----------------	------------------------

Description

Extract Research Area from 'Lattes' XML file.

Usage

```
getAreasAtuacao(curriculo)
```

Arguments

curriculo 'Lattes' XML imported as 'xml2::read_xml()'.

Details

Curriculum without this information will return NULL.

Value

data frame

See Also

[xml_find_all](#), [xml_attr](#) [bind](#), [mutate](#) [clean_names](#)

Examples

```
if(interactive()) {  
  
  # to import from one curriculum  
  # curriculo <- xml2::read_xml('file.xml')  
  # getAreasAtuacao(curriculo)  
  
}
```

`getArtigosPublicados` *getArtigosPublicados*

Description

Extract published papers from 'Lattes' XML file.

Usage

```
getArtigosPublicados(curriculo)
```

Arguments

`curriculo` 'Lattes' XML imported as 'xml2::read_xml()'.

Details

Curriculum without this information will return NULL.

Value

data frame

See Also

[xml_find_all](#), [xml_attr](#) [map](#), [map2](#) [bind](#), [mutate](#) [clean_names](#) [tibble](#)

Examples

```
if(interactive()) {  
  
  # to import from one curriculum  
  # curriculo <- xml2::read_xml('file.xml')  
  # getArtigosPublicados(curriculo)  
  
}
```

```
getAtuacoesProfissionais  
  getAtuacoesProfissionais
```

Description

Extract professional links from 'Lattes' XML file.

Usage

```
getAtuacoesProfissionais(curriculo)
```

Arguments

curriculo 'Lattes' XML imported as 'xml2::read_xml()'.

Details

Curriculum without this information will return NULL.

Value

data frame

See Also

[xml_find_all](#), [xml_attr](#) [map](#), [map2](#) [bind](#), [mutate](#) [clean_names](#)

Examples

```
if(interactive()) {  
  
  # to import from one curriculum  
  # curriculo <- xml2::read_xml('file.xml')  
  # getAtuacoesProfissionais(curriculo)  
  
}
```

`getBancasDoutorado` *getBancasDoutorado*

Description

Extract Ph.D. Examination Board's from 'Lattes' XML file.

Usage

```
getBancasDoutorado(curriculo)
```

Arguments

`curriculo` 'Lattes' XML imported as 'xml2::read_xml()'.

Details

Curriculum without this information will return NULL.

Value

data frame

See Also

[xml_find_all](#), [xml_attr](#) [map](#), [map2](#) [bind](#), [mutate](#) [clean_names](#) [tibble](#)

Examples

```
if(interactive()) {  
  # to import from one curriculum  
  # curriculo <- xml2::read_xml('file.xml')  
  # getBancasDoutorado(curriculo)  
  
}
```

getBancasGraduacao *getBancasGraduacao*

Description

Extract Undergraduate Examination Board's from 'Lattes' XML file.

Usage

```
getBancasGraduacao(curriculo)
```

Arguments

curriculo 'Lattes' XML imported as 'xml2::read_xml()'.

Details

Curriculum without this information will return NULL.

Value

data frame

See Also

[xml_find_all](#), [xml_attr](#) [map](#), [map2](#) [bind](#), [mutate](#) [clean_names](#) [tibble](#)

Examples

```
if(interactive()) {  
  # to import from one curriculum  
  # curriculo <- xml2::read_xml('file.xml')  
  # getBancasGraduacao(curriculo)  
}
```

`getBancasMestrado` *getBancasMestrado*

Description

Extract Master Examination Board's from 'Lattes' XML file.

Usage

```
getBancasMestrado(curriculo)
```

Arguments

`curriculo` 'Lattes' XML imported as 'xml2::read_xml()'.

Details

Curriculum without this information will return NULL.

Value

data frame

See Also

[xml_find_all](#), [xml_attr](#) [map](#), [map2](#) [bind](#), [mutate](#) [clean_names](#) [tibble](#)

Examples

```
if(interactive()) {  
  # to import from one curriculum  
  # curriculo <- xml2::read_xml('file.xml')  
  # getBancasMestrado(curriculo)  
}
```

`getCapitulosLivros` *getCapitulosLivros*

Description

Extract Books Chapter from 'Lattes' XML file.

Usage

```
getCapitulosLivros(curriculo)
```

Arguments

`curriculo` 'Lattes' XML imported as 'xml2::read_xml()'.

Details

Curriculum without this information will return NULL.

Value

data frame

See Also

[xml_find_all](#), [xml_attr](#) [map](#), [map2](#) [bind](#), [mutate](#) [clean_names](#) [tibble](#)

Examples

```
if(interactive()) {  
  # to import from one curriculum  
  # curriculo <- xml2::read_xml('file.xml')  
  # getCapitulosLivros(curriculo)  
}
```

<code>getDadosGerais</code>	<code>getDadosGerais</code>
-----------------------------	-----------------------------

Description

Extract General Data from 'Lattes' XML file.

Usage

```
getDadosGerais(curriculo)
```

Arguments

`curriculo` 'Lattes' XML imported as `'xml2::read_xml()'`.

Details

Curriculum without this information will return NULL.

Value

data frame

See Also

[xml_find_all](#), [xml_attr](#) [bind](#), [mutate](#) [clean_names](#)

Examples

```
if(interactive()) {  
  # to import from one curriculum  
  # curriculo <- xml2::read_xml('file.xml')  
  # getDadosGerais(curriculo)  
}
```

```
getEnderecoProfissional  
  getEnderecoProfissional
```

Description

Extract Professional Address from 'Lattes' XML file.

Usage

```
getEnderecoProfissional(curriculo)
```

Arguments

curriculo 'Lattes' XML imported as 'xml2::read_xml()'.

Details

Curriculum without this information will return NULL.

Value

data frame

See Also

[xml_find_all](#), [xml_attr](#) [bind](#), [mutate](#) [clean_names](#)

Examples

```
if(interactive()) {  
  # to import from one curriculum  
  # curriculo <- xml2::read_xml('file.xml')  
  # getEnderecoProfissional(curriculo)  
}
```

`getEventosCongressos` *getEventosCongressos*

Description

Extract Events and Congresses from 'Lattes' XML file.

Usage

```
getEventosCongressos(curriculo)
```

Arguments

`curriculo` 'Lattes' XML imported as `'xml2::read_xml()'`.

Details

Curriculum without this information will return NULL.

Value

data frame

See Also

[xml_find_all](#), [xml_attr](#), [xml_children](#) [map](#), [map2](#) [bind](#), [mutate](#), [select](#) [clean_names](#) [tibble](#)

Examples

```
if(interactive()) {  
  # to import from one curriculum  
  # curriculo <- xml2::read_xml('file.xml')  
  # getEventosCongressos(curriculo)  
}
```

`getFormacaoDoutorado` *getFormacaoDoutorado*

Description

Extract Professional Formation from 'Lattes' XML file.

Usage

```
getFormacaoDoutorado(curriculo)
```

Arguments

`curriculo` 'Lattes' XML imported as `'xml2::read_xml()'`.

Details

Curriculum without this information will return NULL.

Value

data frame

See Also

[xml_find_all](#), [xml_attr](#), [xml_children](#) [map](#), [map2](#) [bind](#), [mutate](#) [clean_names](#) [tibble](#)

Examples

```
if(interactive()) {  
  # to import from one curriculum  
  # curriculo <- xml2::read_xml('file.xml')  
  # getFormacaoDoutorado(curriculo)  
}
```

getFormacaoGraduacao *getFormacaoGraduacao*

Description

Extract Professional Formation from 'Lattes' XML file.

Usage

```
getFormacaoGraduacao(curriculo)
```

Arguments

curriculo 'Lattes' XML imported as 'xml2::read_xml()'.

Details

Curriculum without this information will return NULL.

Value

data frame

See Also

[xml_find_all](#), [xml_attr](#) [map](#) [bind](#), [mutate](#) [clean_names](#)

Examples

```
if(interactive()) {  
  # to import from one curriculum  
  # curriculo <- xml2::read_xml('file.xml')  
  # getFormacaoGraduacao(curriculo)  
}
```

`getFormacaoMestrado` *getFormacaoMestrado*

Description

Extract Professional Formation from 'Lattes' XML file.

Usage

```
getFormacaoMestrado(curriculo)
```

Arguments

`curriculo` 'Lattes' XML imported as 'xml2::read_xml()'.

Details

Curriculum without this information will return NULL.

Value

data frame

See Also

[xml_find_all](#), [xml_attr](#), [xml_children](#) [map](#), [map2](#) [bind](#), [mutate](#) [clean_names](#) [tibble](#)

Examples

```
if(interactive()) {  
  # to import from one curriculum  
  # curriculo <- xml2::read_xml('file.xml')  
  # getFormacaoMestrado(curriculo)  
}
```

getId	<i>getId</i>
-------	--------------

Description

Extract the unique 16 digits identification from 'Lattes' XML file.

Usage

```
getId(curriculo)
```

Arguments

curriculo 'Lattes' XML imported as 'xml2::read_xml()'.

Details

Curriculum without this information will return NULL.

Value

character

See Also

[xml_attr](#) [bind](#), [select](#), [pull](#)

Examples

```
if(interactive()) {  
  # to import from one curriculum  
  # curriculo <- xml2::read_xml('file.xml')  
  # getId(curriculo)  
}
```

`getIdiomas`*getIdiomas*

Description

Extract Languages from 'Lattes' XML file.

Usage

```
getIdiomas(curriculo)
```

Arguments

`curriculo` 'Lattes' XML imported as `'xml2::read_xml()'`.

Details

Curriculum without this information will return NULL.

Value

data frame

See Also

[xml_find_all](#), [xml_children](#), [xml_attr](#) `map` `bind`, `mutate` `clean_names`

Examples

```
if(interactive()) {  
  # to import from one curriculum  
  # curriculo <- xml2::read_xml('file.xml')  
  # getIdiomas(curriculo)  
}
```

getLinhaPesquisa	<i>getLinhaPesquisa</i>
------------------	-------------------------

Description

Extract Research Lines from 'Lattes' XML file.

Usage

```
getLinhaPesquisa(curriculo)
```

Arguments

curriculo 'Lattes' XML imported as 'xml2::read_xml()'.

Details

Curriculum without this information will return NULL.

Value

data frame

See Also

[xml_find_all](#), [xml_attr](#) [map](#), [map2](#) [bind](#), [mutate](#) [clean_names](#)

Examples

```
if(interactive()) {  
  # to import from one curriculum  
  # curriculo <- xml2::read_xml('file.xml')  
  # getLinhaPesquisa(curriculo)  
}
```

`getLivrosPublicados` *getLivrosPublicados*

Description

Extract Published Books from 'Lattes' XML file.

Usage

```
getLivrosPublicados(curriculo)
```

Arguments

`curriculo` 'Lattes' XML imported as 'xml2::read_xml()'.

Details

Curriculum without this information will return NULL.

Value

data frame

See Also

[xml_find_all](#), [xml_attr](#), [xml_children](#) [map](#), [map2](#) [bind](#), [mutate](#), [select](#) [clean_names](#) [tibble](#)

Examples

```
if(interactive()) {  
  # to import from one curriculum  
  # curriculo <- xml2::read_xml('file.xml')  
  # getLivrosPublicados(curriculo)  
}
```

`getOrganizacaoEventos` *getOrganizacaoEventos*

Description

Extract Event's Organization from 'Lattes' XML file.

Usage

```
getOrganizacaoEventos(curriculo)
```

Arguments

`curriculo` 'Lattes' XML imported as `'xml2::read_xml()'`.

Details

Curriculum without this information will return NULL.

Value

data frame

See Also

[xml_find_all](#), [xml_attr](#) [map](#), [map2](#) [bind](#), [mutate](#) [clean_names](#) [tibble](#)

Examples

```
if(interactive()) {  
  # to import from one curriculum  
  # curriculo <- xml2::read_xml('file.xml')  
  # getOrganizacaoEventos(curriculo)  
}
```

```
getOrientacoesDoutorado  
  getOrientacoesDoutorado
```

Description

Extract Academic Advisory (Ph.D. Thesis) from "Lattes' XML file.

Usage

```
getOrientacoesDoutorado(curriculo)
```

Arguments

curriculo 'Lattes' XML imported as 'xml2::read_xml()'

Details

Curriculum without this information will return NULL.

Value

data frame

See Also

[xml_find_all](#), [xml_attr](#) [map](#), [map2](#) [bind](#), [mutate](#) [clean_names](#)

Examples

```
if(interactive()){  
  
  # to import from one curriculum  
  # curriculo <- xml2::read_xml('file.xml')  
  # getOrientacoesDoutorado(curriculo)  
  
}
```

```
getOrientacoesMestrado  
  getOrientacoesMestrado
```

Description

Extract Academic Advisory (Master Thesis) from 'Lattes' XML file.

Usage

```
getOrientacoesMestrado(curriculo)
```

Arguments

curriculo 'Lattes' XML imported as 'xml2::read_xml()'.

Details

Curriculum without this information will return NULL.

Value

data frame

See Also

[xml_find_all](#), [xml_attr](#) [map](#), [map2](#) [bind](#), [mutate](#) [clean_names](#)

Examples

```
if(interactive()){  
  # to import from one curriculum  
  # curriculo <- xml2::read_xml('file.xml')  
  # getOrientacoesMestrado(curriculo)  
}
```

```
getOrientacoesPosDoutorado  
  getOrientacoesPosDoutorado
```

Description

Extract Academic Advisory (Post-Doctorate) from 'Lattes' XML file.

Usage

```
getOrientacoesPosDoutorado(curriculo)
```

Arguments

curriculo 'Lattes' XML imported as 'xml2::read_xml()'.

Details

Curriculum without this information will return NULL.

Value

data frame

See Also

[xml_find_all](#), [xml_attr](#) [map](#), [map2](#) [bind](#), [mutate](#) [clean_names](#)

Examples

```
if(interactive()){  
  
  # to import from one curriculum  
  # curriculo <- xml2::read_xml('file.xml')  
  # getOrientacoesPosDoutorado(curriculo)  
  
}
```

```
getOutrasProducoesTecnicas  
  getOutrasProducoesTecnicas
```

Description

Extract Other Technical Productions from 'Lattes' XML file.

Usage

```
getOutrasProducoesTecnicas(curriculo)
```

Arguments

curriculo 'Lattes' XML imported as 'xml2::read_xml()'.

Details

Curriculum without this information will return NULL.

Value

data frame

See Also

[xml_find_all](#), [xml_attr](#), [xml_children](#) [map](#), [map2](#) [bind](#), [mutate](#) [clean_names](#) [tibble](#)

Examples

```
if(interactive()) {  
  # to import from one curriculum  
  # curriculo <- xml2::read_xml('file.xml')  
  # getOutrasProducoesTecnicas(curriculo)  
}
```

```
getParticipacaoProjeto  
  getParticipacaoProjeto
```

Description

Extract Participation in Projects from 'Lattes' XML file.

Usage

```
getParticipacaoProjeto(curriculo)
```

Arguments

curriculo 'Lattes' XML imported as 'xml2::read_xml()'.

Details

Curriculum without this information will return NULL.

Value

data frame

See Also

[xml_find_all](#), [xml_attr](#), [xml_children](#) [map](#), [map2](#) [bind](#), [mutate](#) [clean_names](#) [tibble](#)

Examples

```
if(interactive()) {  
  # to import from one curriculum  
  # curriculo <- xml2::read_xml('file.xml')  
  # getParticipacaoProjeto(curriculo)  
}
```

getPatentes	<i>getPatentes</i>
-------------	--------------------

Description

Extract Patent data from 'Lattes' XML file.

Usage

```
getPatentes(curriculo)
```

Arguments

curriculo 'Lattes' XML imported as 'xml2::read_xml()'.

Details

Curriculum without this information will return NULL.

Value

data frame

See Also

[xml_find_all](#), [xml_attr](#) [bind](#), [distinct](#), [mutate](#) [clean_names](#)

Examples

```
if(interactive()) {  
  # to import from one curriculum  
  # curriculo <- xml2::read_xml('file.xml')  
  # getPatentes(curriculo)  
}
```

`getProducaoTecnica` *getProducaoTecnica*

Description

Extract Technical Production from 'Lattes' XML file.

Usage

```
getProducaoTecnica(curriculo)
```

Arguments

`curriculo` 'Lattes' XML imported as `'xml2::read_xml()'`.

Details

Curriculum without this information will return NULL.

Value

data frame

See Also

[xml_find_all](#), [xml_attr](#) [map](#), [map2](#) [bind](#), [mutate](#), [select](#) [clean_names](#) [tibble](#)

Examples

```
if(interactive()) {  
  
  # to import from one curriculum  
  # curriculo <- xml2::read_xml('file.xml')  
  # getProducaoTecnica(curriculo)  
  
}
```

Index

`bind`, 3–26

`clean_names`, 3–14, 16–26

`distinct`, 25

`getAreasAtuacao`, 2

`getArtigosPublicados`, 3

`getAtuacoesProfissionais`, 4

`getBancasDoutorado`, 5

`getBancasGraduacao`, 6

`getBancasMestrado`, 7

`getCapitulosLivros`, 8

`getDadosGerais`, 9

`getEnderecoProfissional`, 10

`getEventosCongressos`, 11

`getFormacaoDoutorado`, 12

`getFormacaoGraduacao`, 13

`getFormacaoMestrado`, 14

`getId`, 15

`getIdiomas`, 16

`getLinhaPesquisa`, 17

`getLivrosPublicados`, 18

`getOrganizacaoEventos`, 19

`getOrientacoesDoutorado`, 20

`getOrientacoesMestrado`, 21

`getOrientacoesPosDoutorado`, 22

`getOutrasProducoesTecnicas`, 23

`getParticipacaoProjeto`, 24

`getPatentes`, 25

`getProducaoTecnica`, 26

`map`, 3–8, 11–14, 16–24, 26

`map2`, 3–8, 11, 12, 14, 17–24, 26

`mutate`, 3–14, 16–26

`pull`, 15

`select`, 11, 15, 18, 26

`tibble`, 3, 5–8, 11, 12, 14, 18, 19, 23, 24, 26

`xml_attr`, 3–26

`xml_children`, 11, 12, 14, 16, 18, 23, 24

`xml_find_all`, 3–14, 16–26