

Package ‘effectsiz

January 26, 2022

Type Package

Title Indices of Effect Size and Standardized Parameters

Version 0.6.0.1

Maintainer Mattan S. Ben-Shachar <matanshm@post.bgu.ac.il>

Description Provide utilities to work with indices of effect size and standardized parameters for a wide variety of models (see list of supported models using the function 'insight::supported_models()'), allowing computation of and conversion between indices such as Cohen's d, r, odds, etc.

License GPL-3

URL <https://easystats.github.io/effectsiz/>

BugReports <https://github.com/easystats/effectsiz/issues/>

Depends R (>= 3.4)

Imports bayestestR (>= 0.11.5), insight (>= 0.15.0), parameters (>= 0.16.0), performance (>= 0.8.0), datawizard (>= 0.2.2), stats, utils

Suggests correlation (>= 0.6.1), see (>= 0.6.4), afex, BayesFactor, boot, brms, car, covr, emmeans, gamm4, knitr, lavaan, lm.beta, lme4, lmerTest, MASS, mediation, mgcv, pscl, rmarkdown, rms, rstanarm, rstantools, spelling, testthat, tidymodels

VignetteBuilder knitr

Encoding UTF-8

Language en-US

RoxygenNote 7.1.2

Config/testthat/edition 3

Config/testthat/parallel true

NeedsCompilation no

Author Mattan S. Ben-Shachar [aut, cre]

(<<https://orcid.org/0000-0002-4287-4801>>, @mattansb),

Dominique Makowski [aut] (<<https://orcid.org/0000-0001-5375-9967>>),

@Dom_Makowski),
 Daniel Lüdecke [aut] (<<https://orcid.org/0000-0002-8895-3206>>,
 @strengjacke),
 Indrajeet Patil [ctb] (<<https://orcid.org/0000-0003-1995-6531>>,
 @patilindrajeets),
 Brenton M. Wiernik [ctb] (<<https://orcid.org/0000-0001-9560-6336>>,
 @bmwiernik),
 Ken Kelley [ctb],
 David Stanley [ctb],
 Jessica Burnet [rev] (<<https://orcid.org/0000-0002-0896-5099>>),
 Johannes Karreth [rev] (<<https://orcid.org/0000-0003-4586-7153>>)

Repository CRAN

Date/Publication 2022-01-26 14:32:51 UTC

R topics documented:

chisq_to_phi	3
cles	6
cohens_d	9
d_to_cles	13
d_to_r	14
effectsize.BFBayesFactor	16
effectsize_API	18
effectsize_CIs	19
effectsize_deprecated	23
equivalence_test.effectsize_table	23
eta2_to_f2	25
eta_squared	26
format_standardize	33
F_to_eta2	34
hardlyworking	38
interpret	38
interpret_bf	40
interpret_cohens_d	41
interpret_cohens_g	43
interpret_direction	44
interpret_ess	44
interpret_gfi	45
interpret_icc	48
interpret_kendalls_w	49
interpret_oddsratio	50
interpret_omega_squared	51
interpret_p	52
interpret_pd	53
interpret_r	54
interpret_r2	56
interpret_rope	57

interpret_vif	58
is_effectsize_name	59
oddsratio_to_riskratio	59
odds_to_probs	60
phi	61
plot.effectsize_table	65
rank_biserial	66
rules	70
sd_pooled	71
standardize.default	72
standardize_info	74
standardize_parameters	75
t_to_d	79

Index**83**

chisq_to_phi

*Conversion Chi-Squared to Phi or Cramer's V***Description**

Convert between Chi square (χ^2), Cramer's V, phi (ϕ), Cohen's w and Pearson's C for contingency tables or goodness of fit.

Usage

```
chisq_to_phi(
  chisq,
  n,
  nrow,
  ncol,
  ci = 0.95,
  alternative = "greater",
  adjust = FALSE,
  ...
)
```

```
chisq_to_cohens_w(
  chisq,
  n,
  nrow,
  ncol,
  ci = 0.95,
  alternative = "greater",
  adjust = FALSE,
  ...
)
```

```

chisq_to_cramers_v(
  chisq,
  n,
  nrow,
  ncol,
  ci = 0.95,
  alternative = "greater",
  adjust = FALSE,
  ...
)

chisq_to_pearsons_c(
  chisq,
  n,
  nrow,
  ncol,
  ci = 0.95,
  alternative = "greater",
  ...
)

phi_to_chisq(phi, n, ...)

```

Arguments

chisq	The Chi-squared statistic.
n	Total sample size.
nrow, ncol	The number of rows/columns in the contingency table (ignored for Phi when adjust=FALSE and CI=NULL).
ci	Confidence Interval (CI) level
alternative	a character string specifying the alternative hypothesis; Controls the type of CI returned: "greater" (default) or "less" (one-sided CI), or "two.sided" (default, two-sided CI). Partial matching is allowed (e.g., "g", "l", "two"...). See <i>One-Sided CIs</i> in effectsize_CIs .
adjust	Should the effect size be bias-corrected? Defaults to FALSE.
...	Arguments passed to or from other methods.
phi	The Phi statistic.

Details

These functions use the following formulae:

$$\phi = \sqrt{\chi^2/n}$$

$$Cramer'sV = \phi / \sqrt{\min(nrow, ncol) - 1}$$

$$\text{Pearson's } sC = \sqrt{\chi^2 / (\chi^2 + n)}$$

For adjusted versions, see Bergsma, 2013.

Value

A data frame with the effect size(s), and confidence interval(s). See [cramers_v\(\)](#).

Confidence (Compatibility) Intervals (CIs)

Unless stated otherwise, confidence (compatibility) intervals (CIs) are estimated using the non-centrality parameter method (also called the "pivot method"). This method finds the noncentrality parameter ("*ncp*") of a noncentral *t*, *F*, or χ^2 distribution that places the observed *t*, *F*, or χ^2 test statistic at the desired probability point of the distribution. For example, if the observed *t* statistic is 2.0, with 50 degrees of freedom, for which cumulative noncentral *t* distribution is *t* = 2.0 the .025 quantile (answer: the noncentral *t* distribution with *ncp* = .04)? After estimating these confidence bounds on the *ncp*, they are converted into the effect size metric to obtain a confidence interval for the effect size (Steiger, 2004).

For additional details on estimation and troubleshooting, see [effectsize_CIs](#).

CIs and Significance Tests

"Confidence intervals on measures of effect size convey all the information in a hypothesis test, and more." (Steiger, 2004). Confidence (compatibility) intervals and p values are complementary summaries of parameter uncertainty given the observed data. A dichotomous hypothesis test could be performed with either a CI or a p value. The 100 (1 - α)% confidence interval contains all of the parameter values for which $p > \alpha$ for the current data and model. For example, a 95% confidence interval contains all of the values for which $p > .05$.

Note that a confidence interval including 0 *does not* indicate that the null (no effect) is true. Rather, it suggests that the observed data together with the model and its assumptions combined do not provided clear evidence against a parameter value of 0 (same as with any other value in the interval), with the level of this evidence defined by the chosen α level (Rafi & Greenland, 2020; Schweder & Hjort, 2016; Xie & Singh, 2013). To infer no effect, additional judgments about what parameter values are "close enough" to 0 to be negligible are needed ("equivalence testing"; Bauer & Kiessner, 1996).

Note

Cohen's *w* is equivalent to *Phi*.

References

- Cumming, G., & Finch, S. (2001). A primer on the understanding, use, and calculation of confidence intervals that are based on central and noncentral distributions. *Educational and Psychological Measurement*, 61(4), 532-574.

- Bergsma, W. (2013). A bias-correction for Cramer's V and Tschuprow's T. *Journal of the Korean Statistical Society*, 42(3), 323-328.

See Also

Other effect size from test statistic: [F_to_eta2\(\)](#), [t_to_d\(\)](#)

Examples

```
contingency_table <- as.table(rbind(c(762, 327, 468), c(484, 239, 477), c(484, 239, 477)))

# chisq.test(contingency_table)
#>
#>      Pearson's Chi-squared test
#>
#> data:  contingency_table
#> X-squared = 41.234, df = 4, p-value = 2.405e-08

chisq_to_phi(41.234,
  n = sum(contingency_table),
  nrow = nrow(contingency_table),
  ncol = ncol(contingency_table)
)
chisq_to_cramers_v(41.234,
  n = sum(contingency_table),
  nrow = nrow(contingency_table),
  ncol = ncol(contingency_table)
)
chisq_to_pearsons_c(41.234,
  n = sum(contingency_table),
  nrow = nrow(contingency_table),
  ncol = ncol(contingency_table)
)
```

cles

Estimate Common Language Effect Sizes (CLES)

Description

`cohens_u3()`, `p_superiority()`, and `p_overlap()` give only one of the CLESs.

Usage

```
cles(
  x,
  y = NULL,
  data = NULL,
  mu = 0,
  ci = 0.95,
```

```

    alternative = "two.sided",
    parametric = TRUE,
    verbose = TRUE,
    iterations = 200,
    ...
)

common_language(
  x,
  y = NULL,
  data = NULL,
  mu = 0,
  ci = 0.95,
  alternative = "two.sided",
  parametric = TRUE,
  verbose = TRUE,
  iterations = 200,
  ...
)

cohens_u3(...)

p_superiority(...)

p_overlap(...)

```

Arguments

<code>x</code>	A formula, a numeric vector, or a character name of one in data.
<code>y</code>	A numeric vector, a grouping (character / factor) vector, a or a character name of one in data. Ignored if <code>x</code> is a formula.
<code>data</code>	An optional data frame containing the variables.
<code>mu</code>	a number indicating the true value of the mean (or difference in means if you are performing a two sample test).
<code>ci</code>	Confidence Interval (CI) level
<code>alternative</code>	a character string specifying the alternative hypothesis; Controls the type of CI returned: "two.sided" (default, two-sided CI), "greater" or "less" (one-sided CI). Partial matching is allowed (e.g., "g", "l", "two"...). See <i>One-Sided CIs</i> in effectsize_CIs .
<code>parametric</code>	Use parametric estimation (see cohens_d()) or non-parametric estimation (see rank_biserial()).
<code>verbose</code>	Toggle warnings and messages on or off.
<code>iterations</code>	The number of bootstrap replicates for computing confidence intervals. Only applies when <code>ci</code> is not NULL and <code>parametric = FALSE</code> .
<code>...</code>	Arguments passed to or from other methods.

Details

These measures of effect size present group differences in probabilistic terms:

- **Probability of superiority** is the probability that, when sampling an observation from each of the groups at random, that the observation from the second group will be larger than the sample from the first group.
- **Cohen's U3** is the proportion of the second group that is smaller than the median of the first group.
- **Overlap** (OVL) is the proportional overlap between the distributions. (When `parametric = FALSE`, `bayestestR::overlap()` is used.)

For unequal group sizes, it is recommended to use the non-parametric based CLES (`parametric = FALSE`).

Value

A data frame containing the common language effect sizes (and optionally their CIs).

Confidence Intervals (CIs)

For parametric CLES, the CIs are transformed CIs for Cohen's d (`d_to_cles()`). For non-parametric (`parametric = FALSE`) CLES, the CI of $Pr(\text{superiority})$ is a transformed CI of the rank-biserial correlation (`rb_to_cles()`), while for Cohen's $U3$ and the Overlap coefficient the confidence intervals are bootstrapped (requires the `boot` package).

References

- Cohen, J. (1977). *Statistical power analysis for the behavioral sciences*. New York: Routledge.
- Reiser, B., & Faraggi, D. (1999). Confidence intervals for the overlapping coefficient: the normal equal variance case. *Journal of the Royal Statistical Society*, 48(3), 413-418.
- Ruscio, J. (2008). A probability-based measure of effect size: robustness to base rates and other factors. *Psychological methods*, 13(1), 19-30.

See Also

`d_to_cles()` `sd_pooled()`

Other effect size indices: `cohens_d()`, `effectsize.BFBayesFactor()`, `eta_squared()`, `phi()`, `rank_biserial()`, `standardize_parameters()`

Examples

```
cles(mpg ~ am, data = mtcars)

set.seed(4)
cles(mpg ~ am, data = mtcars, parametric = FALSE)

## Not run:
## Individual CLES
p_superiority(extra ~ group, data = sleep)
```



```

cohens_u3(extra ~ group, data = sleep, parametric = FALSE)

p_overlap(extra ~ group, data = sleep)

## End(Not run)

```

cohens_d	<i>Effect size for differences</i>
----------	------------------------------------

Description

Compute effect size indices for standardized differences: Cohen's d , Hedges' g and Glass's δ (Δ). (This function returns the **population** estimate.)

Both Cohen's d and Hedges' g are the estimated the standardized difference between the means of two populations. Hedges' g provides a bias correction (using the exact method) to Cohen's d for small sample sizes. For sample sizes > 20 , the results for both statistics are roughly equivalent. Glass's δ is appropriate when the standard deviations are significantly different between the populations, as it uses only the *second* group's standard deviation.

Usage

```

cohens_d(
  x,
  y = NULL,
  data = NULL,
  pooled_sd = TRUE,
  mu = 0,
  paired = FALSE,
  ci = 0.95,
  alternative = "two.sided",
  verbose = TRUE,
  ...
)

hedges_g(
  x,
  y = NULL,
  data = NULL,
  pooled_sd = TRUE,
  mu = 0,
  paired = FALSE,
  ci = 0.95,
  alternative = "two.sided",
  verbose = TRUE,

```

```

    ...,
    correction
  )

glass_delta(
  x,
  y = NULL,
  data = NULL,
  mu = 0,
  ci = 0.95,
  alternative = "two.sided",
  verbose = TRUE,
  ...,
  iterations
)

```

Arguments

x	A formula, a numeric vector, or a character name of one in data.
y	A numeric vector, a grouping (character / factor) vector, a or a character name of one in data. Ignored if x is a formula.
data	An optional data frame containing the variables.
pooled_sd	If TRUE (default), a <code>sd_pooled()</code> is used (assuming equal variance). Else the mean SD from both groups is used instead.
mu	a number indicating the true value of the mean (or difference in means if you are performing a two sample test).
paired	If TRUE, the values of x and y are considered as paired. This produces an effect size that is equivalent to the one-sample effect size on x -y.
ci	Confidence Interval (CI) level
alternative	a character string specifying the alternative hypothesis; Controls the type of CI returned: "two.sided" (default, two-sided CI), "greater" or "less" (one-sided CI). Partial matching is allowed (e.g., "g", "l", "two"...). See <i>One-Sided CIs</i> in effectsize_CIs .
verbose	Toggle warnings and messages on or off.
...	Arguments passed to or from other methods.
iterations, correction	deprecated.

Details

Set `pooled_sd = FALSE` for effect sizes that are to accompany a Welch's *t*-test (Delacre et al, 2021).

Value

A data frame with the effect size (Cohens_d, Hedges_g, Glass_delta) and their CIs (CI_low and CI_high).

Confidence (Compatibility) Intervals (CIs)

Unless stated otherwise, confidence (compatibility) intervals (CIs) are estimated using the non-centrality parameter method (also called the "pivot method"). This method finds the noncentrality parameter ("*ncp*") of a noncentral *t*, *F*, or χ^2 distribution that places the observed *t*, *F*, or χ^2 test statistic at the desired probability point of the distribution. For example, if the observed *t* statistic is 2.0, with 50 degrees of freedom, for which cumulative noncentral *t* distribution is *t* = 2.0 the .025 quantile (answer: the noncentral *t* distribution with *ncp* = .04)? After estimating these confidence bounds on the *ncp*, they are converted into the effect size metric to obtain a confidence interval for the effect size (Steiger, 2004).

For additional details on estimation and troubleshooting, see [effectsize_CIs](#).

CIs and Significance Tests

"Confidence intervals on measures of effect size convey all the information in a hypothesis test, and more." (Steiger, 2004). Confidence (compatibility) intervals and p values are complementary summaries of parameter uncertainty given the observed data. A dichotomous hypothesis test could be performed with either a CI or a p value. The 100 (1 - α)% confidence interval contains all of the parameter values for which $p > \alpha$ for the current data and model. For example, a 95% confidence interval contains all of the values for which $p > .05$.

Note that a confidence interval including 0 *does not* indicate that the null (no effect) is true. Rather, it suggests that the observed data together with the model and its assumptions combined do not provided clear evidence against a parameter value of 0 (same as with any other value in the interval), with the level of this evidence defined by the chosen α level (Rafi & Greenland, 2020; Schweder & Hjort, 2016; Xie & Singh, 2013). To infer no effect, additional judgments about what parameter values are "close enough" to 0 to be negligible are needed ("equivalence testing"; Bauer & Kiesser, 1996).

Note

The indices here give the population estimated standardized difference. Some statistical packages give the sample estimate instead (without applying Bessel's correction).

References

- Algina, J., Keselman, H. J., & Penfield, R. D. (2006). Confidence intervals for an effect size when variances are not equal. *Journal of Modern Applied Statistical Methods*, 5(1), 2.
- Cohen, J. (1988). *Statistical power analysis for the behavioral sciences* (2nd Ed.). New York: Routledge.
- Delacre, M., Lakens, D., Ley, C., Liu, L., & Leys, C. (2021, May 7). Why Hedges' g^* s based on the non-pooled standard deviation should be reported with Welch's t-test. <https://doi.org/10.31234/osf.io/tu6mp>
- Hedges, L. V. & Olkin, I. (1985). *Statistical methods for meta-analysis*. Orlando, FL: Academic Press.
- Hunter, J. E., & Schmidt, F. L. (2004). *Methods of meta-analysis: Correcting error and bias in research findings*. Sage.

See Also

[d_to_cles\(\)](#) [sd_pooled\(\)](#)

Other effect size indices: [cles\(\)](#), [effectsize.BFBayesFactor\(\)](#), [eta_squared\(\)](#), [phi\(\)](#), [rank_biserial\(\)](#), [standardize_parameters\(\)](#)

Examples

```
data(mtcars)
mtcars$am <- factor(mtcars$am)

# Two Independent Samples -----

(d <- cohens_d(mpg ~ am, data = mtcars))
# Same as:
# cohens_d("mpg", "am", data = mtcars)
# cohens_d(mtcars$mpg[mtcars$am=="0"], mtcars$mpg[mtcars$am=="1"])

# More options:
cohens_d(mpg ~ am, data = mtcars, pooled_sd = FALSE)
cohens_d(mpg ~ am, data = mtcars, mu = -5)
cohens_d(mpg ~ am, data = mtcars, alternative = "less")
hedges_g(mpg ~ am, data = mtcars)
glass_delta(mpg ~ am, data = mtcars)

# One Sample -----

cohens_d(wt ~ 1, data = mtcars)

# same as:
# cohens_d("wt", data = mtcars)
# cohens_d(mtcars$wt)

# More options:
cohens_d(wt ~ 1, data = mtcars, mu = 3)
hedges_g(wt ~ 1, data = mtcars, mu = 3)

# Paired Samples -----

data(sleep)

cohens_d(Pair(extra[group == 1], extra[group == 2]) ~ 1, data = sleep)

# same as:
# cohens_d(sleep$extra[sleep$group == 1], sleep$extra[sleep$group == 2], paired = TRUE)

# More options:
cohens_d(Pair(extra[group == 1], extra[group == 2]) ~ 1, data = sleep, mu = -1)
hedges_g(Pair(extra[group == 1], extra[group == 2]) ~ 1, data = sleep)
```

```

# Interpretation -----
interpret_cohens_d(-1.48, rules = "cohen1988")
interpret_hedges_g(-1.48, rules = "sawilowsky2009")
interpret_glass_delta(-1.48, rules = "gignac2016")
# Or:
interpret(d, rules = "sawilowsky2009")

# Common Language Effect Sizes
d_to_cles(1.48)
# Or:
print(d, append_CLES = TRUE)

```

d_to_cles	<i>Convert Standardized Mean Difference to Common Language Effect Sizes</i>
-----------	---

Description

Convert Standardized Mean Difference to Common Language Effect Sizes

Usage

```

d_to_cles(d)

rb_to_cles(rb)

```

Arguments

d, rb A numeric value of Cohen's d / rank-biserial correlation *or* the output from `cohens_d()` / `rank_biserial()`.

Details

This function use the following formulae for Cohen's *d*:

$$Pr(\text{superiority}) = \Phi(d/\sqrt{2})$$

$$\text{Cohen's } U_3 = \Phi(d)$$

$$\text{Overlap} = 2 \times \Phi(-|d|/2)$$

And the following for the rank-biserial correlation:

$$Pr(\text{superiority}) = (r_{rb} + 1)/2$$

Value

A list of Cohen's U3, Overlap, Pr(superiority), a numeric vector of Pr(superiority), or a data frame, depending on the input.

Note

These calculations assume that the populations have equal variance and are normally distributed.

References

- Cohen, J. (1977). *Statistical power analysis for the behavioral sciences*. New York: Routledge.
- Reiser, B., & Faraggi, D. (1999). Confidence intervals for the overlapping coefficient: the normal equal variance case. *Journal of the Royal Statistical Society*, 48(3), 413-418.
- Ruscio, J. (2008). A probability-based measure of effect size: robustness to base rates and other factors. *Psychological methods*, 13(1), 19–30.

See Also

[cohens_d\(\)](#), [rank_biserial\(\)](#)

Other convert between effect sizes: [d_to_r\(\)](#), [eta2_to_f2\(\)](#), [odds_to_probs\(\)](#), [oddsratio_to_riskratio\(\)](#)

d_to_r

Convert between d, r and Odds ratio

Description

Enables a conversion between different indices of effect size, such as standardized difference (Cohen's d), correlation r or (log) odds ratios.

Usage

`d_to_r(d, ...)`

`r_to_d(r, ...)`

`oddsratio_to_d(OR, log = FALSE, ...)`

`logoddsratio_to_d(OR, log = TRUE, ...)`

`d_to_oddsratio(d, log = FALSE, ...)`

`oddsratio_to_r(OR, log = FALSE, ...)`

`logoddsratio_to_r(OR, log = TRUE, ...)`

`r_to_oddsratio(r, log = FALSE, ...)`

Arguments

d	Standardized difference value (Cohen's d).
...	Arguments passed to or from other methods.
r	Correlation coefficient r.
OR	<i>Odds ratio</i> values in vector or data frame.
log	Take in or output the log of the ratio (such as in logistic models).

Details

Conversions between d and OR or r is done through these formulae.

- $d = \frac{2*r}{\sqrt{1-r^2}}$
- $r = \frac{d}{\sqrt{d^2+4}}$
- $d = \frac{\log(OR) \times \sqrt{3}}{\pi}$
- $\log(OR) = d * \frac{\pi}{\sqrt{3}}$

The conversion from d to r assumes equally sized groups. The resulting r is also called the binomial effect size display (BESD; Rosenthal et al., 1982).

Value

Converted index.

References

- Sánchez-Meca, J., Marín-Martínez, F., & Chacón-Moscoso, S. (2003). Effect-size indices for dichotomized outcomes in meta-analysis. *Psychological methods*, 8(4), 448.
- Borenstein, M., Hedges, L. V., Higgins, J. P. T., & Rothstein, H. R. (2009). Converting among effect sizes. *Introduction to meta-analysis*, 45-49.
- Rosenthal, R., & Rubin, D. B. (1982). A simple, general purpose display of magnitude of experimental effect. *Journal of educational psychology*, 74(2), 166.

See Also

Other convert between effect sizes: [d_to_cles\(\)](#), [eta2_to_f2\(\)](#), [odds_to_probs\(\)](#), [oddsratio_to_riskratio\(\)](#)

Examples

```
r_to_d(0.5)
d_to_oddsratio(1.154701)
oddsratio_to_r(8.120534)

d_to_r(1)
r_to_oddsratio(0.4472136, log = TRUE)
oddsratio_to_d(1.813799, log = TRUE)
```

```
effectsize.BFBayesFactor
      Effect Size
```

Description

This function tries to return the best effect-size measure for the provided input model. See details.

Usage

```
## S3 method for class 'BFBayesFactor'
effectsize(model, type = NULL, verbose = TRUE, test = NULL, ...)

effectsize(model, ...)

## S3 method for class 'aov'
effectsize(model, type = NULL, ...)

## S3 method for class 'htest'
effectsize(model, type = NULL, verbose = TRUE, ...)
```

Arguments

model	An object of class <code>htest</code> , or a statistical model. See details.
type	The effect size of interest. See details.
verbose	Toggle off warnings.
test	The indices of effect existence to compute. Character (vector) or list with one or more of these options: "p_direction" (or "pd"), "rope", "p_map", "equivalence_test" (or "equitest"), "bayesfactor" (or "bf") or "all" to compute all tests. For each "test", the corresponding bayestestR function is called (e.g. <code>rope()</code> or <code>p_direction()</code>) and its results included in the summary output.
...	Arguments passed to or from other methods. See details.

Details

- For an object of class `htest`, data is extracted via `insight::get_data()`, and passed to the relevant function according to:
 - A **t-test** depending on type: "cohens_d" (default), "hedges_g", or "cles".
 - A **Chi-squared tests of independence or goodness-of-fit**, depending on type: "cramers_v" (default), "phi", "cohens_w", "pearsons_c", "cohens_h", "oddsratio", or "riskratio".
 - A **One-way ANOVA test**, depending on type: "eta" (default), "omega" or "epsilon"-squared, "f", or "f2".
 - A **McNemar test** returns *Cohen's g*.
 - A **Wilcoxon test** depending on type: returns "rank_biserial" correlation (default) or "cles".

- A **Kruskal-Wallis test** returns *rank Epsilon squared*.
- A **Friedman test** returns *Kendall's W*. (Where applicable, ci and alternative are taken from the htest if not otherwise provided.)
- For an object of class BFBayesFactor, using `bayestestR::describe_posterior()`,
 - A **t-test** depending on type: "cohens_d"(default) or "cles"'.
 - A **correlation test** returns *r*.
 - A **contingency table test**, depending on type: "cramers_v" (default), "phi", "cohens_w", "pearsons_c", "cohens_h", "oddsratio", or "riskratio".
 - A **proportion test** returns *p*.
- Objects of class anova, aov, or aovlist, depending on type: "eta" (default), "omega" or "epsilon" -squared, "f", or "f2".
- Other objects are passed to `standardize_parameters()`.

For statistical models it is recommended to directly use the listed functions, for the full range of options they provide.

Value

A data frame with the effect size (depending on input) and its CIs (CI_low and CI_high).

See Also

Other effect size indices: `cles()`, `cohens_d()`, `eta_squared()`, `phi()`, `rank_biserial()`, `standardize_parameters()`

Examples

```
## Hypothesis Testing
## -----
contingency_table <- as.table(rbind(c(762, 327, 468), c(484, 239, 477), c(484, 239, 477)))
Xsq <- chisq.test(contingency_table)
effectsize(Xsq)
effectsize(Xsq, type = "phi")

Tt <- t.test(1:10, y = c(7:20), alternative = "less")
effectsize(Tt)

Aov <- oneway.test(extra ~ group, data = sleep, var.equal = TRUE)
effectsize(Aov)
effectsize(Aov, type = "omega")

Wt <- wilcox.test(1:10, 7:20, mu = -3, alternative = "less")
effectsize(Wt)
effectsize(Wt, type = "cles")

## Bayesian Hypothesis Testing
## -----

if (require(BayesFactor)) {
  bf_prop <- proportionBF(3, 7, p = 0.3)
```

```

effectsize(bf_prop)

bf_corr <- correlationBF(attitude$rating, attitude$complaints)
effectsize(bf_corr)

data(raceDolls)
bf_xtab <- contingencyTableBF(raceDolls, sampleType = "poisson", fixedMargin = "cols")
effectsize(bf_xtab)
effectsize(bf_xtab, type = "oddsratio")

bf_ttest <- ttestBF(sleep$extra[sleep$group==1],
                   sleep$extra[sleep$group==2],
                   paired = TRUE, mu = -1)
effectsize(bf_ttest)
}

## Models and Anova Tables
## -----
fit <- lm(mpg ~ factor(cyl) * wt + hp, data = mtcars)
effectsize(fit)

anova_table <- anova(fit)
effectsize(anova_table)
effectsize(anova_table, type = "epsilon")

```

effectsize_API

effectsize API

Description

Read the *Support functions for model extensions* vignette.

Usage

```

.es_aov_simple(
  aov_table,
  type = c("eta", "omega", "epsilon"),
  partial = TRUE,
  generalized = FALSE,
  ci = 0.95,
  alternative = "greater",
  verbose = TRUE,
  include_intercept = FALSE
)

.es_aov_strata(
  aov_table,
  DV_names,

```

```

    type = c("eta", "omega", "epsilon"),
    partial = TRUE,
    generalized = FALSE,
    ci = 0.95,
    alternative = "greater",
    verbose = TRUE,
    include_intercept = FALSE
  )

.es_aov_table(
  aov_table,
  type = c("eta", "omega", "epsilon"),
  partial = TRUE,
  generalized = FALSE,
  ci = 0.95,
  alternative = "greater",
  verbose = TRUE,
  include_intercept = FALSE
)

```

Arguments

aov_table	Input data frame
type	Which effect size to compute?
partial, generalized, ci, alternative, verbose	See eta_squared() .
include_intercept	Should the intercept ((Intercept)) be included?
DV_names	A character vector with the names of all the predictors, including the grouping variable (e.g., "Subject").

effectsize_CIs	<i>Confidence (Compatibility) Intervals</i>
----------------	---

Description

More information regarding Confidence (Compatibility) Intervals and how they are computed in *effectsize*.

Confidence (Compatibility) Intervals (CIs)

Unless stated otherwise, confidence (compatibility) intervals (CIs) are estimated using the non-centrality parameter method (also called the "pivot method"). This method finds the noncentrality parameter ("*ncp*") of a noncentral *t*, *F*, or χ^2 distribution that places the observed *t*, *F*, or χ^2 test statistic at the desired probability point of the distribution. For example, if the observed *t* statistic is 2.0, with 50 degrees of freedom, for which cumulative noncentral *t* distribution is $t = 2.0$ the .025

quantile (answer: the noncentral t distribution with $n_{cp} = .04$)? After estimating these confidence bounds on the n_{cp} , they are converted into the effect size metric to obtain a confidence interval for the effect size (Steiger, 2004).

For additional details on estimation and troubleshooting, see [effectsize_CIs](#).

CI and Significance Tests

"Confidence intervals on measures of effect size convey all the information in a hypothesis test, and more." (Steiger, 2004). Confidence (compatibility) intervals and p values are complementary summaries of parameter uncertainty given the observed data. A dichotomous hypothesis test could be performed with either a CI or a p value. The $100(1 - \alpha)\%$ confidence interval contains all of the parameter values for which $p > \alpha$ for the current data and model. For example, a 95% confidence interval contains all of the values for which $p > .05$.

Note that a confidence interval including 0 *does not* indicate that the null (no effect) is true. Rather, it suggests that the observed data together with the model and its assumptions combined do not provided clear evidence against a parameter value of 0 (same as with any other value in the interval), with the level of this evidence defined by the chosen α level (Rafi & Greenland, 2020; Schweder & Hjort, 2016; Xie & Singh, 2013). To infer no effect, additional judgments about what parameter values are "close enough" to 0 to be negligible are needed ("equivalence testing"; Bauer & Kieser, 1996).

One-Sided CIs

Typically, CIs are constructed as two-tailed intervals, with an equal proportion of the cumulative probability distribution above and below the interval. CIs can also be constructed as *one-sided* intervals, giving only a lower bound or upper bound. This is analogous to computing a 1-tailed p value or conducting a 1-tailed hypothesis test.

Significance tests conducted using CIs (whether a value is inside the interval) and using p values (whether $p < \alpha$ for that value) are only guaranteed to agree when both are constructed using the same number of sides/tails.

Most effect sizes are not bounded by zero (e.g., r , d , g), and as such are generally tested using 2-tailed tests and 2-sided CIs.

Some effect sizes are strictly positive—they do have a minimum value, of 0. For example, R^2 , η^2 , and other variance-accounted-for effect sizes, as well as Cramer's V and multiple R , range from 0 to 1. These typically involve F - or χ^2 -statistics and are generally tested using *1-tailed* tests which test whether the estimated effect size is *larger* than the hypothesized null value (e.g., 0). In order for a CI to yield the same significance decision it must then be by a *1-sided* CI, estimating only a lower bound. This is the default CI computed by *effectsize* for these effect sizes, where `alternative = "greater"` is set.

This lower bound interval indicates the smallest effect size that is not significantly different from the observed effect size. That is, it is the minimum effect size compatible with the observed data, background model assumptions, and α level. This type of interval does not indicate a maximum effect size value; anything up to the maximum possible value of the effect size (e.g., 1) is in the

interval.

One-sided CIs can also be used to test against a maximum effect size value (e.g., is R^2 significantly smaller than a perfect correlation of 1.0?) can by setting `alternative = "less"`. This estimates a CI with only an *upper* bound; anything from the minimum possible value of the effect size (e.g., 0) up to this upper bound is in the interval.

We can also obtain a 2-sided interval by setting `alternative = "two-sided"`. These intervals can be interpreted in the same way as other 2-sided intervals, such as those for r , d , or g .

An alternative approach to aligning significance tests using CIs and 1-tailed p values that can often be found in the literature is to construct a 2-sided CI at a lower confidence level (e.g., $100(1-2\alpha)\% = 100 - 2*5\% = 90\%$). This estimates the lower bound and upper bound for the above 1-sided intervals simultaneously. These intervals are commonly reported when conducting **equivalence tests**. For example, a 90% 2-sided interval gives the bounds for an equivalence test with $\alpha = .05$. However, be aware that this interval does not give 95% coverage for the underlying effect size parameter value. For that, construct a 95% 2-sided CI.

```
data("hardlyworking")
fit <- lm(salary ~ n_comps + age, data = hardlyworking)
eta_squared(fit) # default, ci = 0.95, alternative = "greater"

## # Effect Size for ANOVA (Type I)
##
## Parameter | Eta2 (partial) |          95% CI
## -----
## n_comps   |          0.21 | [0.16, 1.00]
## age       |          0.10 | [0.06, 1.00]
##
## - One-sided CIs: upper bound fixed at (1).

eta_squared(fit, alternative = "less") # Test is eta is smaller than some value

## # Effect Size for ANOVA (Type I)
##
## Parameter | Eta2 (partial) |          95% CI
## -----
## n_comps   |          0.21 | [0.00, 0.26]
## age       |          0.10 | [0.00, 0.14]
##
## - One-sided CIs: lower bound fixed at (0).

eta_squared(fit, alternative = "two.sided") # 2-sided bounds for alpha = .05

## # Effect Size for ANOVA (Type I)
##
## Parameter | Eta2 (partial) |          95% CI
## -----
## n_comps   |          0.21 | [0.15, 0.27]
## age       |          0.10 | [0.06, 0.15]
```

```
eta_squared(fit, ci = 0.9, alternative = "two.sided") # both 1-sided bounds for alpha = .05

## # Effect Size for ANOVA (Type I)
##
## Parameter | Eta2 (partial) |          90% CI
## -----
## n_comps   |           0.21 | [0.16, 0.26]
## age       |           0.10 | [0.06, 0.14]
```

CI Does Not Contain the Estimate

For very large sample sizes or effect sizes, the width of the CI can be smaller than the tolerance of the optimizer, resulting in CIs of width 0. This can also result in the estimated CIs excluding the point estimate.

For example:

```
t_to_d(80, df_error = 4555555)
```

```
## d      |          95% CI
## -----
## 0.07   | [0.08, 0.08]
```

In these cases, consider an alternative optimizer, or an alternative method for computing CIs, such as the bootstrap.

References

- Bauer, P., & Kieser, M. (1996). A unifying approach for confidence intervals and testing of equivalence and difference. *Biometrika*, *83*(4), 934–937. doi: [10.1093/biomet/83.4.934](https://doi.org/10.1093/biomet/83.4.934)
- Rafi, Z., & Greenland, S. (2020). Semantic and cognitive tools to aid statistical science: Replace confidence and significance by compatibility and surprise. *BMC Medical Research Methodology*, *20*(1), Article 244. doi: [10.1186/s12874020011059](https://doi.org/10.1186/s12874020011059)
- Schweder, T., & Hjort, N. L. (2016). *Confidence, likelihood, probability: Statistical inference with confidence distributions*. Cambridge University Press. doi: [10.1017/CBO9781139046671](https://doi.org/10.1017/CBO9781139046671)
- Steiger, J. H. (2004). Beyond the *F* test: Effect size confidence intervals and tests of close fit in the analysis of variance and contrast analysis. *Psychological Methods*, *9*(2), 164–182. doi: [10.1037/1082989x.9.2.164](https://doi.org/10.1037/1082989x.9.2.164)
- Xie, M., & Singh, K. (2013). Confidence distribution, the frequentist distribution estimator of a parameter: A review. *International Statistical Review*, *81*(1), 3–39. doi: [10.1111/insr.12000](https://doi.org/10.1111/insr.12000)

effectsize_deprecated *Deprecated functions*

Description

Deprecated functions

Usage

`interpret_d(...)`

`interpret_g(...)`

`interpret_delta(...)`

`interpret_parameters(...)`

Arguments

... Arguments to the deprecated function.

Details

- `interpret_d` is now [interpret_cohens_d](#).
- `interpret_g` is now [interpret_hedges_g](#).
- `interpret_delta` is now [interpret_glass_delta](#).
- `interpret_parameters` for *standardized parameters* was incorrect. Use [interpret_r](#) instead.

`equivalence_test.effectsize_table`
Test for Practical Equivalence

Description

Perform a **Test for Practical Equivalence** for indices of effect size.

Usage

```
## S3 method for class 'effectsize_table'
equivalence_test(
  x,
  range = "default",
  rule = c("classic", "cet", "bayes"),
  ...
)
```

Arguments

x	An effect size table, such as returned by <code>cohens_d()</code> , <code>eta_squared()</code> , <code>F_to_r()</code> , etc.
range	The range of practical equivalence of an effect. For one-sided CIs, a single value can be provided for the lower / upper bound to test against (but see more details below). For two-sided CIs, a single value is duplicated to <code>c(-range, range)</code> . If "default", will be set to <code>[-.1, .1]</code> .
rule	How should acceptance and rejection be decided? See details.
...	Arguments passed to or from other methods.

Details

The CIs used in the equivalence test are the ones in the provided effect size table. For results equivalent (ha!) to those that can be obtained using the TOST approach (e.g., Lakens, 2017), appropriate CIs should be extracted using the function used to make the effect size table (`cohens_d`, `eta_squared`, `F_to_r`, etc), with `alternative = "two.sided"`. See examples.

The Different Rules:

- "classic" - **the classic method:**
 - If the CI is completely within the ROPE - *Accept H0*
 - Else, if the CI does not contain 0 - *Reject H0*
 - Else - *Undecided*
- "cet" - **conditional equivalence testing:**
 - If the CI does not contain 0 - *Reject H0*
 - Else, If the CI is completely within the ROPE - *Accept H0*
 - Else - *Undecided*
- "bayes" - **The Bayesian approach**, as put forth by Kruschke:
 - If the CI does is completely outside the ROPE - *Reject H0*
 - Else, If the CI is completely within the ROPE - *Accept H0*
 - Else - *Undecided*

Value

A data frame with the results of the equivalence test.

References

- Campbell, H., & Gustafson, P. (2018). Conditional equivalence testing: An alternative remedy for publication bias. *PLOS ONE*, 13(4), e0195145. <https://doi.org/10.1371/journal.pone.0195145>
- Kruschke, J. K. (2014). *Doing Bayesian data analysis: A tutorial with R, JAGS, and Stan*. Academic Press
- Kruschke, J. K. (2018). Rejecting or accepting parameter values in Bayesian estimation. *Advances in Methods and Practices in Psychological Science*, 1(2), 270-280. doi: 10.1177/2515245918771304
- Lakens, D. (2017). Equivalence Tests: A Practical Primer for t Tests, Correlations, and Meta-Analyses. *Social Psychological and Personality Science*, 8(4), 355–362. <https://doi.org/10.1177/1948550617697177>

See Also

For more details, see [bayestestR::equivalence_test\(\)](#).

Examples

```

model <- aov(mpg ~ hp + am * factor(cyl), data = mtcars)
es <- eta_squared(model, ci = 0.9, alternative = "two.sided")
equivalence_test(es, range = 0.30) # TOST

RCT <- matrix(c(71, 101,
               50, 100), nrow = 2)
OR <- oddsratio(RCT, alternative = "greater")
equivalence_test(OR, range = 1)

ds <- t_to_d(
  t = c(0.45, -0.65, 7, -2.2, 2.25),
  df_error = c(675, 525, 2000, 900, 1875),
  ci = 0.9, alternative = "two.sided" # TOST
)
# Can also plot
if (require(see)) plot(equivalence_test(ds, range = 0.2))
if (require(see)) plot(equivalence_test(ds, range = 0.2, rule = "cet"))
if (require(see)) plot(equivalence_test(ds, range = 0.2, rule = "bayes"))

```

eta2_to_f2

Convert between ANOVA effect sizes

Description

Convert between ANOVA effect sizes

Usage

```
eta2_to_f2(es)
```

```
eta2_to_f(es)
```

```
f2_to_eta2(f2)
```

```
f_to_eta2(f)
```

Arguments

es Any measure of variance explained such as Eta-, Epsilon-, Omega-, or R-Squared, partial or otherwise. See details.

f, f2 Cohen's *f* or *f*-squared.

Details

Any measure of variance explained can be converted to a corresponding Cohen's f via:

$$f^2 = \frac{\eta^2}{1 - \eta^2}$$

$$\eta^2 = \frac{f^2}{1 + f^2}$$

If a partial Eta-Squared is used, the resulting Cohen's f is a partial-Cohen's f ; If a less biased estimate of variance explained is used (such as Epsilon- or Omega-Squared), the resulting Cohen's f is likewise a less biased estimate of Cohen's f .

References

- Cohen, J. (1988). *Statistical power analysis for the behavioral sciences* (2nd Ed.). New York: Routledge.
- Steiger, J. H. (2004). Beyond the F test: Effect size confidence intervals and tests of close fit in the analysis of variance and contrast analysis. *Psychological Methods*, 9, 164-182.

See Also

[eta_squared\(\)](#) for more details.

Other convert between effect sizes: [d_to_cles\(\)](#), [d_to_r\(\)](#), [odds_to_probs\(\)](#), [oddsratio_to_riskratio\(\)](#)

eta_squared

Effect size for ANOVA

Description

Functions to compute effect size measures for ANOVAs, such as Eta- (η), Omega- (ω) and Epsilon- (ϵ) squared, and Cohen's f (or their partialled versions) for ANOVA tables. These indices represent an estimate of how much variance in the response variables is accounted for by the explanatory variable(s).

When passing models, effect sizes are computed using the sums of squares obtained from `anova(model)` which might not always be appropriate. See details.

Usage

```
eta_squared(  
  model,  
  partial = TRUE,  
  generalized = FALSE,  
  ci = 0.95,  
  alternative = "greater",  
  verbose = TRUE,  
  ...  
)
```

```
omega_squared(  
  model,  
  partial = TRUE,  
  ci = 0.95,  
  alternative = "greater",  
  verbose = TRUE,  
  ...  
)
```

```
epsilon_squared(  
  model,  
  partial = TRUE,  
  ci = 0.95,  
  alternative = "greater",  
  verbose = TRUE,  
  ...  
)
```

```
cohens_f(  
  model,  
  partial = TRUE,  
  ci = 0.95,  
  alternative = "greater",  
  squared = FALSE,  
  verbose = TRUE,  
  model2 = NULL,  
  ...  
)
```

```
cohens_f_squared(  
  model,  
  partial = TRUE,  
  ci = 0.95,  
  alternative = "greater",  
  squared = TRUE,  
  verbose = TRUE,  
  model2 = NULL,
```

```

    ...
  )

eta_squared_posterior(
  model,
  partial = TRUE,
  generalized = FALSE,
  ss_function = stats::anova,
  draws = 500,
  verbose = TRUE,
  ...
)

```

Arguments

model	A model, ANOVA object, or the result of <code>parameters::model_parameters</code> .
partial	If TRUE, return partial indices.
generalized	If TRUE, returns generalized Eta Squared, assuming all variables are manipulated. Can also be a character vector of observed (non-manipulated) variables, in which case generalized Eta Squared is calculated taking these observed variables into account. For <code>afex_aov</code> model, when <code>generalized = TRUE</code> , the observed variables are extracted automatically from the fitted model, if they were provided then.
ci	Confidence Interval (CI) level
alternative	a character string specifying the alternative hypothesis; Controls the type of CI returned: "greater" (default) or "less" (one-sided CI), or "two.sided" (default, two-sided CI). Partial matching is allowed (e.g., "g", "l", "two"...). See <i>One-Sided CIs</i> in <code>effectsize_CIs</code> .
verbose	Toggle warnings and messages on or off.
...	Arguments passed to or from other methods. <ul style="list-style-type: none"> • Can be <code>include_intercept = TRUE</code> to include the effect size for the intercept. • For Bayesian models, arguments passed to <code>ss_function</code>.
squared	Return Cohen's f or Cohen's f -squared?
model2	Optional second model for Cohen's f (/squared). If specified, returns the effect size for R-squared-change between the two models.
ss_function	For Bayesian models, the function used to extract sum-of-squares. Uses <code>anova()</code> by default, but can also be <code>car::Anova()</code> for simple linear models.
draws	For Bayesian models, an integer indicating the number of draws from the posterior predictive distribution to return. Larger numbers take longer to run, but provide estimates that are more stable.

Details

For `aov`, `aovlist` and `afex_aov` models, and for `anova` objects that provide Sums-of-Squares, the effect sizes are computed directly using Sums-of-Squares (for `mlm` / `maov` models, effect sizes are

computed for each response separately). For all other model, effect sizes are approximated via test statistic conversion of the omnibus F statistic provided by the appropriate `anova()` method (see [F_to_eta2\(\)](#) for more details.)

Type of Sums of Squares:

The sums of squares (or F statistics) used for the computation of the effect sizes is based on those returned by `anova(model)` (whatever those may be - for `aov` and `aovlist` these are *type-1* sums of squares; for `lmerMod` (and `lmerModLmerTest`) these are *type-3* sums of squares). Make sure these are the sums of squares you are interested in; You might want to pass the result of `car::Anova(mode, type = 2)` or `type = 3` instead of the model itself, or use the `afex` package to fit ANOVA models.

For type 3 sum of squares, it is generally recommended to fit models with `contr.sum` *factor weights* and *centered covariates*, for sensible results. See examples and the `afex` package.

Un-Biased Estimate of Eta:

Both **Omega** and **Epsilon** are unbiased estimators of the population's **Eta**, which is especially important is small samples. But which to choose?

Though Omega is the more popular choice (Albers & Lakens, 2018), Epsilon is analogous to adjusted R² (Allen, 2017, p. 382), and has been found to be less biased (Carroll & Nordholm, 1975).

(Note that for Omega- and Epsilon-squared it is possible to compute a negative number; even though this doesn't make any practical sense, it is recommended to report the negative number and not a 0.)

Cohen's f:

Cohen's f can take on values between zero, when the population means are all equal, and an indefinitely large number as standard deviation of means increases relative to the average standard deviation within each group.

When comparing two models in a sequential regression analysis, Cohen's f for R-square change is the ratio between the increase in R-square and the percent of unexplained variance.

Cohen has suggested that the values of 0.10, 0.25, and 0.40 represent small, medium, and large effect sizes, respectively.

Eta Squared from Posterior Predictive Distribution:

For Bayesian models (fit with `brms` or `rstanarm`), `eta_squared_posterior()` simulates data from the posterior predictive distribution (ppd) and for each simulation the Eta Squared is computed for the model's fixed effects. This means that the returned values are the population level effect size as implied by the posterior model (and not the effect size in the sample data). See [rstantools::posterior_predict\(\)](#) for more info.

Value

A data frame with the effect size(s) between 0-1 (Eta2, Epsilon2, Omega2, Cohens_f or Cohens_f2, possibly with the partial or generalized suffix), and their CIs (CI_low and CI_high).

For `eta_squared_posterior()`, a data frame containing the ppd of the Eta squared for each fixed effect, which can then be passed to `bayestestR::describe_posterior()` for summary stats.

A data frame containing the effect size values and their confidence intervals.

Confidence (Compatibility) Intervals (CIs)

Unless stated otherwise, confidence (compatibility) intervals (CIs) are estimated using the non-centrality parameter method (also called the "pivot method"). This method finds the noncentrality parameter ("*ncp*") of a noncentral *t*, *F*, or χ^2 distribution that places the observed *t*, *F*, or χ^2 test statistic at the desired probability point of the distribution. For example, if the observed *t* statistic is 2.0, with 50 degrees of freedom, for which cumulative noncentral *t* distribution is *t* = 2.0 the .025 quantile (answer: the noncentral *t* distribution with *ncp* = .04)? After estimating these confidence bounds on the *ncp*, they are converted into the effect size metric to obtain a confidence interval for the effect size (Steiger, 2004).

For additional details on estimation and troubleshooting, see [effectsize_CIs](#).

CIs and Significance Tests

"Confidence intervals on measures of effect size convey all the information in a hypothesis test, and more." (Steiger, 2004). Confidence (compatibility) intervals and p values are complementary summaries of parameter uncertainty given the observed data. A dichotomous hypothesis test could be performed with either a CI or a p value. The 100 (1 - α)% confidence interval contains all of the parameter values for which $p > \alpha$ for the current data and model. For example, a 95% confidence interval contains all of the values for which $p > .05$.

Note that a confidence interval including 0 *does not* indicate that the null (no effect) is true. Rather, it suggests that the observed data together with the model and its assumptions combined do not provided clear evidence against a parameter value of 0 (same as with any other value in the interval), with the level of this evidence defined by the chosen α level (Rafi & Greenland, 2020; Schweder & Hjort, 2016; Xie & Singh, 2013). To infer no effect, additional judgments about what parameter values are "close enough" to 0 to be negligible are needed ("equivalence testing"; Bauer & Kiesser, 1996).

References

- Albers, C., & Lakens, D. (2018). When power analyses based on pilot data are biased: Inaccurate effect size estimators and follow-up bias. *Journal of experimental social psychology*, 74, 187-195.
- Allen, R. (2017). *Statistics and Experimental Design for Psychologists: A Model Comparison Approach*. World Scientific Publishing Company.
- Carroll, R. M., & Nordholm, L. A. (1975). Sampling Characteristics of Kelley's epsilon and Hays' omega. *Educational and Psychological Measurement*, 35(3), 541-554.
- Kelley, T. (1935) An unbiased correlation ratio measure. *Proceedings of the National Academy of Sciences*. 21(9). 554-559.
- Olejnik, S., & Algina, J. (2003). Generalized eta and omega squared statistics: measures of effect size for some common research designs. *Psychological methods*, 8(4), 434.

- Steiger, J. H. (2004). Beyond the F test: Effect size confidence intervals and tests of close fit in the analysis of variance and contrast analysis. *Psychological Methods*, 9, 164-182.

See Also

[F_to_eta2\(\)](#)

Other effect size indices: [cles\(\)](#), [cohens_d\(\)](#), [effectsize.BFBayesFactor\(\)](#), [phi\(\)](#), [rank_biserial\(\)](#), [standardize_parameters\(\)](#)

Examples

```
data(mtcars)
mtcars$am_f <- factor(mtcars$am)
mtcars$cyl_f <- factor(mtcars$cyl)

model <- aov(mpg ~ am_f * cyl_f, data = mtcars)

(eta2 <- eta_squared(model))

# More types:
eta_squared(model, partial = FALSE)
eta_squared(model, generalized = "cyl_f")
omega_squared(model)
epsilon_squared(model)
cohens_f(model)

if (require(see)) plot(eta2)

model0 <- aov(mpg ~ am_f + cyl_f, data = mtcars) # no interaction
cohens_f_squared(model0, model2 = model)

## Interpretation of effect sizes
## -----

interpret_omega_squared(0.10, rules = "field2013")
interpret_eta_squared(0.10, rules = "cohen1992")
interpret_epsilon_squared(0.10, rules = "cohen1992")

interpret(eta2, rules = "cohen1992")

# Recommended: Type-3 effect sizes + effects coding
# -----
if (require(car, quietly = TRUE)) {
  contrasts(mtcars$am_f) <- contr.sum
  contrasts(mtcars$cyl_f) <- contr.sum

  model <- aov(mpg ~ am_f * cyl_f, data = mtcars)
  model_anova <- car::Anova(model, type = 3)

  eta_squared(model_anova)
}
```

```

# afex takes care of both type-3 effects and effects coding:
if (require(afex)) {
  data(obk.long, package = "afex")
  model <- aov_car(value ~ treatment * gender + Error(id / (phase)),
    data = obk.long, observed = "gender"
  )
  eta_squared(model)
  epsilon_squared(model)
  omega_squared(model)
  eta_squared(model, partial = FALSE)
  epsilon_squared(model, partial = FALSE)
  omega_squared(model, partial = FALSE)
  eta_squared(model, generalized = TRUE) # observed vars are pulled from the afex model.
}

## Approx. effect sizes for mixed models
## -----
if (require(lmerTest, quietly = TRUE)) {
  model <- lmer(mpg ~ am_f * cyl_f + (1 | vs), data = mtcars)
  omega_squared(model)
}

## Bayesian Models (PPD)
## -----
## Not run:
if (require(rstanarm) && require(bayestestR) && require(car)) {
  fit_bayes <- stan_glm(mpg ~ factor(cyl) * wt + qsec,
    data = mtcars,
    family = gaussian(),
    refresh = 0
  )

  es <- eta_squared_posterior(fit_bayes,
    ss_function = car::Anova, type = 3
  )
  bayestestR::describe_posterior(es)

  # compare to:
  fit_freq <- lm(mpg ~ factor(cyl) * wt + qsec,
    data = mtcars
  )
  aov_table <- car::Anova(fit_freq, type = 3)
  eta_squared(aov_table)
}

## End(Not run)

```

format_standardize	<i>Transform a standardized vector into character</i>
--------------------	---

Description

Transform a standardized vector into character, e.g., `c("-1 SD", "Mean", "+1 SD")`.

Usage

```
format_standardize(
  x,
  reference = x,
  robust = FALSE,
  digits = 1,
  protect_integers = TRUE,
  ...
)
```

Arguments

<code>x</code>	A standardized numeric vector.
<code>reference</code>	The reference vector from which to compute the mean and SD.
<code>robust</code>	Logical, if TRUE, centering is done by subtracting the median from the variables and dividing it by the median absolute deviation (MAD). If FALSE, variables are standardized by subtracting the mean and dividing it by the standard deviation (SD).
<code>digits</code>	Number of digits for rounding or significant figures. May also be "signif" to return significant figures or "scientific" to return scientific notation. Control the number of digits by adding the value as suffix, e.g. <code>digits = "scientific4"</code> to have scientific notation with 4 decimal places, or <code>digits = "signif5"</code> for 5 significant figures (see also <code>signif()</code>).
<code>protect_integers</code>	Should integers be kept as integers (i.e., without decimals)?
<code>...</code>	Other arguments to pass to <code>insight::format_value()</code> such as <code>digits</code> , etc.

Examples

```
format_standardize(c(-1, 0, 1))
format_standardize(c(-1, 0, 1, 2), reference = rnorm(1000))
format_standardize(c(-1, 0, 1, 2), reference = rnorm(1000), robust = TRUE)

format_standardize(standardize(mtcars$wt), digits = 1)
format_standardize(standardize(mtcars$wt), robust = TRUE, digits = 1)
```

F_to_eta2	<i>Convert test statistics (F, t) to indices of partial variance explained (partial Eta / Omega / Epsilon squared and Cohen's f)</i>
-----------	---

Description

These functions are convenience functions to convert F and t test statistics to **partial** Eta- (η), Omega- (ω) Epsilon- (ϵ) squared (an alias for the adjusted Eta squared) and Cohen's f. These are useful in cases where the various Sum of Squares and Mean Squares are not easily available or their computation is not straightforward (e.g., in liner mixed models, contrasts, etc.). For test statistics derived from lm and aov models, these functions give exact results. For all other cases, they return close approximations.

See [Effect Size from Test Statistics vignette](#).

Usage

```
F_to_eta2(f, df, df_error, ci = 0.95, alternative = "greater", ...)
t_to_eta2(t, df_error, ci = 0.95, alternative = "greater", ...)
F_to_epsilon2(f, df, df_error, ci = 0.95, alternative = "greater", ...)
t_to_epsilon2(t, df_error, ci = 0.95, alternative = "greater", ...)
F_to_eta2_adj(f, df, df_error, ci = 0.95, alternative = "greater", ...)
t_to_eta2_adj(t, df_error, ci = 0.95, alternative = "greater", ...)
F_to_omega2(f, df, df_error, ci = 0.95, alternative = "greater", ...)
t_to_omega2(t, df_error, ci = 0.95, alternative = "greater", ...)

F_to_f(
  f,
  df,
  df_error,
  ci = 0.95,
  alternative = "greater",
  squared = FALSE,
  ...
)

t_to_f(t, df_error, ci = 0.95, alternative = "greater", squared = FALSE, ...)

F_to_f2(
  f,
  df,
```

```

df_error,
ci = 0.95,
alternative = "greater",
squared = TRUE,
...
)

t_to_f2(t, df_error, ci = 0.95, alternative = "greater", squared = TRUE, ...)

```

Arguments

df, df_error	Degrees of freedom of numerator or of the error estimate (i.e., the residuals).
ci	Confidence Interval (CI) level
alternative	a character string specifying the alternative hypothesis; Controls the type of CI returned: "greater" (default) or "less" (one-sided CI), or "two.sided" (default, two-sided CI). Partial matching is allowed (e.g., "g", "l", "two"...). See <i>One-Sided CIs</i> in effectsize_CIs .
...	Arguments passed to or from other methods.
t, f	The t or the F statistics.
squared	Return Cohen's <i>f</i> or Cohen's <i>f</i> -squared?

Details

These functions use the following formulae:

$$\eta_p^2 = \frac{F \times df_{num}}{F \times df_{num} + df_{den}}$$

$$\epsilon_p^2 = \frac{(F - 1) \times df_{num}}{F \times df_{num} + df_{den}}$$

$$\omega_p^2 = \frac{(F - 1) \times df_{num}}{F \times df_{num} + df_{den} + 1}$$

$$f_p = \sqrt{\frac{\eta_p^2}{1 - \eta_p^2}}$$

For *t*, the conversion is based on the equality of $t^2 = F$ when $df_{num} = 1$.

Choosing an Un-Biased Estimate:

Both Omega and Epsilon are unbiased estimators of the population Eta. But which to choose? Though Omega is the more popular choice, it should be noted that:

1. The formula given above for Omega is only an approximation for complex designs.
2. Epsilon has been found to be less biased (Carroll & Nordholm, 1975).

Value

A data frame with the effect size(s) between 0-1 (Eta2_partial, Epsilon2_partial, Omega2_partial, Cohens_f_partial or Cohens_f2_partial), and their CIs (CI_low and CI_high). (Note that for ω_p^2 and ϵ_p^2 it is possible to compute a negative number; even though this doesn't make any practical sense, it is recommended to report the negative number and not a 0).

Confidence (Compatibility) Intervals (CIs)

Unless stated otherwise, confidence (compatibility) intervals (CIs) are estimated using the non-centrality parameter method (also called the "pivot method"). This method finds the noncentrality parameter ("*ncp*") of a noncentral *t*, *F*, or χ^2 distribution that places the observed *t*, *F*, or χ^2 test statistic at the desired probability point of the distribution. For example, if the observed *t* statistic is 2.0, with 50 degrees of freedom, for which cumulative noncentral *t* distribution is *t* = 2.0 the .025 quantile (answer: the noncentral *t* distribution with *ncp* = .04)? After estimating these confidence bounds on the *ncp*, they are converted into the effect size metric to obtain a confidence interval for the effect size (Steiger, 2004).

For additional details on estimation and troubleshooting, see [effectsize_CIs](#).

CIs and Significance Tests

"Confidence intervals on measures of effect size convey all the information in a hypothesis test, and more." (Steiger, 2004). Confidence (compatibility) intervals and p values are complementary summaries of parameter uncertainty given the observed data. A dichotomous hypothesis test could be performed with either a CI or a p value. The 100 (1 - α)% confidence interval contains all of the parameter values for which $p > \alpha$ for the current data and model. For example, a 95% confidence interval contains all of the values for which $p > .05$.

Note that a confidence interval including 0 *does not* indicate that the null (no effect) is true. Rather, it suggests that the observed data together with the model and its assumptions combined do not provided clear evidence against a parameter value of 0 (same as with any other value in the interval), with the level of this evidence defined by the chosen α level (Rafi & Greenland, 2020; Schweder & Hjort, 2016; Xie & Singh, 2013). To infer no effect, additional judgments about what parameter values are "close enough" to 0 to be negligible are needed ("equivalence testing"; Bauer & Kiessner, 1996).

Note

Adjusted (partial) Eta-squared is an alias for (partial) Epsilon-squared.

References

- Albers, C., & Lakens, D. (2018). When power analyses based on pilot data are biased: Inaccurate effect size estimators and follow-up bias. *Journal of experimental social psychology*, 74, 187-195. doi: [10.31234/osf.io/b7z4q](https://doi.org/10.31234/osf.io/b7z4q)
- Carroll, R. M., & Nordholm, L. A. (1975). Sampling Characteristics of Kelley's epsilon and Hays' omega. *Educational and Psychological Measurement*, 35(3), 541-554.

- Cumming, G., & Finch, S. (2001). A primer on the understanding, use, and calculation of confidence intervals that are based on central and noncentral distributions. *Educational and Psychological Measurement*, 61(4), 532-574.
- Friedman, H. (1982). Simplified determinations of statistical power, magnitude of effect and research sample sizes. *Educational and Psychological Measurement*, 42(2), 521-526. doi: [10.1177/001316448204200214](https://doi.org/10.1177/001316448204200214)
- Mordkoff, J. T. (2019). A Simple Method for Removing Bias From a Popular Measure of Standardized Effect Size: Adjusted Partial Eta Squared. *Advances in Methods and Practices in Psychological Science*, 2(3), 228-232. doi: [10.1177/2515245919855053](https://doi.org/10.1177/2515245919855053)
- Morey, R. D., Hoekstra, R., Rouder, J. N., Lee, M. D., & Wagenmakers, E. J. (2016). The fallacy of placing confidence in confidence intervals. *Psychonomic bulletin & review*, 23(1), 103-123.
- Steiger, J. H. (2004). Beyond the F test: Effect size confidence intervals and tests of close fit in the analysis of variance and contrast analysis. *Psychological Methods*, 9, 164-182.

See Also

[eta_squared\(\)](#) for more details.

Other effect size from test statistic: [chisq_to_phi\(\)](#), [t_to_d\(\)](#)

Examples

```
if (require("afex")) {
  data(md_12.1)
  aov_ez("id", "rt", md_12.1,
    within = c("angle", "noise"),
    anova_table = list(correction = "none", es = "pes")
  )
}
# compare to:
(etas <- F_to_eta2(
  f = c(40.72, 33.77, 45.31),
  df = c(2, 1, 2),
  df_error = c(18, 9, 18)
))

if (require(see)) plot(etas)

if (require("lmerTest")) { # for the df_error
  fit <- lmer(extra ~ group + (1 | ID), sleep)
  # anova(fit)
  # #> Type III Analysis of Variance Table with Satterthwaite's method
  # #>      Sum Sq Mean Sq NumDF DenDF F value  Pr(>F)
  # #> group 12.482  12.482     1     9  16.501 0.002833 **
  # #> ---
  # #> Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

  F_to_eta2(16.501, 1, 9)
```

```

F_to_omega2(16.501, 1, 9)
F_to_epsilon2(16.501, 1, 9)
F_to_f(16.501, 1, 9)
}

## Use with emmeans based contrasts
## -----
if (require(emmeans)) {
  warp.lm <- lm(breaks ~ wool * tension, data = warpbreaks)

  jt <- joint_tests(warp.lm, by = "wool")
  F_to_eta2(jt$F.ratio, jt$df1, jt$df2)
}

```

hardlyworking	<i>Workers' salary and other information</i>
---------------	--

Description

A sample (simulated) dataset, used in tests and some examples.

Format

A data frame with 500 rows and 5 variables:

salary Salary, in Shmekels

xtra_hours Number of overtime hours (on average, per week)

n_comps Number of compliments given to the boss (observed over the last week)

age Age in years

seniority How many years with the company

interpret	<i>Generic function for interpretation</i>
-----------	--

Description

Interpret a value based on a set of rules. See [rules\(\)](#).

Usage

```

interpret(x, ...)

## S3 method for class 'numeric'
interpret(x, rules, name = attr(rules, "rule_name"), ...)

## S3 method for class 'effectsize_table'
interpret(x, rules, ...)

```

Arguments

x	Vector of value break points (edges defining categories), or a data frame of class <code>effectsize_table</code> .
...	Currently not used.
rules	Set of <code>rules()</code> . When x is a data frame, can be a name of an established set of rules.
name	Name of the set of rules (stored as a 'rule_name' attribute).

Value

- For numeric input: A character vector of interpretations.
- For data frames: the x input with an additional `Interpretation` column.

See Also

`rules`

Examples

```
rules_grid <- rules(c(0.01, 0.05), c("very significant", "significant", "not significant"))
interpret(0.001, rules_grid)
interpret(0.021, rules_grid)
interpret(0.08, rules_grid)
interpret(c(0.01, 0.005, 0.08), rules_grid)

interpret(c(0.35, 0.15), c("small" = 0.2, "large" = 0.4), name = "Cohen's Rules")
interpret(c(0.35, 0.15), rules(c(0.2, 0.4), c("small", "medium", "large")))

# -----
d <- cohens_d(mpg ~ am, data = mtcars)
interpret(d, rules = "cohen1988")

d <- glass_delta(mpg ~ am, data = mtcars)
interpret(d, rules = "gignac2016")

interpret(d, rules = rules(1, c("tiny", "yeah okay")))

m <- lm(formula = wt ~ am * cyl, data = mtcars)
eta2 <- eta_squared(m)
interpret(eta2, rules = "field2013")

X <- chisq.test(mtcars$am, mtcars$cyl == 8)
interpret(oddsratio(X), rules = "chen2010")
interpret(cramers_v(X), "lovakov2021")
```

interpret_bf *Interpret Bayes Factor (BF)*

Description

Interpret Bayes Factor (BF)

Usage

```
interpret_bf(
  bf,
  rules = "jeffreys1961",
  log = FALSE,
  include_value = FALSE,
  protect_ratio = TRUE,
  exact = TRUE
)
```

Arguments

bf	Value or vector of Bayes factor (BF) values.
rules	Can be "jeffreys1961" (default), "raftery1995" or custom set of rules() (for the <i>absolute magnitude</i> of evidence).
log	Is the bf value $\log(\text{bf})$?
include_value	Include the value in the output.
protect_ratio	Should values smaller than 1 be represented as ratios?
exact	Should very large or very small values be reported with a scientific format (e.g., 4.24e5), or as truncated values (as "> 1000" and "< 1/1000").

Details

Argument names can be partially matched.

Rules

Rules apply to BF as ratios, so BF of 10 is as extreme as a BF of 0.1 (1/10).

- Jeffreys (1961) ("jeffreys1961"; default)
 - **BF = 1** - No evidence
 - **1 < BF <= 3** - Anecdotal
 - **3 < BF <= 10** - Moderate
 - **10 < BF <= 30** - Strong
 - **30 < BF <= 100** - Very strong
 - **BF > 100** - Extreme.
- Raftery (1995) ("raftery1995")

- **BF = 1** - No evidence
- **1 < BF <= 3** - Weak
- **3 < BF <= 20** - Positive
- **20 < BF <= 150** - Strong
- **BF > 150** - Very strong

References

- Jeffreys, H. (1961), Theory of Probability, 3rd ed., Oxford University Press, Oxford.
- Raftery, A. E. (1995). Bayesian model selection in social research. Sociological methodology, 25, 111-164.
- Jarosz, A. F., & Wiley, J. (2014). What are the odds? A practical guide to computing and reporting Bayes factors. The Journal of Problem Solving, 7(1),

1.

Examples

```
interpret_bf(1)
interpret_bf(c(5, 2))
```

interpret_cohens_d *Interpret standardized differences*

Description

Interpretation of standardized differences using different sets of rules of thumb.

Usage

```
interpret_cohens_d(d, rules = "cohen1988", ...)

interpret_hedges_g(g, rules = "cohen1988")

interpret_glass_delta(delta, rules = "cohen1988")
```

Arguments

d, g, delta	Value or vector of effect size values.
rules	Can be "cohen1988" (default), "gignac2016", "sawilowsky2009", "lovakov2021" or a custom set of <code>rules()</code> .
...	Not directly used.

Rules

Rules apply to equally to positive and negative d (i.e., they are given as absolute values).

- Cohen (1988) ("cohen1988"; default)
 - $d < 0.2$ - Very small
 - $0.2 \leq d < 0.5$ - Small
 - $0.5 \leq d < 0.8$ - Medium
 - $d \geq 0.8$ - Large
- Sawilowsky (2009) ("sawilowsky2009")
 - $d < 0.1$ - Tiny
 - $0.1 \leq d < 0.2$ - Very small
 - $0.2 \leq d < 0.5$ - Small
 - $0.5 \leq d < 0.8$ - Medium
 - $0.8 \leq d < 1.2$ - Large
 - $1.2 \leq d < 2$ - Very large
 - $d \geq 2$ - Huge
- Lovakov & Agadullina (2021) ("lovakov2021")
 - $d < 0.15$ - Very small
 - $0.15 \leq d < 0.36$ - Small
 - $0.36 \leq d < 0.65$ - Medium
 - $d \geq 0.65$ - Large
- Gignac & Szodorai (2016) ("gignac2016", based on the `d_to_r()` conversion, see [interpret_r\(\)](#))
 - $d < 0.2$ - Very small
 - $0.2 \leq d < 0.41$ - Small
 - $0.41 \leq d < 0.63$ - Moderate
 - $d \geq 0.63$ - Large

References

- Lovakov, A., & Agadullina, E. R. (2021). Empirically Derived Guidelines for Effect Size Interpretation in Social Psychology. *European Journal of Social Psychology*.
- Gignac, G. E., & Szodorai, E. T. (2016). Effect size guidelines for individual differences researchers. *Personality and individual differences*, 102, 74-78.
- Cohen, J. (1988). *Statistical power analysis for the behavioral sciences* (2nd Ed.). New York: Routledge.
- Sawilowsky, S. S. (2009). New effect size rules of thumb.

Examples

```
interpret_cohens_d(.02)
interpret_cohens_d(c(.5, .02))
interpret_cohens_d(.3, rules = "lovakov2021")
```

interpret_cohens_g *Interpret Cohen's g*

Description

Interpret Cohen's g

Usage

```
interpret_cohens_g(g, rules = "cohen1988", ...)
```

Arguments

g	Value or vector of effect size values.
rules	Can be "cohen1988" (default) or a custom set of <code>rules()</code> .
...	Not directly used.

Rules

Rules apply to equally to positive and negative *g* (i.e., they are given as absolute values).

- Cohen (1988) ("cohen1988"; default)
 - $d < 0.05$ - Very small
 - $0.05 \leq d < 0.15$ - Small
 - $0.15 \leq d < 0.25$ - Medium
 - $d \geq 0.25$ - Large

Note

"Since g is so transparently clear a unit, it is expected that workers in any given substantive area of the behavioral sciences will very frequently be able to set relevant [effect size] values without the proposed conventions, or set up conventions of their own which are suited to their area of inquiry."
- Cohen, 1988, page 147.

References

- Cohen, J. (1988). Statistical power analysis for the behavioral sciences (2nd Ed.). New York: Routledge.

Examples

```
interpret_cohens_g(.02)
interpret_cohens_g(c(.3, .15))
```

interpret_direction *Interpret direction*

Description

Interpret direction

Usage

```
interpret_direction(x)
```

Arguments

x Numeric value.

Examples

```
interpret_direction(.02)
interpret_direction(c(.5, -.02))
```

interpret_ess *Interpret Bayesian diagnostic indices*

Description

Interpretation of Bayesian diagnostic indices, such as Effective Sample Size (ESS) and Rhat.

Usage

```
interpret_ess(ess, rules = "burkner2017")
interpret_rhat(rhat, rules = "vehtari2019")
```

Arguments

ess Value or vector of Effective Sample Size (ESS) values.
rules A character string (see *Rules*) or a custom set of `rules()`.
rhat Value or vector of Rhat values.

Rules**ESS:**

- Bürkner, P. C. (2017) ("burkner2017"; default)
 - **ESS < 1000** - Insufficient
 - **ESS >= 1000** - Sufficient

Rhat:

- Vehtari et al. (2019) ("vehtari2019"; default)
 - **Rhat < 1.01** - Converged
 - **Rhat >= 1.01** - Failed
- Gelman & Rubin (1992) ("gelman1992")
 - **Rhat < 1.1** - Converged
 - **Rhat >= 1.1** - Failed

References

- Bürkner, P. C. (2017). brms: An R package for Bayesian multilevel models using Stan. *Journal of Statistical Software*, 80(1), 1-28.
- Gelman, A., & Rubin, D. B. (1992). Inference from iterative simulation using multiple sequences. *Statistical science*, 7(4), 457-472.
- Vehtari, A., Gelman, A., Simpson, D., Carpenter, B., & Bürkner, P. C. (2019). Rank-normalization, folding, and localization: An improved Rhat for assessing convergence of MCMC. arXiv preprint arXiv:1903.08008.

Examples

```
interpret_ess(1001)
interpret_ess(c(852, 1200))

interpret_rhat(1.00)
interpret_rhat(c(1.5, 0.9))
```

 interpret_gfi

Interpret of indices of CFA / SEM goodness of fit

Description

Interpretation of indices of fit found in confirmatory analysis or structural equation modelling, such as RMSEA, CFI, NFI, IFI, etc.

Usage

```

interpret_gfi(x, rules = "default")

interpret_agfi(x, rules = "default")

interpret_nfi(x, rules = "byrne1994")

interpret_nnfi(x, rules = "byrne1994")

interpret_cfi(x, rules = "default")

interpret_rmsea(x, rules = "default")

interpret_srmr(x, rules = "default")

interpret_rfi(x, rules = "default")

interpret_ifi(x, rules = "default")

interpret_pnfi(x, rules = "default")

## S3 method for class 'lavaan'
interpret(x, ...)

## S3 method for class 'performance_lavaan'
interpret(x, ...)

```

Arguments

x	vector of values, or an object of class lavaan.
rules	Can be "default" or custom set of <code>rules()</code> .
...	Currently not used.

Details**Indices of fit:**

- **Chisq:** The model Chi-squared assesses overall fit and the discrepancy between the sample and fitted covariance matrices. Its p-value should be $> .05$ (i.e., the hypothesis of a perfect fit cannot be rejected). However, it is quite sensitive to sample size.
- **GFI/AGFI:** The (Adjusted) Goodness of Fit is the proportion of variance accounted for by the estimated population covariance. Analogous to R^2 . The GFI and the AGFI should be $> .95$ and $> .90$, respectively.
- **NFI/NNFI/TLI:** The (Non) Normed Fit Index. An NFI of 0.95, indicates the model of interest improves the fit by 95\ NNFI (also called the Tucker Lewis index; TLI) is preferable for smaller samples. They should be $> .90$ (Byrne, 1994) or $> .95$ (Schumacker & Lomax, 2004).

- **CFI**: The Comparative Fit Index is a revised form of NFI. Not very sensitive to sample size (Fan, Thompson, & Wang, 1999). Compares the fit of a target model to the fit of an independent, or null, model. It should be $> .90$.
- **RMSEA**: The Root Mean Square Error of Approximation is a parsimony-adjusted index. Values closer to 0 represent a good fit. It should be $< .08$ or $< .05$. The p-value printed with it tests the hypothesis that RMSEA is less than or equal to .05 (a cutoff sometimes used for good fit), and thus should be not significant.
- **RMR/SRMR**: the (Standardized) Root Mean Square Residual represents the square-root of the difference between the residuals of the sample covariance matrix and the hypothesized model. As the RMR can be sometimes hard to interpret, better to use SRMR. Should be $< .08$.
- **RFI**: the Relative Fit Index, also known as RHO1, is not guaranteed to vary from 0 to 1. However, RFI close to 1 indicates a good fit.
- **IFI**: the Incremental Fit Index (IFI) adjusts the Normed Fit Index (NFI) for sample size and degrees of freedom (Bollen's, 1989). Over 0.90 is a good fit, but the index can exceed 1.
- **PNFI**: the Parsimony-Adjusted Measures Index. There is no commonly agreed-upon cutoff value for an acceptable model for this index. Should be > 0.50 .

See the documentation for `fitmeasures()`.

What to report:

For structural equation models (SEM), Kline (2015) suggests that at a minimum the following indices should be reported: The model **chi-square**, the **RMSEA**, the **CFI** and the **SRMR**.

Note

When possible, it is recommended to report dynamic cutoffs of fit indices. See <https://dynamicfit.app/cfa/>.

References

- Awang, Z. (2012). A handbook on SEM. Structural equation modeling.
- Byrne, B. M. (1994). Structural equation modeling with EQS and EQS/Windows. Thousand Oaks, CA: Sage Publications.
- Tucker, L. R., & Lewis, C. (1973). The reliability coefficient for maximum likelihood factor analysis. *Psychometrika*, 38, 1-10.
- Schumacker, R. E., & Lomax, R. G. (2004). A beginner's guide to structural equation modeling, Second edition. Mahwah, NJ: Lawrence Erlbaum Associates.
- Fan, X., B. Thompson, & L. Wang (1999). Effects of sample size, estimation method, and model specification on structural equation modeling fit indexes. *Structural Equation Modeling*, 6, 56-83.
- Kline, R. B. (2015). Principles and practice of structural equation modeling. Guilford publications.

Examples

```
interpret_gfi(c(.5, .99))
interpret_agfi(c(.5, .99))
interpret_nfi(c(.5, .99))
```

```

interpret_nnfi(c(.5, .99))
interpret_cfi(c(.5, .99))
interpret_rmsea(c(.07, .04))
interpret_srmr(c(.5, .99))
interpret_rfi(c(.5, .99))
interpret_ifi(c(.5, .99))
interpret_pnfi(c(.5, .99))

# Structural Equation Models (SEM)
if (require("lavaan")) {
  structure <- " ind60 =~ x1 + x2 + x3
               dem60 =~ y1 + y2 + y3
               dem60 ~ ind60 "
  model <- lavaan::sem(structure, data = PoliticalDemocracy)
  interpret(model)
}

```

interpret_icc

Interpret Intraclass Correlation Coefficient (ICC)

Description

The value of an ICC lies between 0 to 1, with 0 indicating no reliability among raters and 1 indicating perfect reliability.

Usage

```
interpret_icc(icc, rules = "koo2016", ...)
```

Arguments

icc	Value or vector of Intraclass Correlation Coefficient (ICC) values.
rules	Can be "koo2016" (default) or custom set of rules() .
...	Not used for now.

Rules

- Koo (2016) ("koo2016"; default)
 - **ICC < 0.50** - Poor reliability
 - **0.5 <= ICC < 0.75** - Moderate reliability
 - **0.75 <= ICC < 0.9** - Good reliability
 - ****ICC >= 0.9**** - Excellent reliability

References

- Koo, T. K., & Li, M. Y. (2016). A guideline of selecting and reporting intraclass correlation coefficients for reliability research. *Journal of chiropractic medicine*, 15(2), 155-163.

Examples

```
interpret_icc(0.6)
interpret_icc(c(0.4, 0.8))
```

interpret_kendalls_w *Interpret Kendall's coefficient of concordance*

Description

Interpret Kendall's coefficient of concordance

Usage

```
interpret_kendalls_w(w, rules = "landis1977")
```

Arguments

w	Value or vector of Kendall's coefficient of concordance.
rules	Can be "landis1977" (default) or a custom set of <code>rules()</code> .

Rules

- Landis & Koch (1977) ("landis1977"; default)
 - **0.00** <= w < **0.20** - Slight agreement
 - **0.20** <= w < **0.40** - Fair agreement
 - **0.40** <= w < **0.60** - Moderate agreement
 - **0.60** <= w < **0.80** - Substantial agreement
 - w >= **0.80** - Almost perfect agreement

References

- Landis, J. R., & Koch G. G. (1977). The measurement of observer agreement for categorical data. *Biometrics*, 33:159-74.

interpret_oddsratio *Interpret Odds ratio*

Description

Interpret Odds ratio

Usage

```
interpret_oddsratio(OR, rules = "chen2010", log = FALSE, ...)
```

Arguments

OR	Value or vector of (log) odds ratio values.
rules	Can be "chen2010" (default), "cohen1988" (through transformation to standardized difference, see oddsratio_to_d()) or custom set of rules() .
log	Are the provided values log odds ratio.
...	Currently not used.

Rules

Rules apply to OR as ratios, so OR of 10 is as extreme as a OR of 0.1 (1/10).

- Chen et al. (2010) ("chen2010"; default)
 - **OR < 1.68** - Very small
 - **1.68 <= OR < 3.47** - Small
 - **3.47 <= OR < 6.71** - Medium
 - ****OR >= 6.71 **** - Large
- Cohen (1988) ("cohen1988", based on the [oddsratio_to_d\(\)](#) conversion, see [interpret_cohens_d\(\)](#))
 - **OR < 1.44** - Very small
 - **1.44 <= OR < 2.48** - Small
 - **2.48 <= OR < 4.27** - Medium
 - ****OR >= 4.27 **** - Large

References

- Cohen, J. (1988). Statistical power analysis for the behavioral sciences (2nd Ed.). New York: Routledge.
- Chen, H., Cohen, P., & Chen, S. (2010). How big is a big odds ratio? Interpreting the magnitudes of odds ratios in epidemiological studies. *Communications in Statistics-Simulation and Computation*, 39(4), 860-864.
- Sánchez-Meca, J., Marín-Martínez, F., & Chacón-Moscoso, S. (2003). Effect-size indices for dichotomized outcomes in meta-analysis. *Psychological methods*, 8(4), 448.

Examples

```
interpret_oddsratio(1)
interpret_oddsratio(c(5, 2))
```

```
interpret_omega_squared
      Interpret ANOVA effect size
```

Description

Interpret ANOVA effect size

Usage

```
interpret_omega_squared(es, rules = "field2013", ...)
interpret_eta_squared(es, rules = "field2013", ...)
interpret_epsilon_squared(es, rules = "field2013", ...)
```

Arguments

es	Value or vector of eta / omega / epsilon squared values.
rules	Can be "field2013" (default), "cohen1992" or custom set of <code>rules()</code> .
...	Not used for now.

Rules

- Field (2013) ("field2013"; default)
 - **ES < 0.01** - Very small
 - **0.01 <= ES < 0.06** - Small
 - **0.16 <= ES < 0.14** - Medium
 - ****ES >= 0.14 **** - Large
- Cohen (1992) ("cohen1992") applicable to one-way anova, or to *partial* eta / omega / epsilon squared in multi-way anova.
 - **ES < 0.02** - Very small
 - **0.02 <= ES < 0.13** - Small
 - **0.13 <= ES < 0.26** - Medium
 - **ES >= 0.26** - Large

References

- Field, A (2013) Discovering statistics using IBM SPSS Statistics. Fourth Edition. Sage:London.
- Cohen, J. (1992). A power primer. Psychological bulletin, 112(1), 155.

See Also

<https://imaging.mrc-cbu.cam.ac.uk/statswiki/FAQ/effectSize/>

Examples

```
interpret_eta_squared(.02)
interpret_eta_squared(c(.5, .02), rules = "cohen1992")
```

interpret_p	<i>Interpret p-values</i>
-------------	---------------------------

Description

Interpret p-values

Usage

```
interpret_p(p, rules = "default")
```

Arguments

p	Value or vector of p-values.
rules	Can be "default", "rss" (for <i>Redefine statistical significance</i> rules) or custom set of <code>rules()</code> .

Rules

- Default
 - $p \geq 0.05$ - Not significant
 - $p < 0.05$ - Significant
- Benjamin et al. (2018) ("rss")
 - $p \geq 0.05$ - Not significant
 - $0.005 \leq p < 0.05$ - Suggestive
 - $p < 0.005$ - Significant

References

- Benjamin, D. J., Berger, J. O., Johannesson, M., Nosek, B. A., Wagenmakers, E. J., Berk, R., ... & Cesarini, D. (2018). Redefine statistical significance. *Nature Human Behaviour*, 2(1), 6-10.

Examples

```
interpret_p(c(.5, .02, 0.001))
interpret_p(c(.5, .02, 0.001), rules = "rss")
```

interpret_pd	<i>Interpret Probability of Direction (pd)</i>
--------------	--

Description

Interpret Probability of Direction (pd)

Usage

```
interpret_pd(pd, rules = "default", ...)
```

Arguments

pd	Value or vector of probabilities of direction.
rules	Can be "default", "makowski2019" or a custom set of <code>rules()</code> .
...	Not directly used.

Rules

- Default (i.e., equivalent to p-values)
 - **pd** \leq **0.975** - not significant
 - **pd** $>$ **0.975** - significant
- Makowski et al. (2019) ("makowski2019")
 - **pd** \leq **0.95** - uncertain
 - **pd** $>$ **0.95** - possibly existing
 - **pd** $>$ **0.97** - likely existing
 - **pd** $>$ **0.99** - probably existing
 - **pd** $>$ **0.999** - certainly existing

References

- Makowski, D., Ben-Shachar, M. S., Chen, S. H., & Lüdtke, D. (2019). Indices of effect existence and significance in the Bayesian framework. *Frontiers in psychology*, 10, 2767.

Examples

```
interpret_pd(.98)
interpret_pd(c(.96, .99), rules = "makowski2019")
```

interpret_r *Interpret correlation coefficient*

Description

Interpret correlation coefficient

Usage

```
interpret_r(r, rules = "funder2019")
interpret_phi(r, rules = "funder2019")
interpret_cramers_v(r, rules = "funder2019")
interpret_rank_biserial(r, rules = "funder2019")
```

Arguments

r Value or vector of correlation coefficient.

rules Can be "funder2019" (default), "gignac2016", "cohen1988", "evans1996", "lovakov2021" or a custom set of `rules()`.

Rules

Rules apply positive and negative r alike.

- Funder & Ozer (2019) ("funder2019"; default)
 - $r < 0.05$ - Tiny
 - $0.05 \leq r < 0.1$ - Very small
 - $0.1 \leq r < 0.2$ - Small
 - $0.2 \leq r < 0.3$ - Medium
 - $0.3 \leq r < 0.4$ - Large
 - $r \geq 0.4$ - Very large
- Gignac & Szodorai (2016) ("gignac2016")
 - $r < 0.1$ - Very small
 - $0.1 \leq r < 0.2$ - Small
 - $0.2 \leq r < 0.3$ - Moderate
 - $r \geq 0.3$ - Large
- Cohen (1988) ("cohen1988")
 - $r < 0.1$ - Very small
 - $0.1 \leq r < 0.3$ - Small
 - $0.3 \leq r < 0.5$ - Moderate
 - $r \geq 0.5$ - Large

- Lovakov & Agadullina (2021) ("lovakov2021")
 - $r < 0.12$ - Very small
 - $0.12 \leq r < 0.24$ - Small
 - $0.24 \leq r < 0.41$ - Moderate
 - $r \geq 0.41$ - Large
- Evans (1996) ("evans1996")
 - $r < 0.2$ - Very weak
 - $0.2 \leq r < 0.4$ - Weak
 - $0.4 \leq r < 0.6$ - Moderate
 - $0.6 \leq r < 0.8$ - Strong
 - $r \geq 0.8$ - Very strong

Note

As ϕ can be larger than 1 - it is recommended to compute and interpret Cramer's V instead.

References

- Lovakov, A., & Agadullina, E. R. (2021). Empirically Derived Guidelines for Effect Size Interpretation in Social Psychology. *European Journal of Social Psychology*.
- Funder, D. C., & Ozer, D. J. (2019). Evaluating effect size in psychological research: sense and nonsense. *Advances in Methods and Practices in Psychological Science*.
- Gignac, G. E., & Szodorai, E. T. (2016). Effect size guidelines for individual differences researchers. *Personality and individual differences*, 102, 74-78.
- Cohen, J. (1988). *Statistical power analysis for the behavioral sciences* (2nd Ed.). New York: Routledge.
- Evans, J. D. (1996). *Straightforward statistics for the behavioral sciences*. Thomson Brooks/Cole Publishing Co.

See Also

Page 88 of APA's 6th Edition.

Examples

```
interpret_r(.015)
interpret_r(c(.5, -.02))
interpret_r(.3, rules = "lovakov2021")
```

interpret_r2

*Interpret coefficient of determination (R2)***Description**

Interpret coefficient of determination (R2)

Usage

interpret_r2(r2, rules = "cohen1988")

Arguments

r2	Value or vector of R2 values.
rules	Can be "cohen1988" (default), "falk1992", "chin1998", "hair2011", or custom set of <code>rules()</code>].

Rules**For Linear Regression:**

- Cohen (1988) ("cohen1988"; default)
 - $R^2 < 0.02$ - Very weak
 - $0.02 \leq R^2 < 0.13$ - Weak
 - $0.13 \leq R^2 < 0.26$ - Moderate
 - $R^2 \geq 0.26$ - Substantial
- Falk & Miller (1992) ("falk1992")
 - $R^2 < 0.1$ - Negligible
 - $R^2 \geq 0.1$ - Adequate

For PLS / SEM R-Squared of *latent* variables:

- Chin, W. W. (1998) ("chin1998")
 - $R^2 < 0.19$ - Very weak
 - $0.19 \leq R^2 < 0.33$ - Weak
 - $0.33 \leq R^2 < 0.67$ - Moderate
 - $R^2 \geq 0.67$ - Substantial
- Hair et al. (2011) ("hair2011")
 - $R^2 < 0.25$ - Very weak
 - $0.25 \leq R^2 < 0.50$ - Weak
 - $0.50 \leq R^2 < 0.75$ - Moderate
 - $R^2 \geq 0.75$ - Substantial

References

- Cohen, J. (1988). Statistical power analysis for the behavioral sciences (2nd Ed.). New York: Routledge.
- Falk, R. F., & Miller, N. B. (1992). A primer for soft modeling. University of Akron Press.
- Chin, W. W. (1998). The partial least squares approach to structural equation modeling. Modern methods for business research, 295(2), 295-336.
- Hair, J. F., Ringle, C. M., & Sarstedt, M. (2011). PLS-SEM: Indeed a silver bullet. Journal of Marketing theory and Practice, 19(2), 139-152.

Examples

```
interpret_r2(.02)
interpret_r2(c(.5, .02))
```

interpret_rope	<i>Interpret Bayesian diagnostic indices</i>
----------------	--

Description

Interpretation of Bayesian indices of percentage in ROPE.

Usage

```
interpret_rope(rope, ci = 0.9, rules = "default")
```

Arguments

rope	Value or vector of percentages in ROPE.
ci	The Credible Interval (CI) probability, corresponding to the proportion of HDI, that was used. Can be 1 in the case of "full ROPE".
rules	A character string (see details) or a custom set of <code>rules()</code> .

Rules

- Default
 - For $CI < 1$
 - * **Rope = 0** - Significant
 - * **0 < Rope < 1** - Undecided
 - * **Rope = 1** - Negligible
 - For $CI = 1$
 - * **Rope < 0.01** - Significant
 - * **0.01 < Rope < 0.025** - Probably significant
 - * **0.025 < Rope < 0.975** - Undecided
 - * **0.975 < Rope < 0.99** - Probably negligible
 - * **Rope > 0.99** - Negligible

References

BayestestR's reporting guidelines

Examples

```
interpret_rope(0, ci = 0.9)
interpret_rope(c(0.005, 0.99), ci = 1)
```

interpret_vif	<i>Interpret the Variance Inflation Factor (VIF)</i>
---------------	--

Description

Interpret VIF index of multicollinearity.

Usage

```
interpret_vif(vif, rules = "default")
```

Arguments

vif	Value or vector of VIFs.
rules	Can be "default" or a custom set of rules() .

Rules

- Default
 - **VIF < 5** - Low
 - **5 <= VIF < 10** - Moderate
 - **VIF >= 10** - High

Examples

```
interpret_vif(c(1.4, 30.4))
```

is_effectsize_name *Checks if character is of a supported effect size*

Description

For use by other functions and packages.

Usage

```
is_effectsize_name(x, ignore_case = TRUE)
get_effectsize_name(x, ignore_case = TRUE)
get_effectsize_label(x, ignore_case = TRUE)
```

Arguments

x	A character, or a vector.
ignore_case	Should case of input be ignored?

oddsratio_to_riskratio
Convert between Odds ratios and Risk ratios

Description

Convert between Odds ratios and Risk ratios

Usage

```
oddsratio_to_riskratio(OR, p0, log = FALSE, ...)
riskratio_to_oddsratio(RR, p0, log = FALSE)
```

Arguments

OR, RR	Risk ratio of $p1/p0$ or Odds ratio of $odds(p1)/odds(p0)$, possibly log-ed. OR can also be a logistic regression model.
p0	Baseline risk
log	Take in or output the log of the ratio (such as in logistic models).
...	Arguments passed to and from other methods.

Value

Converted index, or if OR is a logistic regression model, a parameter table with the converted indices.

References

Grant, R. L. (2014). Converting an odds ratio to a range of plausible relative risks for better communication of research findings. *Bmj*, 348, f7450.

See Also

Other convert between effect sizes: [d_to_cles\(\)](#), [d_to_r\(\)](#), [eta2_to_f2\(\)](#), [odds_to_probs\(\)](#)

Examples

```
p0 <- 0.4
p1 <- 0.7

(OR <- probs_to_odds(p1) / probs_to_odds(p0))
(RR <- p1 / p0)

riskratio_to_oddsratio(RR, p0 = p0)
oddsratio_to_riskratio(OR, p0 = p0)

m <- glm(am ~ factor(cyl), data = mtcars,
         family = binomial())
oddsratio_to_riskratio(m)
```

odds_to_probs

Convert between Odds and Probabilities

Description

Convert between Odds and Probabilities

Usage

```
odds_to_probs(odds, log = FALSE, ...)
```

S3 method for class 'data.frame'

```
odds_to_probs(odds, log = FALSE, select = NULL, exclude = NULL, ...)
```

```
probs_to_odds(probs, log = FALSE, ...)
```

S3 method for class 'data.frame'

```
probs_to_odds(probs, log = FALSE, select = NULL, exclude = NULL, ...)
```

Arguments

odds	The <i>Odds</i> (or $\log(\text{odds})$ when $\text{log} = \text{TRUE}$) to convert.
log	Take in or output log odds (such as in logistic models).
...	Arguments passed to or from other methods.

select	When a data frame is passed, character or list of column names to be transformed.
exclude	When a data frame is passed, character or list of column names to be excluded from transformation.
probs	Probability values to convert.

Value

Converted index.

See Also

[stats::plogis\(\)](#)

Other convert between effect sizes: [d_to_cles\(\)](#), [d_to_r\(\)](#), [eta2_to_f2\(\)](#), [oddsratio_to_riskratio\(\)](#)

Examples

```
odds_to_probs(3)
odds_to_probs(1.09, log = TRUE)

probs_to_odds(0.95)
probs_to_odds(0.95, log = TRUE)
```

phi *Effect size for contingency tables*

Description

Compute Cramer's V , phi (ϕ), Cohen's w (an alias of phi), Pearson's contingency coefficient, Odds ratios, Risk ratios, Cohen's h and Cohen's g for contingency tables or goodness-of-fit. See details.

Usage

```
phi(x, y = NULL, ci = 0.95, alternative = "greater", adjust = FALSE, ...)
cohens_w(x, y = NULL, ci = 0.95, alternative = "greater", adjust = FALSE, ...)
cramers_v(x, y = NULL, ci = 0.95, alternative = "greater", adjust = FALSE, ...)

pearsons_c(
  x,
  y = NULL,
  ci = 0.95,
  alternative = "greater",
  adjust = FALSE,
  ...
)
```

```
oddsratio(x, y = NULL, ci = 0.95, alternative = "two.sided", log = FALSE, ...)
```

```
riskratio(x, y = NULL, ci = 0.95, alternative = "two.sided", log = FALSE, ...)
```

```
cohens_h(x, y = NULL, ci = 0.95, alternative = "two.sided", ...)
```

```
cohens_g(x, y = NULL, ci = 0.95, alternative = "two.sided", ...)
```

Arguments

x	a numeric vector or matrix. x and y can also both be factors.
y	a numeric vector; ignored if x is a matrix. If x is a factor, y should be a factor of the same length.
ci	Confidence Interval (CI) level
alternative	a character string specifying the alternative hypothesis; Controls the type of CI returned: "greater" (two-sided CI; default for Cramer's V , phi (ϕ), and Cohen's w), "two.sided" (default for OR, RR, Cohen's h and Cohen's g) or "less" (one-sided CI). Partial matching is allowed (e.g., "g", "1", "two"...). See <i>One-Sided CIs</i> in effectsize_CIs .
adjust	Should the effect size be bias-corrected? Defaults to FALSE.
...	Arguments passed to <code>stats::chisq.test()</code> , such as p. Ignored for <code>cohens_g()</code> .
log	Take in or output the log of the ratio (such as in logistic models).

Details

Cramer's V , phi (ϕ) and Pearson's C are effect sizes for tests of independence in 2D contingency tables. For 2-by- k tables, Cramer's V and phi are identical, and are equal to the simple correlation between two dichotomous variables, ranging between 0 (no dependence) and 1 (perfect dependence). For larger tables, Cramer's V or Pearson's C should be used, as they are bounded between 0-1, whereas phi can be larger than 1 (upper bound is $\sqrt{\min(\text{nrow}, \text{ncol}) - 1}$).

For goodness-of-fit in 1D tables Pearson's C or phi can be used. Phi has no upper bound (can be arbitrarily large, depending on the expected distribution), while Pearson's C is bounded between 0-1.

For 2-by-2 contingency tables, Odds ratios, Risk ratios and Cohen's h can also be estimated. Note that these are computed with each **column** representing the different groups, and the first column representing the treatment group and the second column baseline (or control). Effects are given as `treatment / control`. If you wish you use rows as groups you must pass a transposed table, or switch the x and y arguments.

Cohen's g is an effect size for dependent (paired) contingency tables ranging between 0 (perfect symmetry) and 0.5 (perfect asymmetry) (see `stats::mcnemar.test()`).

Value

A data frame with the effect size (Cramers_v, phi (possibly with the suffix `_adjusted`), Odds_ratio, Risk_ratio (possibly with the prefix `log_`), Cohens_h, or Cohens_g) and its CIs (CI_low and CI_high).

Confidence Intervals for Cohen's g, OR, RR and Cohen's h

For Cohen's *g*, confidence intervals are based on the proportion ($P = g + 0.5$) confidence intervals returned by `stats::prop.test()` (minus 0.5), which give a good close approximation.

For Odds ratios, Risk ratios and Cohen's *h*, confidence intervals are estimated using the standard normal parametric method (see Katz et al., 1978; Szumilas, 2010).

See *Confidence (Compatibility) Intervals (CIs), CIs and Significance Tests*, and *One-Sided CIs* sections for *phi*, Cohen's *w*, Cramer's *V* and Pearson's *C*.

Confidence (Compatibility) Intervals (CIs)

Unless stated otherwise, confidence (compatibility) intervals (CIs) are estimated using the non-centrality parameter method (also called the "pivot method"). This method finds the noncentrality parameter ("*ncp*") of a noncentral *t*, *F*, or χ^2 distribution that places the observed *t*, *F*, or χ^2 test statistic at the desired probability point of the distribution. For example, if the observed *t* statistic is 2.0, with 50 degrees of freedom, for which cumulative noncentral *t* distribution is $t = 2.0$ the .025 quantile (answer: the noncentral *t* distribution with $ncp = .04$)? After estimating these confidence bounds on the *ncp*, they are converted into the effect size metric to obtain a confidence interval for the effect size (Steiger, 2004).

For additional details on estimation and troubleshooting, see [effectsize_CIs](#).

CIs and Significance Tests

"Confidence intervals on measures of effect size convey all the information in a hypothesis test, and more." (Steiger, 2004). Confidence (compatibility) intervals and p values are complementary summaries of parameter uncertainty given the observed data. A dichotomous hypothesis test could be performed with either a CI or a p value. The 100 (1 - α)% confidence interval contains all of the parameter values for which $p > \alpha$ for the current data and model. For example, a 95% confidence interval contains all of the values for which $p > .05$.

Note that a confidence interval including 0 *does not* indicate that the null (no effect) is true. Rather, it suggests that the observed data together with the model and its assumptions combined do not provided clear evidence against a parameter value of 0 (same as with any other value in the interval), with the level of this evidence defined by the chosen α level (Rafi & Greenland, 2020; Schweder & Hjort, 2016; Xie & Singh, 2013). To infer no effect, additional judgments about what parameter values are "close enough" to 0 to be negligible are needed ("equivalence testing"; Bauer & Kiesser, 1996).

References

- Cohen, J. (1988). *Statistical power analysis for the behavioral sciences* (2nd Ed.). New York: Routledge.
- Katz, D. J. S. M., Baptista, J., Azen, S. P., & Pike, M. C. (1978). Obtaining confidence intervals for the risk ratio in cohort studies. *Biometrics*, 469-474.
- Szumilas, M. (2010). Explaining odds ratios. *Journal of the Canadian academy of child and adolescent psychiatry*, 19(3), 227.

See Also

[chisq_to_phi\(\)](#) for details regarding estimation and CIs.

Other effect size indices: [cles\(\)](#), [cohens_d\(\)](#), [effectsize.BFBayesFactor\(\)](#), [eta_squared\(\)](#), [rank_biserial\(\)](#), [standardize_parameters\(\)](#)

Examples

```
M <-
  matrix(c(150, 100, 165,
           130, 50, 65,
           35, 10, 2,
           55, 40, 25), nrow = 4,
         dimnames = list(
           Music = c("Pop", "Rock", "Jazz", "Classic"),
           Study = c("Psych", "Econ", "Law")))

M

# Note that Phi is not bound to [0-1], but instead
# the upper bound for phi is sqrt(min(nrow, ncol) - 1)
phi(M)

cramers_v(M)

pearsons_c(M)

## 2-by-2 tables
## -----
RCT <-
  matrix(c(71, 30,
           50, 100), nrow = 2, byrow = TRUE,
         dimnames = list(
           Diagnosis = c("Sick", "Recovered"),
           Group = c("Treatment", "Control")))
RCT # note groups are COLUMNS

oddsratio(RCT)
oddsratio(RCT, alternative = "greater")

riskratio(RCT)
```



```

cohens_h(RCT)

## Dependent (Paired) Contingency Tables
## -----
Performance <-
  matrix(c(794, 150,
          86, 570), nrow = 2,
        dimnames = list(
          "1st Survey" = c("Approve", "Disapprove"),
          "2nd Survey" = c("Approve", "Disapprove")))
Performance

cohens_g(Performance)

```

plot.effectsize_table *Methods for effectsize tables*

Description

Printing, formatting and plotting methods for effectsize tables.

Usage

```

## S3 method for class 'effectsize_table'
plot(x, ...)

## S3 method for class 'equivalence_test_effectsize'
plot(x, ...)

## S3 method for class 'effectsize_table'
print(x, digits = 2, ...)

## S3 method for class 'effectsize_table'
format(x, digits = 2, ...)

## S3 method for class 'effectsize_difference'
print(x, digits = 2, append_CLES = FALSE, ...)

```

Arguments

x	Object to print.
...	Arguments passed to or from other functions.
digits	Number of digits for rounding or significant figures. May also be "signif" to return significant figures or "scientific" to return scientific notation. Control the number of digits by adding the value as suffix, e.g. digits = "scientific4"

to have scientific notation with 4 decimal places, or `digits = "signif5"` for 5 significant figures (see also `signif()`).

`append_CLES` Should the Common Language Effect Sizes be printed as well? Only applicable to Cohen's d , Hedges' g for independent samples of equal variance (pooled sd) or for the rank-biserial correlation for independent samples (See `d_to_cles()`)

rank_biserial *Effect size for non-parametric (rank sum) tests*

Description

Compute the rank-biserial correlation (r_{rb}), Cliff's δ (δ), rank epsilon squared (ϵ^2), and Kendall's W effect sizes for non-parametric (rank sum) tests.

Usage

```
rank_biserial(
  x,
  y = NULL,
  data = NULL,
  mu = 0,
  ci = 0.95,
  alternative = "two.sided",
  paired = FALSE,
  verbose = TRUE,
  ...,
  iterations
)

cliffs_delta(
  x,
  y = NULL,
  data = NULL,
  mu = 0,
  ci = 0.95,
  alternative = "two.sided",
  verbose = TRUE,
  ...
)

rank_epsilon_squared(
  x,
  groups,
  data = NULL,
  ci = 0.95,
  alternative = "greater",
  iterations = 200,
```

```

    ...
  )

kendalls_w(
  x,
  groups,
  blocks,
  data = NULL,
  ci = 0.95,
  alternative = "greater",
  iterations = 200,
  verbose = TRUE,
  ...
)

```

Arguments

x	Can be one of: <ul style="list-style-type: none"> • A numeric vector, or a character name of one in data. • A formula in to form of DV ~ groups (for rank_biserial() and rank_epsilon_squared()) or DV ~ groups blocks (for kendalls_w()); See details for the blocks and groups terminology used here). • A list of vectors (for rank_epsilon_squared()). • A matrix of blocks x groups (for kendalls_w()). See details for the blocks and groups terminology used here.
y	An optional numeric vector of data values to compare to x, or a character name of one in data. Ignored if x is not a vector.
data	An optional data frame containing the variables.
mu	a number indicating the value around which (a-)symmetry (for one-sample or paired samples) or shift (for independent samples) is to be estimated. See stats::wilcox.test .
ci	Confidence Interval (CI) level
alternative	a character string specifying the alternative hypothesis; Controls the type of CI returned: "two.sided" (two-sided CI; default for rank-biserial correlation and Cliff's <i>delta</i>), "greater" (default for rank epsilon squared and Kendall's <i>W</i>) or "less" (one-sided CI). Partial matching is allowed (e.g., "g", "l", "two"...). See <i>One-Sided CIs</i> in effectsize_CIs .
paired	If TRUE, the values of x and y are considered as paired. This produces an effect size that is equivalent to the one-sample effect size on x -y.
verbose	Toggle warnings and messages on or off.
...	Arguments passed to or from other methods.
iterations	The number of bootstrap replicates for computing confidence intervals. Only applies when ci is not NULL. (Deprecated for rank_biserial()).
groups, blocks	A factor vector giving the group / block for the corresponding elements of x, or a character name of one in data. Ignored if x is not a vector.

Details

The rank-biserial correlation is appropriate for non-parametric tests of differences - both for the one sample or paired samples case, that would normally be tested with Wilcoxon's Signed Rank Test (giving the **matched-pairs** rank-biserial correlation) and for two independent samples case, that would normally be tested with Mann-Whitney's *U* Test (giving **Glass'** rank-biserial correlation). See [stats::wilcox.test](#). In both cases, the correlation represents the difference between the proportion of favorable and unfavorable pairs / signed ranks (Kerby, 2014). Values range from -1 (*all* values of the second sample are larger than *all* the values of the first sample) to +1 (*all* values of the second sample are smaller than *all* the values of the first sample). Cliff's *delta* is an alias to the rank-biserial correlation in the two sample case.

The rank epsilon squared is appropriate for non-parametric tests of differences between 2 or more samples (a rank based ANOVA). See [stats::kruskal.test](#). Values range from 0 to 1, with larger values indicating larger differences between groups.

Kendall's *W* is appropriate for non-parametric tests of differences between 2 or more dependent samples (a rank based rmANOVA), where each group (e.g., experimental condition) was measured for each block (e.g., subject). This measure is also common as a measure of reliability of the rankings of the groups between raters (blocks). See [stats::friedman.test](#). Values range from 0 to 1, with larger values indicating larger differences between groups / higher agreement between raters.

Ties:

When tied values occur, they are each given the average of the ranks that would have been given had no ties occurred. No other corrections have been implemented yet.

Value

A data frame with the effect size (`r_rank_biserial`, `rank_epsilon_squared` or `Kendalls_W`) and its CI (`CI_low` and `CI_high`).

Confidence Intervals

Confidence intervals for the rank-biserial correlation (and Cliff's *delta*) are estimated using the normal approximation (via Fisher's transformation). Confidence intervals for rank Epsilon squared, and Kendall's *W* are estimated using the bootstrap method (using the `{boot}` package).

References

- Cureton, E. E. (1956). Rank-biserial correlation. *Psychometrika*, 21(3), 287-290.
- Glass, G. V. (1965). A ranking variable analogue of biserial correlation: Implications for short-cut item analysis. *Journal of Educational Measurement*, 2(1), 91-95.
- Kendall, M.G. (1948) Rank correlation methods. London: Griffin.
- Kerby, D. S. (2014). The simple difference formula: An approach to teaching nonparametric correlation. *Comprehensive Psychology*, 3, 11-IT.
- King, B. M., & Minium, E. W. (2008). *Statistical reasoning in the behavioral sciences*. John Wiley & Sons Inc.
- Cliff, N. (1993). Dominance statistics: Ordinal analyses to answer ordinal questions. *Psychological bulletin*, 114(3), 494.

- Tomczak, M., & Tomczak, E. (2014). The need to report effect size estimates revisited. An overview of some recommended measures of effect size.

See Also

Other effect size indices: [cles\(\)](#), [cohens_d\(\)](#), [effectsize.BFBayesFactor\(\)](#), [eta_squared\(\)](#), [phi\(\)](#), [standardize_parameters\(\)](#)

Examples

```
data(mtcars)
mtcars$am <- factor(mtcars$am)
mtcars$cyl <- factor(mtcars$cyl)

# Rank Biserial Correlation
# =====

# Two Independent Samples -----
(rb <- rank_biserial(mpg ~ am, data = mtcars))
# Same as:
# rank_biserial("mpg", "am", data = mtcars)
# rank_biserial(mtcars$mpg[mtcars$am=="0"], mtcars$mpg[mtcars$am=="1"])

# More options:
rank_biserial(mpg ~ am, data = mtcars, mu = -5)
print(rb, append_CLES = TRUE)

# One Sample -----
rank_biserial(wt ~ 1, data = mtcars, mu = 3)
# same as:
# rank_biserial("wt", data = mtcars, mu = 3)
# rank_biserial(mtcars$wt, mu = 3)

# Paired Samples -----
dat <- data.frame(Cond1 = c(1.83, 0.5, 1.62, 2.48, 1.68, 1.88, 1.55, 3.06, 1.3),
                 Cond2 = c(0.878, 0.647, 0.598, 2.05, 1.06, 1.29, 1.06, 3.14, 1.29))
(rb <- rank_biserial(Pair(Cond1, Cond2) ~ 1, data = dat, paired = TRUE))

# same as:
# rank_biserial(dat$Cond1, dat$Cond2, paired = TRUE)

interpret_rank_biserial(0.78)
interpret(rb, rules = "funder2019")

# Rank Epsilon Squared
# =====

rank_epsilon_squared(mpg ~ cyl, data = mtcars)
```

```
# Kendall's W
# =====
dat <- data.frame(cond = c("A", "B", "A", "B", "A", "B"),
                  ID = c("L", "L", "M", "M", "H", "H"),
                  y = c(44.56, 28.22, 24, 28.78, 24.56, 18.78))
(W <- kendalls_w(y ~ cond | ID, data = dat, verbose = FALSE))

interpret_kendalls_w(0.11)
interpret(W, rules = "landis1977")
```

rules

Interpretation Grid

Description

Create a container for interpretation rules of thumb. Usually used in conjunction with [interpret](#).

Usage

```
rules(values, labels = NULL, name = NULL, right = TRUE)
```

```
is.rules(x)
```

Arguments

values	Vector of reference values (edges defining categories or critical values).
labels	Labels associated with each category. If NULL, will try to infer it from values (if it is a named vector or a list), otherwise, will return the breakpoints.
name	Name of the set of rules (stored as a 'rule_name' attribute).
right	logical, for threshold-type rules, indicating if the thresholds themselves should be included in the interval to the right (lower values) or in the interval to the left (higher values).
x	An arbitrary R object.

See Also

[interpret](#)

Examples

```
rules(c(0.05), c("significant", "not significant"), right = FALSE)
rules(c(0.2, 0.5, 0.8), c("small", "medium", "large"))
rules(c("small" = 0.2, "medium" = 0.5), name = "Cohen's Rules")
```

sd_pooled	<i>Pooled Standard Deviation</i>
-----------	----------------------------------

Description

The Pooled Standard Deviation is a weighted average of standard deviations for two or more groups, *assumed to have equal variance*. It represents the common deviation among the groups, around each of their respective means.

Usage

```
sd_pooled(x, y = NULL, data = NULL, verbose = TRUE)
```

```
mad_pooled(x, y = NULL, data = NULL, constant = 1.4826, verbose = TRUE)
```

Arguments

x	A formula, a numeric vector, or a character name of one in data.
y	A numeric vector, a grouping (character / factor) vector, a or a character name of one in data. Ignored if x is a formula.
data	An optional data frame containing the variables.
verbose	Toggle warnings and messages on or off.
constant	scale factor.

Details

The standard version is calculated as:

$$\sqrt{\frac{\sum (x_i - \bar{x})^2}{n_1 + n_2 - 2}}$$

The robust version is calculated as:

$$1.4826 \times \text{Median}(|\{x - \text{Median}_x, y - \text{Median}_y\}|)$$

Value

Numeric, the pooled standard deviation.

See Also

[cohens_d\(\)](#)

Examples

```
sd_pooled(mpg ~ am, data = mtcars)
mad_pooled(mtcars$mpg, factor(mtcars$am))
```

standardize.default *Re-fit a model with standardized data*

Description

Performs a standardization of data (z-scoring) using `datawizard::standardize()` and then re-fits the model to the standardized data.

Standardization is done by completely refitting the model on the standardized data. Hence, this approach is equal to standardizing the variables *before* fitting the model and will return a new model object. This method is particularly recommended for complex models that include interactions or transformations (e.g., polynomial or spline terms). The `robust` (default to `FALSE`) argument enables a robust standardization of data, based on the median and the MAD instead of the mean and the SD.

Usage

```
## Default S3 method:
standardize(
  x,
  robust = FALSE,
  two_sd = FALSE,
  weights = TRUE,
  verbose = TRUE,
  include_response = TRUE,
  ...
)
```

Arguments

<code>x</code>	A statistical model.
<code>robust</code>	Logical, if <code>TRUE</code> , centering is done by subtracting the median from the variables and dividing it by the median absolute deviation (MAD). If <code>FALSE</code> , variables are standardized by subtracting the mean and dividing it by the standard deviation (SD).
<code>two_sd</code>	If <code>TRUE</code> , the variables are scaled by two times the deviation (SD or MAD depending on <code>robust</code>). This method can be useful to obtain model coefficients of continuous parameters comparable to coefficients related to binary predictors, when applied to the predictors (not the outcome) (Gelman, 2008).
<code>weights</code>	If <code>TRUE</code> (default), a weighted-standardization is carried out.
<code>verbose</code>	Toggle warnings and messages on or off.
<code>include_response</code>	If <code>TRUE</code> (default), the response value will also be standardized. If <code>FALSE</code> , only the predictors will be standardized. <ul style="list-style-type: none"> Note that for GLMs and models with non-linear link functions, the response value will not be standardized, to make re-fitting the model work.

- If the model contains an `stats::offset()`, the offset variable(s) will be standardized only if the response is standardized. If `two_sd = TRUE`, offsets are standardized by one-sd (similar to the response).
 - (For mediate models, the `include_response` refers to the outcome in the y model; m model's response will always be standardized when possible).
- ... Arguments passed to or from other methods.

Value

A statistical model fitted on standardized data

Generalized Linear Models

Standardization for generalized linear models (GLM, GLMM, etc) is done only with respect to the predictors (while the outcome remains as-is, unstandardized) - maintaining the interpretability of the coefficients (e.g., in a binomial model: the exponent of the standardized parameter is the OR of a change of 1 SD in the predictor, etc.)

Dealing with Factors

`standardize(model)` or `standardize_parameters(model, method = "refit")` do *not* standardize categorical predictors (i.e. factors) / their dummy-variables, which may be a different behaviour compared to other R packages (such as **lm.beta**) or other software packages (like SPSS). To mimic such behaviours, either use `standardize_parameters(model, method = "basic")` to obtain post-hoc standardized parameters, or standardize the data with `datawizard::standardize(data, force = TRUE)` *before* fitting the model.

Transformed Variables

When the model's formula contains transformations (e.g. $y \sim \exp(X)$) the transformation effectively takes place after standardization (e.g., $\exp(\text{scale}(X))$). Since some transformations are undefined for none positive values, such as `log()` and `sqrt()`, the relevant variables are shifted (post standardization) by $Z - \min(Z) + 1$ or $Z - \min(Z)$ (respectively).

See Also

Other standardize: [standardize_info\(\)](#), [standardize_parameters\(\)](#)

Examples

```
model <- lm(Infant.Mortality ~ Education * Fertility, data = swiss)
coef(standardize(model))
```

standardize_info *Get Standardization Information*

Description

This function extracts information, such as the deviations (SD or MAD) from parent variables, that are necessary for post-hoc standardization of parameters. This function gives a window on how standardized are obtained, i.e., by what they are divided. The "basic" method of standardization uses.

Usage

```
standardize_info(
  model,
  robust = FALSE,
  two_sd = FALSE,
  include_pseudo = FALSE,
  ...
)
```

Arguments

model	A statistical model.
robust	Logical, if TRUE, centering is done by subtracting the median from the variables and dividing it by the median absolute deviation (MAD). If FALSE, variables are standardized by subtracting the mean and dividing it by the standard deviation (SD).
two_sd	If TRUE, the variables are scaled by two times the deviation (SD or MAD depending on robust). This method can be useful to obtain model coefficients of continuous parameters comparable to coefficients related to binary predictors, when applied to the predictors (not the outcome) (Gelman, 2008).
include_pseudo	(For (G)LMMs) Should Pseudo-standardized information be included?
...	Arguments passed to or from other methods.

Value

A data frame with information on each parameter (see [parameters::parameters_type](#)), and various standardization coefficients for the post-hoc methods (see [standardize_parameters\(\)](#)) for the predictor and the response.

See Also

Other standardize: [standardize.default\(\)](#), [standardize_parameters\(\)](#)

Examples

```
model <- lm(mpg ~ ., data = mtcars)
standardize_info(model)
standardize_info(model, robust = TRUE)
standardize_info(model, two_sd = TRUE)
```

standardize_parameters

Parameters standardization

Description

Compute standardized model parameters (coefficients).

Usage

```
standardize_parameters(
  model,
  method = "refit",
  ci = 0.95,
  robust = FALSE,
  two_sd = FALSE,
  include_response = TRUE,
  verbose = TRUE,
  parameters,
  ...
)

standardize_posteriors(
  model,
  method = "refit",
  robust = FALSE,
  two_sd = FALSE,
  include_response = TRUE,
  verbose = TRUE,
  ...
)
```

Arguments

model	A statistical model.
method	The method used for standardizing the parameters. Can be "refit" (default), "posthoc", "smart", "basic" or "pseudo". See 'Details'.
ci	Confidence Interval (CI) level

robust	Logical, if TRUE, centering is done by subtracting the median from the variables and dividing it by the median absolute deviation (MAD). If FALSE, variables are standardized by subtracting the mean and dividing it by the standard deviation (SD).
two_sd	If TRUE, the variables are scaled by two times the deviation (SD or MAD depending on robust). This method can be useful to obtain model coefficients of continuous parameters comparable to coefficients related to binary predictors, when applied to the predictors (not the outcome) (Gelman, 2008).
include_response	If TRUE (default), the response value will also be standardized. If FALSE, only the predictors will be standardized. For GLMs the response value will never be standardized (see <i>Generalized Linear Models</i> section).
verbose	Toggle warnings and messages on or off.
parameters	Deprecated.
...	For <code>standardize_parameters()</code> , arguments passed to <code>parameters::model_parameters</code> , such as: <ul style="list-style-type: none"> • <code>ci_method</code>, centrality for Mixed models and Bayesian models... • <code>exponentiate</code>, ... • etc.

Value

A data frame with the standardized parameters (`Std_*`, depending on the model type) and their CIs (`CI_low` and `CI_high`). Where applicable, standard errors (SEs) are returned as an attribute (`attr(x, "standard_error")`).

Standardization Methods:

- **refit**: This method is based on a complete model re-fit with a standardized version of the data. Hence, this method is equal to standardizing the variables before fitting the model. It is the "purest" and the most accurate (Neter et al., 1989), but it is also the most computationally costly and long (especially for heavy models such as Bayesian models). This method is particularly recommended for complex models that include interactions or transformations (e.g., polynomial or spline terms). The `robust` (default to FALSE) argument enables a robust standardization of data, i.e., based on the median and MAD instead of the mean and SD. **See `standardize()` for more details.**
 - **Note** that `standardize_parameters(method = "refit")` may not return the same results as fitting a model on data that has been standardized with `standardize()`; `standardize_parameters()` used the data used by the model fitting function, which might not be same data if there are missing values. see the `remove_na` argument in `standardize()`.
- **posthoc**: Post-hoc standardization of the parameters, aiming at emulating the results obtained by "refit" without refitting the model. The coefficients are divided by the standard deviation (or MAD if `robust`) of the outcome (which becomes their expression 'unit'). Then, the coefficients related to numeric variables are additionally multiplied by the standard deviation (or MAD if `robust`) of the related terms, so that they correspond to changes of 1 SD of the predictor (e.g., "A change in 1 SD of x is related to a change of 0.24 of the SD of y). This does

not apply to binary variables or factors, so the coefficients are still related to changes in levels. This method is not accurate and tend to give aberrant results when interactions are specified.

- **basic**: This method is similar to `method = "posthoc"`, but treats all variables as continuous: it also scales the coefficient by the standard deviation of model's matrix' parameter of factors levels (transformed to integers) or binary predictors. Although being inappropriate for these cases, this method is the one implemented by default in other software packages, such as `lm.beta::lm.beta()`.
- **smart** (Standardization of Model's parameters with Adjustment, Reconnaissance and Transformation - *experimental*): Similar to `method = "posthoc"` in that it does not involve model refitting. The difference is that the SD (or MAD if robust) of the response is computed on the relevant section of the data. For instance, if a factor with 3 levels A (the intercept), B and C is entered as a predictor, the effect corresponding to B vs. A will be scaled by the variance of the response at the intercept only. As a results, the coefficients for effects of factors are similar to a Glass' delta.
- **pseudo** (*for 2-level (G)LMMs only*): In this (post-hoc) method, the response and the predictor are standardized based on the level of prediction (levels are detected with `performance::check_heterogeneity_bias`). Predictors are standardized based on their SD at level of prediction (see also `datawizard::demean()`); The outcome (in linear LMMs) is standardized based on a fitted random-intercept-model, where `sqrt(random-intercept-variance)` is used for level 2 predictors, and `sqrt(residual-variance)` is used for level 1 predictors (Hoffman 2015, page 342). A warning is given when a within-group variable is found to have access between-group variance.

Transformed Variables

When the model's formula contains transformations (e.g. $y \sim \exp(X)$) `method = "refit"` will give different results compared to `method = "basic"` ("`posthoc`" and "`smart`" do not support such transformations): While "`refit`" standardizes the data *prior* to the transformation (e.g. equivalent to `exp(scale(X))`), the "`basic`" method standardizes the transformed data (e.g. equivalent to `scale(exp(X))`).

See the *Transformed Variables* section in `standardize.default()` for more details on how different transformations are dealt with when `method = "refit"`.

Confidence Intervals

The returned confidence intervals are re-scaled versions of the unstandardized confidence intervals, and not "true" confidence intervals of the standardized coefficients (cf. Jones & Waller, 2015).

Generalized Linear Models

Standardization for generalized linear models (GLM, GLMM, etc) is done only with respect to the predictors (while the outcome remains as-is, unstandardized) - maintaining the interpretability of the coefficients (e.g., in a binomial model: the exponent of the standardized parameter is the OR of a change of 1 SD in the predictor, etc.)

Dealing with Factors

`standardize(model)` or `standardize_parameters(model, method = "refit")` do *not* standardized categorical predictors (i.e. factors) / their dummy-variables, which may be a different behaviour

compared to other R packages (such as **lm.beta**) or other software packages (like SPSS). To mimic such behaviours, either use `standardize_parameters(model, method = "basic")` to obtain post-hoc standardized parameters, or standardize the data with `datawizard::standardize(data, force = TRUE)` *before* fitting the model.

References

- Hoffman, L. (2015). Longitudinal analysis: Modeling within-person fluctuation and change. Routledge.
- Jones, J. A., & Waller, N. G. (2015). The normal-theory and asymptotic distribution-free (ADF) covariance matrix of standardized regression coefficients: theoretical extensions and finite sample behavior. *Psychometrika*, 80(2), 365-378.
- Neter, J., Wasserman, W., & Kutner, M. H. (1989). Applied linear regression models.
- Gelman, A. (2008). Scaling regression inputs by dividing by two standard deviations. *Statistics in medicine*, 27(15), 2865-2873.

See Also

Other standardize: [standardize.default\(\)](#), [standardize_info\(\)](#)

Other effect size indices: [cles\(\)](#), [cohens_d\(\)](#), [effectsize.BFBayesFactor\(\)](#), [eta_squared\(\)](#), [phi\(\)](#), [rank_biserial\(\)](#)

Examples

```
library(effectsize)

model <- lm(len ~ supp * dose, data = ToothGrowth)
standardize_parameters(model, method = "refit")

standardize_parameters(model, method = "posthoc")
standardize_parameters(model, method = "smart")
standardize_parameters(model, method = "basic")

# Robust and 2 SD
standardize_parameters(model, robust = TRUE)
standardize_parameters(model, two_sd = TRUE)

model <- glm(am ~ cyl * mpg, data = mtcars, family = "binomial")
standardize_parameters(model, method = "refit")
standardize_parameters(model, method = "posthoc")
standardize_parameters(model, method = "basic", exponentiate = TRUE)

if (require("lme4")) {
  m <- lmer(mpg ~ cyl + am + vs + (1 | cyl), mtcars)
  standardize_parameters(m, method = "pseudo", ci_method = "satterthwaite")
}
```

```
## Not run:
if (require("rstanarm")) {
  model <- stan_glm(rating ~ critical + privileges, data = attitude, refresh = 0)
  standardize_posteriors(model, method = "refit")
  standardize_posteriors(model, method = "posthoc")
  standardize_posteriors(model, method = "smart")
  head(standardize_posteriors(model, method = "basic"))
}

## End(Not run)
```

t_to_d	<i>Convert test statistics (t, z, F) to effect sizes of differences (Cohen's d) or association (partial r)</i>
--------	---

Description

These functions are convenience functions to convert t, z and F test statistics to Cohen's d and **partial r**. These are useful in cases where the data required to compute these are not easily available or their computation is not straightforward (e.g., in liner mixed models, contrasts, etc.).

See [Effect Size from Test Statistics vignette](#).

Usage

```
t_to_d(
  t,
  df_error,
  paired = FALSE,
  ci = 0.95,
  alternative = "two.sided",
  pooled,
  ...
)
```

```
z_to_d(z, n, paired = FALSE, ci = 0.95, alternative = "two.sided", pooled, ...)
```

```
F_to_d(
  f,
  df,
  df_error,
  paired = FALSE,
  ci = 0.95,
  alternative = "two.sided",
  ...
)
```

```
t_to_r(t, df_error, ci = 0.95, alternative = "two.sided", ...)
```

```
z_to_r(z, n, ci = 0.95, alternative = "two.sided", ...)
```

```
F_to_r(f, df, df_error, ci = 0.95, alternative = "two.sided", ...)
```

Arguments

t, f, z	The t, the F or the z statistics.
paired	Should the estimate account for the t-value being testing the difference between dependent means?
ci	Confidence Interval (CI) level
alternative	a character string specifying the alternative hypothesis; Controls the type of CI returned: "two.sided" (default, two-sided CI), "greater" or "less" (one-sided CI). Partial matching is allowed (e.g., "g", "l", "two"...). See <i>One-Sided CIs</i> in effectsize_CIs .
pooled	Deprecated. Use paired.
...	Arguments passed to or from other methods.
n	The number of observations (the sample size).
df, df_error	Degrees of freedom of numerator or of the error estimate (i.e., the residuals).

Details

These functions use the following formulae to approximate r and d :

$$r_{\text{partial}} = t / \sqrt{t^2 + df_{\text{error}}}$$

$$r_{\text{partial}} = z / \sqrt{z^2 + N}$$

$$d = 2 * t / \sqrt{df_{\text{error}}}$$

$$d_z = t / \sqrt{df_{\text{error}}}$$

$$d = 2 * z / \sqrt{N}$$

The resulting d effect size is an *approximation* to Cohen's d , and assumes two equal group sizes. When possible, it is advised to directly estimate Cohen's d , with `cohens_d()`, `emmeans::eff_size()`, or similar functions.

Value

A data frame with the effect size(s) (r or d), and their CIs (`CI_low` and `CI_high`).

Confidence (Compatibility) Intervals (CIs)

Unless stated otherwise, confidence (compatibility) intervals (CIs) are estimated using the non-centrality parameter method (also called the "pivot method"). This method finds the noncentrality parameter (" ncp ") of a noncentral t , F , or χ^2 distribution that places the observed t , F , or χ^2 test statistic at the desired probability point of the distribution. For example, if the observed t statistic is 2.0, with 50 degrees of freedom, for which cumulative noncentral t distribution is $t = 2.0$ the .025 quantile (answer: the noncentral t distribution with $ncp = .04$)? After estimating these confidence bounds on the ncp , they are converted into the effect size metric to obtain a confidence interval for the effect size (Steiger, 2004).

For additional details on estimation and troubleshooting, see [effectsize_CIs](#).

CIs and Significance Tests

"Confidence intervals on measures of effect size convey all the information in a hypothesis test, and more." (Steiger, 2004). Confidence (compatibility) intervals and p values are complementary summaries of parameter uncertainty given the observed data. A dichotomous hypothesis test could be performed with either a CI or a p value. The $100(1 - \alpha)\%$ confidence interval contains all of the parameter values for which $p > \alpha$ for the current data and model. For example, a 95% confidence interval contains all of the values for which $p > .05$.

Note that a confidence interval including 0 *does not* indicate that the null (no effect) is true. Rather, it suggests that the observed data together with the model and its assumptions combined do not provide clear evidence against a parameter value of 0 (same as with any other value in the interval), with the level of this evidence defined by the chosen α level (Rafi & Greenland, 2020; Schweder & Hjort, 2016; Xie & Singh, 2013). To infer no effect, additional judgments about what parameter values are "close enough" to 0 to be negligible are needed ("equivalence testing"; Bauer & Kiesser, 1996).

References

- Friedman, H. (1982). Simplified determinations of statistical power, magnitude of effect and research sample sizes. *Educational and Psychological Measurement*, 42(2), 521-526. doi: [10.1177/001316448204200214](https://doi.org/10.1177/001316448204200214)
- Wolf, F. M. (1986). *Meta-analysis: Quantitative methods for research synthesis* (Vol. 59). Sage.
- Rosenthal, R. (1994) Parametric measures of effect size. In H. Cooper and L.V. Hedges (Eds.). *The handbook of research synthesis*. New York: Russell Sage Foundation.
- Steiger, J. H. (2004). Beyond the F test: Effect size confidence intervals and tests of close fit in the analysis of variance and contrast analysis. *Psychological Methods*, 9, 164-182.

- Cumming, G., & Finch, S. (2001). A primer on the understanding, use, and calculation of confidence intervals that are based on central and noncentral distributions. *Educational and Psychological Measurement*, 61(4), 532-574.

See Also

Other effect size from test statistic: [F_to_eta2\(\)](#), [chisq_to_phi\(\)](#)

Examples

```
## t Tests
res <- t.test(1:10, y = c(7:20), var.equal = TRUE)
t_to_d(t = res$statistic, res$parameter)
t_to_r(t = res$statistic, res$parameter)
t_to_r(t = res$statistic, res$parameter, alternative = "less")

res <- with(sleep, t.test(extra[group == 1], extra[group == 2], paired = TRUE))
t_to_d(t = res$statistic, res$parameter, paired = TRUE)
t_to_r(t = res$statistic, res$parameter)
t_to_r(t = res$statistic, res$parameter, alternative = "greater")

## Linear Regression
model <- lm(rating ~ complaints + critical, data = attitude)
(param_tab <- parameters::model_parameters(model))

(rs <- t_to_r(param_tab$t[2:3], param_tab$df_error[2:3]))

if (require(see)) plot(rs)

# How does this compare to actual partial correlations?
if (require("correlation")) {
  correlation::correlation(attitude[, c(1, 2, 6)], partial = TRUE)[1:2, c(2, 3, 7, 8)]
}
```

Index

- * **convert between effect sizes**
 - d_to_cles, 13
 - d_to_r, 14
 - eta2_to_f2, 25
 - odds_to_probs, 60
 - oddsratio_to_riskratio, 59
- * **data**
 - hardlyworking, 38
- * **effect size from test statistic**
 - chisq_to_phi, 3
 - F_to_eta2, 34
 - t_to_d, 79
- * **effect size indices**
 - cles, 6
 - cohens_d, 9
 - effectsize.BFBayesFactor, 16
 - eta_squared, 26
 - phi, 61
 - rank_biserial, 66
 - standardize_parameters, 75
- * **standardize**
 - standardize.default, 72
 - standardize_info, 74
 - standardize_parameters, 75
 - .es_aov_simple (effectsize_API), 18
 - .es_aov_strata (effectsize_API), 18
 - .es_aov_table (effectsize_API), 18
- anova(), 28
- bayestestR::describe_posterior(), 17, 30
- bayestestR::equivalence_test(), 25
- bayestestR::overlap(), 8
- chisq_to_cohens_w(chisq_to_phi), 3
- chisq_to_cramers_v(chisq_to_phi), 3
- chisq_to_pearsons_c(chisq_to_phi), 3
- chisq_to_phi, 3, 37, 82
- chisq_to_phi(), 64
- cles, 6, 12, 17, 31, 64, 69, 78
- cliffs_delta(rank_biserial), 66
- cohens_d, 8, 9, 17, 31, 64, 69, 78
- cohens_d(), 7, 13, 14, 24, 71, 81
- cohens_f(eta_squared), 26
- cohens_f_squared(eta_squared), 26
- cohens_g(phi), 61
- cohens_h(phi), 61
- cohens_u3(cles), 6
- cohens_w(phi), 61
- common_language(cles), 6
- convert_d_to_common_language(d_to_cles), 13
- convert_d_to_oddsratio(d_to_r), 14
- convert_d_to_r(d_to_r), 14
- convert_logoddsratio_to_d(d_to_r), 14
- convert_logoddsratio_to_r(d_to_r), 14
- convert_odds_to_probs(odds_to_probs), 60
- convert_oddsratio_to_d(d_to_r), 14
- convert_oddsratio_to_r(d_to_r), 14
- convert_probs_to_odds(odds_to_probs), 60
- convert_r_to_d(d_to_r), 14
- convert_r_to_oddsratio(d_to_r), 14
- convert_rb_to_common_language(d_to_cles), 13
- cramers_v(phi), 61
- cramers_v(), 5
- d_to_cles, 13, 15, 26, 60, 61
- d_to_cles(), 8, 12, 66
- d_to_common_language(d_to_cles), 13
- d_to_oddsratio(d_to_r), 14
- d_to_r, 14, 14, 26, 60, 61
- d_to_r(), 42
- datawizard::demean(), 77
- datawizard::standardize(), 72
- effectsize (effectsize.BFBayesFactor),

- 16
- effectsize.BFBayesFactor, 8, 12, 16, 31, 64, 69, 78
- effectsize_API, 18
- effectsize_CIs, 4, 5, 7, 10, 11, 19, 20, 28, 30, 35, 36, 62, 63, 67, 80, 81
- effectsize_deprecated, 23
- epsilon_squared(eta_squared), 26
- equivalence_test.effectsize_table, 23
- eta2_to_f(eta2_to_f2), 25
- eta2_to_f2, 14, 15, 25, 60, 61
- eta_squared, 8, 12, 17, 26, 64, 69, 78
- eta_squared(), 19, 24, 26, 37
- eta_squared_posterior(eta_squared), 26

- f2_to_eta2(eta2_to_f2), 25
- F_to_d(t_to_d), 79
- F_to_epsilon2(F_to_eta2), 34
- F_to_eta2, 6, 34, 82
- f_to_eta2(eta2_to_f2), 25
- F_to_eta2(), 29, 31
- F_to_eta2_adj(F_to_eta2), 34
- F_to_f(F_to_eta2), 34
- F_to_f2(F_to_eta2), 34
- F_to_omega2(F_to_eta2), 34
- F_to_r(t_to_d), 79
- F_to_r(), 24
- fitmeasures(), 47
- format.effectsize_table
(plot.effectsize_table), 65
- format_standardize, 33

- get_effectsize_label
(is_effectsize_name), 59
- get_effectsize_name
(is_effectsize_name), 59
- glass_delta(cohens_d), 9

- hardlyworking, 38
- hedges_g(cohens_d), 9

- insight::format_value(), 33
- insight::get_data(), 16
- interpret, 38, 70
- interpret.lavaan(interpret_gfi), 45
- interpret.performance_lavaan
(interpret_gfi), 45
- interpret_agfi(interpret_gfi), 45
- interpret_bf, 40

- interpret_cfi(interpret_gfi), 45
- interpret_cohens_d, 23, 41
- interpret_cohens_d(), 50
- interpret_cohens_g, 43
- interpret_cramers_v(interpret_r), 54
- interpret_d(effectsize_deprecated), 23
- interpret_delta
(effectsize_deprecated), 23
- interpret_direction, 44
- interpret_epsilon_squared
(interpret_omega_squared), 51
- interpret_ess, 44
- interpret_eta_squared
(interpret_omega_squared), 51
- interpret_g(effectsize_deprecated), 23
- interpret_gfi, 45
- interpret_glass_delta, 23
- interpret_glass_delta
(interpret_cohens_d), 41
- interpret_hedges_g, 23
- interpret_hedges_g
(interpret_cohens_d), 41
- interpret_icc, 48
- interpret_ifi(interpret_gfi), 45
- interpret_kendalls_w, 49
- interpret_nfi(interpret_gfi), 45
- interpret_nnfi(interpret_gfi), 45
- interpret_oddsratio, 50
- interpret_omega_squared, 51
- interpret_p, 52
- interpret_parameters
(effectsize_deprecated), 23
- interpret_pd, 53
- interpret_phi(interpret_r), 54
- interpret_pnfi(interpret_gfi), 45
- interpret_r, 23, 54
- interpret_r(), 42
- interpret_r2, 56
- interpret_rank_biserial(interpret_r), 54
- interpret_rfi(interpret_gfi), 45
- interpret_rhat(interpret_ess), 44
- interpret_rmsea(interpret_gfi), 45
- interpret_rope, 57
- interpret_srmr(interpret_gfi), 45
- interpret_vif, 58
- is.rules(rules), 70
- is_effectsize_name, 59

- kendalls_w(rank_biserial), 66
- lm.beta::lm.beta(), 77
- logoddsratio_to_d(d_to_r), 14
- logoddsratio_to_r(d_to_r), 14
- mad_pooled(sd_pooled), 71
- odds_to_probs, 14, 15, 26, 60, 60
- oddsratio(phi), 61
- oddsratio_to_d(d_to_r), 14
- oddsratio_to_d(), 50
- oddsratio_to_r(d_to_r), 14
- oddsratio_to_riskratio, 14, 15, 26, 59, 61
- omega_squared(eta_squared), 26
- p_direction(), 16
- p_overlap(cles), 6
- p_superiority(cles), 6
- parameters::model_parameters, 76
- parameters::parameters_type, 74
- pearsons_c(phi), 61
- performance::check_heterogeneity_bias(), 77
- phi, 8, 12, 17, 31, 61, 69, 78
- phi_to_chisq(chisq_to_phi), 3
- plot.effectsize_table, 65
- plot.equivalence_test_effectsize(plot.effectsize_table), 65
- print.effectsize_difference(plot.effectsize_table), 65
- print.effectsize_table(plot.effectsize_table), 65
- probs_to_odds(odds_to_probs), 60
- r_to_d(d_to_r), 14
- r_to_oddsratio(d_to_r), 14
- rank_biserial, 8, 12, 17, 31, 64, 66, 78
- rank_biserial(), 7, 13, 14
- rank_epsilon_squared(rank_biserial), 66
- rb_to_cles(d_to_cles), 13
- rb_to_cles(), 8
- rb_to_common_language(d_to_cles), 13
- riskratio(phi), 61
- riskratio_to_oddsratio(oddsratio_to_riskratio), 59
- rope(), 16
- rstantools::posterior_predict(), 29
- rules, 70
- rules(), 38–41, 43, 44, 46, 48–54, 56–58
- sd_pooled, 71
- sd_pooled(), 8, 10, 12
- signif(), 33, 66
- standardize(), 76
- standardize.default, 72, 74, 78
- standardize.default(), 77
- standardize.models(standardize.default), 72
- standardize_info, 73, 74, 78
- standardize_models(standardize.default), 72
- standardize_parameters, 8, 12, 17, 31, 64, 69, 73, 74, 75
- standardize_parameters(), 17, 74
- standardize_posteriors(standardize_parameters), 75
- stats::chisq.test(), 62
- stats::friedman.test, 68
- stats::kruskal.test, 68
- stats::mcnemar.test(), 62
- stats::offset(), 73
- stats::plogis(), 61
- stats::prop.test(), 63
- stats::wilcox.test, 67, 68
- t_to_d, 6, 37, 79
- t_to_epsilon2(F_to_eta2), 34
- t_to_eta2(F_to_eta2), 34
- t_to_eta2_adj(F_to_eta2), 34
- t_to_f(F_to_eta2), 34
- t_to_f2(F_to_eta2), 34
- t_to_omega2(F_to_eta2), 34
- t_to_r(t_to_d), 79
- z_to_d(t_to_d), 79
- z_to_r(t_to_d), 79