

# Package ‘envstat’

February 14, 2022

**Title** Configurable Reporting on your External Compute Environment

**Version** 0.0.2

**Description** Runs a series of configurable tests against a user's compute environment. This can be used for checking that things like a specific directory or an environment variable is available before you start an analysis. Alternatively, you can use the package's situation report when filing error reports with your compute infrastructure.

**URL** <https://envstat.sellorm.com>

**BugReports** <https://github.com/sellorm/envstat/issues>

**License** MIT + file LICENSE

**Encoding** UTF-8

**RoxygenNote** 7.1.2

**Imports** cli, httr2, rstudioapi, yaml

**Suggests** covr, testthat (>= 3.0.0)

**Config/testthat/edition** 3

**NeedsCompilation** no

**Author** Mark Sellors [aut, cre]

**Maintainer** Mark Sellors <rstats@5vcc.com>

**Repository** CRAN

**Date/Publication** 2022-02-14 09:00:08 UTC

## R topics documented:

edit_envstat . . . . .	2
sitrep . . . . .	2
use_envstat . . . . .	3

<b>Index</b>	<b>5</b>
--------------	----------

---

edit_envstat	<i>Edit an envstat configuration file</i>
--------------	---

---

**Description**

Opens an envstat config file in your in your editor. Supports either the RStudio IDE, or the R default editor from `getOption("editor")`

**Usage**

```
edit_envstat(filepath = "~/envstat")
```

**Arguments**

filepath            path to the config file

**Value**

the path to the config file invisibly

**Examples**

```
## Not run:  
# By default envstat uses a config file in your home directory  
envstat::edit_envstat()  
  
# But you can tell it to use a different config file if you prefer  
envstat::edit_envstat(filepath = "/tmp/config.yml")  
  
## End(Not run)
```

---

sitrep	<i>Output an environment status situation report</i>
--------	--

---

**Description**

Reports on the availability of certain features of your compute infrastructure, for example, environment variables, or a specific RStudio Package Manager instance. Configure the tests with the `use_envstat` and `edit_envstat` functions.

**Usage**

```
sitrep(silent = FALSE, path = "~/envstat")
```

**Arguments**

silent	boolean disables printed output
path	path to the envstat config file

**Value**

TRUE/FALSE invisibly, to indicate all checks pass/fail

**Examples**

```
## Not run:
# By default envstat uses a config file in your home directory
envstat::sitrep()

# But you can tell it to use a different config file if you prefer
envstat::sitrep(path = "/tmp/config.yml")

# sitrep can also run silently, so that it can be used programatically
envstat::sitrep(silent = TRUE)

## End(Not run)
```

---

use_envstat	<i>Create a new skeleton configuration file</i>
-------------	---

---

**Description**

Create a new skeleton configuration file

**Usage**

```
use_envstat(filepath = "~/envstat", source = NULL, consent = FALSE)
```

**Arguments**

filepath	path to the config file
source	customise the source of the example config file
consent	boolean indicates user consent, default FALSE

**Value**

TRUE/FALSE invisibly to indicate success/failure

**Examples**

```
## Not run:
# By default envstat uses a config file in your home directory
envstat::use_envstat()

# But you can tell it to use a different config file if you prefer
envstat::use_envstat(filepath = "/tmp/config.yml")

# During normal operation use_envstat uses a default config file that ships
# with the package, but you can specify your own if you have one. This can
# be useful in settings such as multi-user server deployments of R, as many
# users could use the same base configuration file and personalise it for
# their own specific use case.
envstat::use_envstat(source = "/shared/corp_envstat_conf.yml")

## End(Not run)
```

# Index

`edit_envstat`, 2

`sitrep`, 2

`use_envstat`, 3